

# U.S. DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

8300.10 CHG 24

51

7/3/06

#### SUBJ: AIRWORTHINESS INSPECTOR'S HANDBOOK

- 1. **PURPOSE.** This Change transmits new and revised portions of the handbook.
- 2. **DISTRIBUTION.** This Change is distributed to all addresses on special distribution list ZFS-830. An electronic message will be disseminated to Flight Standards employees (largely the airworthiness aviation safety inspectors, whom this change affects) to indicate when this Change is electronically published, which chapters are affected, and which bulletins are incorporated and will be available on the Federal Aviation Administration's Web site: http://www.faa.gov/library/manuals/examiners\_inspectors/8300/. This Change will also be electronically published through Flight Standards Information Management System (FSIMS), http://fsims.avr.faa.gov/fsims.nsf.
- **3. EXPLANATION OF CHANGES.** This Change to the 8300.10 handbook uses change bars to indicate new and revised material, and consecutive numbering within each chapter. Significant areas of new direction, guidance, and policy based on guidance from 14 CFR part 91, subpart K, Fractional Ownership Operations, included in this Change are as indicated. The chapters listed below were coordinated as CHG 91K as follows:
  - a. Three (3) new chapters.
- (1) Volume 1, Chapter 12, The Generic Process for Issuing Management Specifications to Fractional Ownership Organizations.
- (2) Volume 2, Chapter 59, Evaluate Part 91 Subpart K Company Manual/Revision for Maintenance and Inspection Procedures.
  - (3) Volume 2, Chapter 86, Part 91 Subpart K, Management Specifications.
  - b. Fourteen (14) chapters updated or include editorial changes.
    - (1) Volume 1, Chapter 5, Preparation of FAA Operating Certificates.
    - (2) Volume 1, Chapter 8, Exemptions, Deviations, Waivers, and Authorizations.
- (3) Volume 1, Chapter 9, Obtain Certificate Number for an Air Operator or Air Agency, or an Identification Number for a Fractional Ownership Program.
  - (4) Volume 2, Chapter 27, Renew Inspection Authorization.

Distribution: ZFS-830 Initiated By: AFS-300

- (5) Volume 2, Chapter 35, Introduction to Part 91 Related Tasks.
- **(6) Volume 2, Chapter 36,** Evaluate/Inspect Part 91 Operator's Aircraft and Part 91 Subpart K, Fractional Ownership Program Manager's Aircraft.
- (7) Volume 2, Chapter 64, Evaluate Continuous Airworthiness Maintenance Program/Revision.
- **(8) Volume 2, Chapter 70,** Evaluate Parts 91 Subpart K/121/135.411(a)(2) Maintenance Training Program/Record.
  - (9) Volume 2, Chapter 76, Conduct Parts 91/121/135 Proving/Validation Tests.
- (10) Volume 2, Chapter 89, Special Flight Permit with Continuing Authorization to Conduct Ferry Flights, and incorporates **HBAW 97-11**, Procedures for the FAA to Permit Certain Canadian Air Carriers Continuous (Blanket) Special Flight Authorizations, dated 09-05-97.
- (11) Volume 3, Chapter 2, Conduct Spot Inspection of Operator's/Fractional Ownership Program Manager's Aircraft.
- (12) Volume 3, Chapter 3, Conduct Ramp Inspection of Operator's/Fractional Ownership Program Manager's Aircraft.
- (13) Volume 3, Chapter 26, Monitor Part 91, and Approve/Monitor Part 91 Subpart K Owner's Inspection Program.
  - (14) Volume 3, Chapter 143, Monitor Cockpit Voice Recorders.
- **4. DISPOSITION OF TRANSMITTAL.** Retain and file this transmittal in the back of this handbook until it is superseded by a revision to this order.

#### PAGE CONTROL CHART

Remove Pages	Dated	Insert Pages	Dated
List of Effective Pages, pp. i-ix	3/31/06	List of Effective Pages, pp. i-ix	7/3/06
General Table of Contents, pp. i-xviii	eneral Table of Contents, pp. i-xviii 3/31/06 General Table of Contents, pp. i-xviii		7/3/06
Vol. 1 Table of Contents, pp. i-iii Vol. 1, pp. 5-1 – 5-2 Vol. 1, pp. 8-1 – 8-4 Vol. 1, pp. 9-1 – 9-2 Vol. 1, pp. 12-1 – 15-2 (Reserved)	11/30/05 8/13/93 8/13/93 8/13/93 11/30/05	Vol. 1 Table of Contents, pp. i-v Vol. 1, pp. 5-1 – 5-2 Vol. 1, pp. 8-1 – 8-4 Vol. 1, pp. 9-1 – 9-2 Vol. 1, pp. 12-1 – 12-8	7/3/06 7/3/06 7/3/06 7/3/06 7/3/06

		Vol. 1, pp. 13-1 – 15-2 (Reserved)	7/3/06
Vol. 2 Table of Contents, pp. i-xl	3/31/06	Vol. 2 Table of Contents, pp. i-xl	7/3/06
Vol. 2, pp. 27-1 – 27-3	12/14/99	Vol. 2, pp. 27-1 – 27-4	7/3/06
Vol. 2, pp. 35-1	7/24/92	Vol. 2, pp. 35-1 – 35-2	7/3/06
Vol. 2, pp. 36-1 – 36-6	7/24/92	Vol. 2, pp. 36-1 – 36-6	7/3/06
Vol. 2, pp. 40-1 – 59-2 (Reserved)	12/14/99	Vol. 2, pp. 40-1 – 58-2 (Reserved)	7/3/06
		Vol. 2, pp. 59-1 – 59-6	7/3/06
Vol. 2, pp. 64-1 – 64-6	12/20/96	Vol. 2, pp. 64-1 – 64-8	7/3/06
Vol. 2, pp. 70-1 – 70-5	7/17/92	Vol. 2, pp. 70-1 – 70-6	7/3/06
Vol. 2, pp. 76-1 – 76-13	12/14/90	Vol. 2, pp. 76-1 – 76-14	7/3/06
Vol. 2, pp. 86-1 (Reserved)	11/1/88	Vol. 2, pp. 86-1 – 86-10	7/3/06
Vol. 2, pp. 89-1 – 89-5	7/24/92	Vol. 2, pp. 89-1 – 89-8	7/3/06
Vol. 3 Table of Contents, pp. i-xxiii	3/31/06	Vol. 3 Table of Contents, pp. i-xxiii	7/3/06
Vol. 3, pp. 2-1 – 2-6	10/30/95	Vol. 3, pp. 2-1 – 2-6	7/3/06
Vol. 3. pp. 3-1 – 3-5	3/4/04	Vol. 3. pp. 3-1 – 3-8	7/3/06
Vol. 3, pp. 26-1 – 26-6	12/14/90	Vol. 3, pp. 26-1 – 26-8	7/3/06
Vol. 3, pp. 143-1 – 143-3	3/4/04	Vol. 3, pp. 143-1 – 143-4	7/3/06
Appendix 1, pp. $1-1-1-7$	3/31/06	Appendix 1, pp. 1-1 – 1-7	7/3/06
Comprehensive Index, pp. 1-42	3/31/06	Comprehensive Index, pp. 1-45	7/3/06

James J. Ballough Director, Flight Standards Service

## **Order 8300.10 List of Effective Pages**

Volume/ Chapter No.	CHAPTER TITLE	CHG	DATE	PAGES
	Forward		11/1/88	i
	General Table of Contents	24	7/3/06	i-xviii
VOLUME 1.	Table of Contents	24	7/3/06	i-v
Chapter 1	General Information	21	2/23/05	1-1—1-5
Chapter 2	FAA Regulatory Responsibilities and Methodology	9	8/13/93	2-1—2-2
Chapter 3	The General Process for Approval or Acceptance	9	8/13/93	3-1—3-5
Chapter 4	The Generic Process for Certificating Organizations	9	8/13/93	4-1—4-6
Chapter 5	Preparation of FAA Operating Certificates	24	7/3/06	5-1-5-2
Chapter 6	The FAA and Flight Standards: History,	9	8/13/93	6-1—6-7
Chapter o	Organization, and The Public Law		0,10,70	
Chapter 7	Environmental Considerations and Responsibilities	9	8/13/93	7-1—7-7
Chapter 8	Exemptions, Deviations, Waivers, and	24	7/3/06	8-1—8-4
<b>F</b>	Authorizations		1,75,75	
Chapter 9	Obtain Certificate Number for an Air Operator or Air Agency, or an Identification Number for a Fractional Ownership Program	24	7/3/06	9-1—9-2
Chapter 10	Inspector Ethics and Conduct	20	8/27/04	10-1—10-6
Chapter 11	Whistleblower Protection Program (Air Carrier)	17	11/12/03	11-1—11-18
Chapter 12	The Generic Process for Issuing Management Specifications to Fractional Ownership Organizations	24	7/3/06	12-1—12-8
Chapters 13-15	Reserved	24	7/3/06	13-1—15-2
Chapter 16	Evaluating Part 121 Air Carrier Programs with Safety Attribute Inspection and Element Performance Inspection Data Collection Tools	22	11/30/05	16-1—16-8
VOLUME 2.	CERTIFICATION			
Vol. 2	Table of Contents	24	7/3/06	xl
Chapter 1	Perform Field Approval of Major Repairs and Major Alterations	21	2/23/05	1-1—1-28
Chapter 2	Issue SFAR 36 Authorization	16	5/21/03	2-1-2-4
Chapter 3	Maintenance/Inspection Programs for Low Approach Landing Minimums	21	2/23/05	3-1—3-8
Chapter 4	Evaluate An Operator's Deicing/Anti-Icing Program	11	12/20/96	4-1—4-6
Chapter 5	Evaluate Operator's Application to Conduct Flight in Airspace Where Reduced Vertical Separation Minimums are Applied	16	5/21/03	5-1—5-6
Chapter 6	Reserved	_	_	_
Chapter 7	Minimum Equipment Lists and Configuration Deviation Lists	23	3/31/06	7-17-40
Chapter 8	Certificate Repairman for Light -Sport Aircraft	21	2/23/05	8-1—8-6
Chapters 9-20	Reserved	21	2/23/05	9-1-20-2
Chapter 21	Introduction to FAR Part 65	1	7/21/89	21-1
Chapter 22	Certificate Airframe and/or Powerplant Mechanic/ Added Ratings	23	3/31/06	22-1—22-20
Chapter 23	Certificate Foreign Applicants Located Outside the United States for Mechanic Certificates/Ratings	14	1/30/02	23-1—23-4

i

Volume/	CHAPTER TITLE	CHG	DATE	PAGES
Chapter No.				
Charter 24	Cartificate Danaimman / Addad Drivilages	21	2/23/05	24-1—24-4
Chapter 24 Chapter 25	Certificate Repairman/Added Privileges Certificate Repairman for Experimental Aircraft	7	7/17/92	24-1—24-4 25-1—25-3
Chapter 26	Evaluate Inspection Authorization	12	12/14/99	26-1—26-4
	1			
Chapter 27	Renew Inspection Authorization	24	7/3/06	27-1—27-4
Chapter 28	Certificate Parachute Rigger/Added Rating	11	12/20/96	28-1—28-4
Chapter 29	WITHDRAWN	18	3/4/04	29-1—29-2
Chapters 30-34	Reserved	7	7/17/92	30-1—34-1
Chapter 35	Introduction to Part 91 Related Tasks	24	7/3/06	35-1—35-2
Chapter 36	Evaluate/Inspect Part 91 Operator's Aircraft and Part 91 Subpart K, Fractional Ownership Program	24	7/3/06	36-1—36-6
	Manager's Aircraft	2.1	0/00/07	
Chapter 37	WITHDRAWN	21	2/23/05	
Chapter 38	Reserved	10	10/30/95	38-1
Chapter 39	Procedures to Approve Special Courses for the Performance of Preventive Maintenance on Primary Category Aircraft	10	10/30/95	39-1—39-4
Chapters 40-58	Reserved	24	7/3/06	40-1—58-2
Chapter 59	Evaluate Part 91 Subpart K Company Manual/Revision for Maintenance and Inspection Procedures	24	7/3/06	59-1—59-6
Chapter 60	Introduction		11/1/88	60-160-6
Chapter 61	Evaluate Part 121/135.411(a)(2) Operator	12	12/14/99	61-1—61-9
Chapter 62	Evaluate Part 121/135 Management Personnel Qualifications	18	3/4/04	62-1—62-6
Chapter 63	Evaluate FAR Part 121/135.411(a)(2) Company Manual/Revision	7	7/17/92	63-1—63-8
Chapter 64	Evaluate Continuous Airworthiness Maintenance Program/Revision	24	7/3/06	64-1—64-8
Chapter 65	Evaluate Continuing Analysis and Surveillance Program/Revision	8	7/24/92	65-1—65-4
Chapter 66	Approve a Reliability Program	14	1/30/02	66-1—66-7
Chapter 67	Approve Contract Reliability Program	9	8/13/93	67-1—67-7
Chapter 68	Evaluate Part 135 (Nine Seats or Less) Operator	17	11/12/03	68-1—68-5
Chapter 69	Evaluate Part 121/135 (10 or More) Outsource Maintenance Arrangement	22	11/30/05	69-1—69-12
Chapter 70	Evaluate Parts 91 Subpart K/121/135.411(a)(2) Maintenance Training Program/Record	24	7/3/06	70-1—70-6
Chapter 71	Evaluate Part 121 Operator's Maintenance Records	12	12/14/99	71-1—71-6
Chapter 72	Evaluate Aircraft Lease/Interchange Agreement	9	8/13/93	72-1—72-5
Chapter 73	Evaluate FAR Part 121/135 10 or more Leased Maintenance Program Authorization: U.S. Registered Aircraft	9	8/13/93	73-1—73-4
Chapter 74	Evaluate Part 121/135 (10 or More) and Turbine Powered Aircraft) Operator's Weight and Balance Control Program	20	8/27/04	74-1—74-14
Chapter 75	Evaluate FAR Part 135 (Nine or Less) Weight and Balance Control Procedures	9	8/13/93	75-1—75-3
Chapter 76	Conduct Parts 91/121/135 Proving/Validation Tests	24	7/3/06	76-1—76-14

Volume/	CHAPTER TITLE	CHG	DATE	PAGES
Chapter No.				
C1	E. I FIRE . 101 F	0	0/10/00	55.1.55.16
Chapter 77	Evaluate FAR Part 121 Emergency	9	8/13/93	77-1—77-16
GI . 70	Evacuation/Ditching Procedures/Demonstrations	10	10/14/00	70.1.70.4
Chapter 78	Process Part 121/135 Operator's Aircraft/Engine	12	12/14/99	78-1—79-4
Cl 70	Utilization Report	0	0/12/02	70.1. 70.2
Chapter 79	Review FAR Part 121/135.411 (a)(2) Engineering	9	8/13/93	79-1—79-3
Chamtan 90	Change Authorization  Evaluate a Part 121/125 011(a)(2)Cartificate	23	2/21/06	90.1 90.6
Chapter 80	Evaluate a Part 121/135.911(a)(2)Certificate Holder's Short-Term Escalation Procedure	23	3/31/06	80-1—80-6
Chamtan 01		9	8/13/93	81-1—81-2
Chapter 81	Evaluate Foreign-Registered Aircraft Operated By FAR Part 121/135.411(a)(2) Operators	9	8/13/93	81-1-81-2
Chapter 82	Evaluate/Inspect Part 121 Extended-Range	12	12/14/99	82-1—82-6
Chapter 82	Operations with Two-Engine Aircraft	12	12/14/99	02-1-02-0
Chapter 83	Evaluate Part 135 (Nine or Less) Approved Aircraft	13	5/14/01	83-1—83-5
Chapter 63	Inspection Program	13	3/14/01	03-1-03-3
Chapter 84	Part 121/125/135 Operations Specifications	21	2/23/05	84-1—84-20
Chapter 85	Evaluate Special Equipment or Test Apparatus	17	11/12/03	85-1—85-4
Chapter 86	Part 91 Subpart K, Management Specifications	24	7/3/06	86-1—86-10
Chapter 87	Approve Parts/Parts Pool/ Parts Borrowing	5	12/14/90	87-1—87-4
Chapter 88	Prorated Time Authorizations	5	12/14/90	88-1—88-4
Chapter 89	Special Flight Permit with Continuing Authorization	24	7/3/06	89-1—89-8
Chapter 69	to Conduct Ferry Flights	24	7/3/00	09-1-09-0
Chapter 90	Reserved	10	10/30/95	90-1
Chapter 91	Evaluate Part 135 (Nine or Less)	16	5/21/03	91-1—91-7
Chapter 71	Operator/Applicant's Inspection and Maintenance	10	3/21/03	
	Requirements			
Chapter 92	Evaluate Part 135.411(a)(1) Operator's Maintenance	12	12/14/99	92-1—92-6
Chapter 32	Records	12	12/11//	72 1 72 0
Chapter 93	Evaluate Section 135.411(a)(1) Manual/Revision	17	11/12/03	93-1—93-5
Chapter 94	WITHDRAWN	12	12/14/99	_
Chapter 95	Evaluate and Authorize a Part 121or135 (10 or	22	11/30/05	95-1—95-6
	More) Applicant/Certificate Holder to use			
	"Coordinating Agencies for Supplier Evaluation"			
	(C.A.S.E.)			
Chapters 96-100	Reserved	8	7/24/92	96-1—100-1
Chapter 101	FAR Part 125 Introduction	5	12/14/90	101-1—101-2
Chapter 102	Evaluate FAR Part 125 Operator	7	7/17/92	102-1—102-11
Chapter 103	Evaluate Qualifications of FAR Part 125	9	8/13/93	103-1—103-2
	Management Personnel			
Chapter 104	Evaluate FAR Part 125 Policies and Procedures	7	7/17/92	104-1—104-7
	Manual/Revision			
Chapter 105	Evaluate Part 125 Airplane Inspection Program and	21	2/23/05	105-1—105-6
	Maintenance			
Chapter 106	Evaluate a FAR Part 125 Inspection Training	9	8/13/93	106-1—106-3
	Program/Records			
Chapter 107	Evaluate Part 125 Operations Specifications	17	11/12/03	107-1—107-5
Chapter 108	Evaluate FAR Part 125 Emergency	9	8/13/93	108-1—108-16
	Evacuation/Ditching Demonstration/Procedures			
Chapter 109	WITHDRAWN	21	2/23/05	109-1

Volume/	CHAPTER TITLE	CHG	DATE	PAGES
Chapter No.	Freelests Dest 105 Occuptor? Weight and Delance	12	5/14/01	110-1—110-5
Chapter 110	Evaluate Part 125 Operator's Weight and Balance Control Program	13	5/14/01	110-1—110-5
Chapter 111	Evaluate FAR Part 125 Operator's Maintenance Records	5	12/14/90	111-1—111-5
Chapters 112-12	4 Reserved	2	9/8/89	112-1—129-1
Chapter 125	Introduction to FAR Part 129	3	12/15/89	125-1—125-2
Chapter 126	Evaluate/Approve a Maintenance Program and a Minimum Equipment List for U.SRegistered Aircraft Under Part 129	21	2/23/05	126-1—126-6
Chapters 127-13	4 Reserved	3	9/8/89	127-1—134-1
Chapter 135	Introduction to FAR Part 133 Related Tasks	_	11/1/88	135-1
Chapter 136	Evaluate FAR Part 133 Operator	9	8/13/93	136-1—136-3
Chapter 137	Evaluate FAR Part 133 Rotorcraft Lease Agreement	9	8/13/93	137-1—137-2
Chapters 138-14		2	9/8/89	138-1—145-1
Chapter 146	Introduction to FAR Part 137		11/1/88	146-1
Chapter 147	Evaluate FAR Part 137 Applicant	10	10/30/95	147-1—147-4
Chapters 148-15		2	9/8/89	148-1—154-1
Chapter 155	Introduction to FAR Part 141 Related Tasks		11/1/88	155-1
Chapter 156	Evaluate FAR Part 141 Pilot School	5	12/14/90	156-1—156-3
Chapter 157	Team Focused In-Depth Inspection of a Part 145 Repair Station	22	11/30/05	157-1—157-12
Chapter 158	Evaluate a Part 121 Air Carrier's Listing of Leading Outsource Maintenance Providers: The Quarterly Utilization Report	22	11/30/05	158-1—158-6
Chapter 159	Reserved	23	3/31/06	159-1—159-2
Chapter 160	Review and Approve a Part 145 Repair Station's Training Program	23	3/31/06	160-1—160-22
Chapter 161	Introduction to Part 145 Repair Stations	23	3/31/06	161-1—161-22
Chapter 162	Procedures for Certificating Part 145 Repair Stations/Satellites Located Within the United States and its Territories	23	3/31/06	162-1—162-12
Chapter 163	International Field Office Procedures for Certificating/Renewing/Amending Part 145 Repair Stations Located Outside the United States and its Territories	23	3/31/06	163-1—163-28
Chapter 164	Evaluate a Part 145 Repair Station and Quality Control Manual or Revision	19	6/30/04	164-1—164-9
Chapter 165	Evaluate Part 145 Repair Station Facilities and Equipment	19	6/30/04	165-1—165-7
Chapter 166	Transition of Manufacturer Maintenance Facility (MMF) to a Domestic Repair Station	11	12/20/96	166-1—166-2
Chapter 167	Process the Application of a Domestic Repair Station for Approval under European Aviation Safety Agency Part 145	23	3/31/06	167-1—167-18
Chapter 168	Evaluate an EASA Supplement to a Repair Station's Manual/ Quality Control Manual	23	3/31/06	168-1—168-12
Chapter 169	Support a Maintenance International Standardization Team Visit	23	3/31/06	169-1—169-6

Volume/	CHAPTER TITLE	CHG	DATE	PAGES
Chapter No.				
Chapter 170	International Field Office Initial Certification of	22	11/30/05	170-1—170-15
	Repair Stations under the Maintenance			
	Implementation Procedures of a Bilateral Aviation			
	Safety Agreement			
Chapter 171	International Field Office Responsibilities for	22	11/30/05	171-1—171-14
	Renewal/ Amendment Procedures of Repair			
	Stations under the Maintenance Implementation			
	Procedures of a Bilateral Aviation Safety			
C1 150	Agreement	4.5	10/20/02	150 1 150 5
Chapter 172	International Field Office Process for Turnover of	15	10/30/02	172-1—172-7
	FAA-Certificated Foreign Repair Stations to a			
Cl . 170 10	National Aviation Authority under a BASA/MIP	1.1	12/20/06	170 1 104 1
Chapters 173-18		11	12/20/96	173-1—184-1
Chapter 185	Introduction to FAR Part 147	8	7/24/92	185-1—185-4
Chapter 186	Certificate FAR Part 147 Aviation Maintenance Technician School	8	7/24/92	186-1—186-8
Chapter 187	Evaluate FAR Part 147 Aviation Maintenance	8	7/24/92	187-1—187-6
_	Technician School's Curriculum/Revision and			
	Instructor Qualifications			
Chapter 188	Evaluate Part 147 Aviation Maintenance Technician	12	12/14/99	188-1—188-3
	School Facilities, Equipment, Materials, Tools and			
	Records			
Chapters 189-20		3	12/15/89	189-1—194-1
Chapter 202	Designate/Renew Designated Mechanic Examiner	14	1/30/02	202-1—202-6
	or Designated Parachute Rigger Examiner			
Chapter 203	Certificate/Renew Designated Airworthiness	23	3/31/06	203-1—203-4
	Representative			
Chapters 204-20		2	9/8/89	204-1—209-1
Chapter 210	Introduction to Conducting Accident and Incident	2	9/8/89	210-1—210-4
	Investigations, Processing a Violation Package, and			
G! 011	Responding to a Complaint	10	10/11/00	211 1 211 10
Chapter 211	Conduct an Accident Investigation	12	12/14/99	211-1—211-10
Chapter 212	Conduct an Incident Investigation	7	7/17/92	212-1—212-8
Chapter 213	Conduct Violation Investigation	9	8/13/93	213-1—213-15
Chapter 214	Participate in an Accident Prevention Presentation	9	8/13/93	214-1—214-3
Chapter 215	Process an Airman for Remedial Training	8	7/24/92	215-1—215-5
Chapters 216-21		8	7/24/92	216-1—219-1
Chapter 220	Introduction to General Function	11	12/20/96	220-1—220-4
Chapter 221	WITHDRAWN	21	2/23/05	221-1—221-2
Chapters 222-22		10	10/30/95	222-1—224-1
Chapter 225	Issue Airworthiness Certificate for an Aircraft	9	8/13/93	225-1—225-2
Chapter 226	Issue Import/Export Airworthiness Approval		10/30/95	226-1—226-3
Chapter 227	Evaluate Applicant's Refueling Procedures and Facilities	18	3/4/04	227-1—227-4
Chapters 228-23		5	12/14/90	228-1—234-1
Chapter 235	Introduction to Avionics	3	12/14/90	235-1
Chapter 236	Evaluate Avionics Test Equipment	9	8/13/93	236-1—236-4
Chapter 237	Evaluate Avionics Fest Equipment Evaluate Avionics Equipment Approval	18	3/4/04	237-1—237-3
Chapter 238	Evaluate Avionics Equipment Approval  Evaluate Airborne Microwave Landing Systems	9	8/13/93	236-1—236-3
Chapter 239	Approve Altimeter Setting Sources	9	8/13/93	239-1—239-2
Chapter 239	Tipprove minimical bearing bources		0/13/73	<u> </u>

Volume/	CHAPTER TITLE	CHG	DATE	PAGES
Chapter No.		0110		111020
Chapter 240	Approve Use of Manufacturer's Avionics	9	8/13/93	240-1-240-2
	Rental/Exchange Programs for Commuter Airlines			
Chapter 241	Approve Area Navigational Systems	12	12/14/99	241-1—241-4
VOLUME 3.	SURVEILLANCE			
Vol. 3	Table of Contents	24	7/3/06	i-xxiii
Chapter 1	Introduction to Aircraft and Equipment	9	8/13/93	1-1—1-12
Chapter 2	Conduct Spot Inspection of Operator's/Fractional	24	7/3/06	2-1-2-6
1	Ownership Program Manager's Aircraft			
Chapter 3	Conduct Ramp Inspection of Operator's/Fractional	24	7/3/06	3-1-3-8
•	Ownership Program Manager's Aircraft			
Chapter 4	Conduct Cockpit En Route Inspection	8	7/24/92	4-1-4-7
Chapter 5	Conduct Cabin En Route Inspection	9	8/13/93	5-15-10
Chapter 6	Ground Operator Aircraft	7	7/17/92	6-1-6-4
Chapter 7	Inspect Aircraft Used for Air Ambulance	9	8/13/93	7-1—7-5
Chapter 8	Conduct a Detailed Process/Task Inspection	23	3/31/06	8-1-8-4
Chapter 9	Conduct Ramp Inspection on Cargo Loading	16	5/21/03	9-1—9-6
Chapter 10	Conducting Records Reviews and Aircraft	20	8/27/04	10-1—10-6
_	Inspections Mandated by the Aging Aircraft Rules			
Chapters 11-16	Reserved	20	8/27/04	11-1—16-1
Chapter 17	Monitor Certificated Airframe and/or Powerplant	7	7/17/92	17-1—17-3
	Mechanic, Repairman, Parachute Rigger, and			
	Inspection Authorization Holder			
Chapter 18	Conduct a Reexamination Test of a Mechanic or an	12	12/14/99	18-1—18-7
	Inspection Authorization Under Title 49 of the			
	United States Code			
Chapter 19	Inspect a Computer Testing Center	18	3/4/04	19-1—19-5
Chapter 20	Surveillance of Light-Sport Repairman Training	21	2/23/05	20-1—20-3
	Facilities			
Chapters 21-24	Reserved	21	21/23/05	21-1—24-1
Chapter 25	Monitor an Air Show/Air Race	12	12/14/99	25-1—25-3
Chapter 26	Monitor Part 91, and Approve/Monitor Part 91	24	7/3/06	26-1—26-8
	Subpart K Owner's Inspection Program		10/00/05	25.4 25.2
Chapter 27	Inspect FAR Part 91 Maintenance Records	11	12/20/96	27-1—27-3
Chapters 28-35	Reserved	5	12/14/90	28-1—35-1
Chapter 36	Monitor Continuous Airworthiness Maintenance	14	1/30/02	36-1—36-7
C1 . 27	Program/Revision	0	0/12/02	27.1 27.0
Chapter 37	Monitor Continuing Analysis and Surveillance	9	8/13/93	37-1—37-9
CI 4 20	Program/Revision	0	0/12/02	20.1 20.7
Chapter 38	Inspect Approved Reliability Program	9	8/13/93	38-1—38-7
Chapter 39	Inspect FAR Part 135 (9 or Less) Air Carrier	8	7/24/92	39-1—39-4
Chapter 40	Inspect FAR Part 121/135 Contractual Reliability	9	8/13/93	40-1-40-4
Chapter 41	Program Inspect Section 135.411(a)(1) Operator's	12	12/14/99	41-1—41-4
Chapter 41	Maintenance Records	12	12/14/99	41-1-41-4
Chapter 42	Inspect Part 121/135 (Ten or More) and Part 129	18	3/4/04	42-1—42-5
Chapter 42	Operator's Maintenance Records	10	3/4/04	72-1-42-3
Chapter 43	Monitor FAR Part 121 Extended-Range Operations	5	12/14/90	43-1—43-4
Chapter 43	with Two-Engine Aircraft (ETOPS)		12/14/90	<del>+</del> 3-1— <del>4</del> 3-4
Chapter 44	Evaluate a Part 121/135.411(a)(2) Operator Aircraft	23	3/31/06	44-1—44-8
Chapter 44	Storage Program	23	3/31/00	77-1-44-0
	Diorage i rogram	1		1

Volume/	CHAPTER TITLE	CHG	DATE	PAGES
Chapter No.				
Chapter 45	Surveillance of 121/135 Operators Participating in	8	7/24/92	45-1—45-2
	"Coordinating Agencies for Supplier's Evaluation"			
	(C.A.S.E.)			
Chapters 46-59	Reserved	8	7/24/92	46-1—59-1
Chapter 60	Monitor FAR Part 125 Airplane Inspection Program	9	8/13/93	60-160-2
Chapter 61	Inspect FAR Part 125 Operator's Maintenance Records	10	10/30/95	61-1—61-5
Chapters 62-74	Reserved	2	9/8/89	62-1—74-1
Chapter 75	Monitor Maintenance Program for U.SRegistered Aircraft Operated by a Foreign Operator	11	12/20/96	75-1—75-3
Chapters 76-81	Reserved	22	11/30/05	76-1—81-1
Chapter 82	Inspect a Repair Station's Certificate Requirements	22	11/30/05	82-1—82-4
Chapter 83	Inspect a Repair Station's Record System	22	11/30/05	83-1—83-6
Chapter 84	Inspect a Repair Station's Manual System	22	11/30/05	84-1—84-5
Chapter 85	Inspect a Repair Station's Housing and Facilities	22	11/30/05	85-1—85-4
Chapter 86	Inspect a Repair Station's Tools and Equipment	22	11/30/05	86-1—86-6
Chapter 87	Inspect a Repair Station's Technical Data	22	11/30/05	87-1—87-5
Chapter 88	Inspect a Repair Station's Quality Control system	22	11/30/05	88-1—88-5
Chapter 89	Inspect a Repair Station's Parts and Material	22	11/30/05	89-1—89-5
	Program			
Chapter 90	Inspect a Repair Station's Personnel	22	11/30/05	90-1—90-5
Chapter 91	Inspect Part 141 Pilot School Aircraft	12	12/14/99	91-1—91-3
Chapter 92	Inspect a Repair Station's Training Program	22	11/30/05	92-1—92-4
Chapter 93	Inspect a Repair Station's Maintenance Process	22	11/30/05	93-1—93-5
Chapter 94	Inspect a Repair Station and Its Authorization for Work Away from its Fixed Location	22	11/30/05	94-1—94-5
Chapter 95	Inspect a Repair Station's Contract Maintenance Program	22	11/30/05	95-1—95-5
Chapter 96	Inspect a Repair Station for Maintenance/Alterations Performed for Parts 121, 125, 129, and 135 Certificate Holders	22	11/30/05	96-1—96-5
Chapter 97	Inspect Part 145 Repair Stations Within the United States	22	11/30/05	97-1—97-5
Chapter 98	Inspect Part 145 Repair Stations Outside the United States	22	11/30/05	98-1—98-5
Chapter 99	International Field Office Procedures for Conducting Sampling Inspections, FAA Independent Inspections, and Participating in Foreign National Aviation Authority's Internal Quality Audits Under a BASA/MIP	22	11/30/05	99-1—99-16
Chapters 100-10	94 Reserved	15	10/30/02	100-1—104-1
Chapter 105	Inspect FAR Part 147 Aviation Maintenance Technician School	5	12/14/90	105-1—105-4
Chapters 106-10		2	9/8/89	106-1—109-1
Chapter 110	CANCELLED	9	8/13/93	110-1—110-2
Chapters 111-11		2	8/13/93	111-113-1
Chapter 114	Monitor a Designated Mechanic Examiner and/ or	11	12/20/96	114-1—114-5
Chapter 115	Designated Parachute Rigger Examiner  Monitor Designated Airworthings Representative	12	12/14/99	115-1—115-3
	Monitor Designated Airworthiness Representative		<b>†</b>	
Chapters 116-12	Reserved	2	9/8/89	116-1—123-1

Volume/ Chapter No.	CHAPTER TITLE	CHG	DATE	PAGES
Chapter 124	Issue Aircraft Condition Notice	9	8/13/93	124-1—124-2
Chapter 125	Evaluation of Air Carrier's Management of	23	3/31/06	125-1—125-20
Chapter 123	Significant Changes	23	3/31/00	123-1123-20
Chapter 126	Monitoring Part 145 Repair Station's that are	22	11/30/05	126-1—126-9
Chapter 120	Substantial Maintenance Providers, Before, During,		11/30/02	120 1 120 )
	and After Labor Dispute, Strike, or Bankruptcy			
Chapter 127	WITHDRAWN	16	5/21/03	
Chapter 128	Process Service Difficulty Report	17	11/12/03	128-1—128-4
Chapter 129	Process Malfunction or Defect Report	11	12/20/96	129-1—129-3
Chapter 130	Review Operator's Mechanical Interruption	9	8/13/93	130-1—130-3
	Summary Report			
Chapter 131	Inspect Operator's Maintenance Facility	21	2/23/05	131-1—131-5
Chapter 132	Performance/Evaluation/Inspection and Assessment	22	11/30/05	132-1—132-11
	of a Part 121 Air Carrier's Outsource Maintenance			
	System			
Chapter 133	Evaluate/Inspect a Part 125, 129, and 135 Air	22	11/30/05	133-1—133-10
	Operator's Outsource Maintenance Providers			
	Facility		11150105	
Chapter 134	Conduct a Detailed Air Carrier In-Process/Task	22	11/30/05	134-1—134-9
	Inspection/Team Event of Substantial Maintenance			
Charter 125	Providers  Manitan Operator's Parising Proceedings	0	0/12/02	125 1 125 2
Chapter 135	Monitor Operator's Refueling Procedures	9	8/13/93	135-1—135-3
Chapter 136 Chapters 137-13	Approval of Parachute Alterations  Reserved	8	7/24/92 7/24/92	136-1—136-4 137-1—139-1
Chapter 140	Inspect Foreign Non-Federal Located Ground	9	8/13/93	140-1—140-4
Chapter 140	Navigational Aids	9	0/13/93	140-1—140-4
Chapter 141	Inspect Communications Stations	9	8/13/93	141-1—141-2
Chapter 142	Monitor Flight Data Recorders	10	10/30/95	142-1—142-6
Chapter 143	Monitor Cockpit Voice Recorders	24	7/3/06	143-1—143-4
Chapter 144	Inspect Avionics Test Equipment	12	12/14/99	144-1—144-2
Chapter 145	Inspect Altimeter Setting Sources	9	8/13/93	145-1—145-2
Chapter 146	Monitor Approved Avionics Software Changes	9	8/13/93	146-1—146-3
VOLUME 4.	Table of Contents	21	2/23/05	i-ii
Chapter 1	FAR Part 91 Comparison Chart	4	6/5/90	1-1—1-6
Chapter 2	Action Notices	5	12/14/90	2-1-2-3
Chapter 3	Comparison Between Old and New Handbook	5	12/14/90	3-1-3-8
Chapter 4	Testing of Powerplants after Overhaul	7	7/17/92	4-1-4-2
Chapter 5	Access to Public and Private Airports, Landing	21	2/23/05	5-1
	Strips, and Other Areas Used for Operation of			
	Aircraft			
Chapter 6	Aviation Safety Action Program	21	2/23/05	6-1—6-21
Chapter 7	Powerplant Repairs	12	12/14/99	7-1
Chapter 8	Human Factors Involved in Inspection and Repair in	10	10/30/95	8-1
Clare of O	a Heavy Maintenance Environment	1.0	2/4/04	0.1.02
Chapter 9	Restricted Category Agriculture Airplanes	18	3/4/04	9-1—9-2
Chapters 10-11	Reserved	17	11/12/03	10-1—11-1
Chapter 12	Air Carrier and Air Agency Control and Handling of	17	11/12/03	12-1
	Aircraft Components or Consumable Materials that Contain Hazardous Materials			
	Contain mazardous iviateriais			

APPENDICES		CHG	DATE	PAGES
Appendix 1	Acronyms and Abbreviations	24	7/3/06	1-1—1-7
Appendix 2	Inspector Feedback Sheet	15	10/30/02	2-1-2-2
Appendix 3	Airworthiness Handbook Bulletins	23	3/31/06	3-1—3-2
Appendix 4	Airworthiness Information Bulletin	23	3/31/06	4-1-4-2
Appendix 5	Airline /Manufacturer Maintenance Program	14	1/30/02	5-1—5-82
	Development Document			
	(Removed from the Web 6/24/04)			
Appendix 6	National Aviation Safety Inspection Program	11	12/20/96	6-1-6-59
	Inspection (NASIP) Checklist			
Appendix 7	FA Act U.S. Code 49 Conversion Table	11	12/20/96	7-1—7-12
Appendix 8	Air Transport Association (ATA) Specification 117	15	10/30/02	8-1-8-14
Appendix 9	Enhanced Repair Station and Air Carrier	22	11/30/05	9-1—9-59
	Outsourcing Oversight System			
Cindex	Comprehensive Index	24	7/3/06	1-45

# GENERAL TABLE OF CONTENTS

## **VOLUME 1.**

CHAPTER 1.	GENERAL INFORMATION
Section 1.	General
Section 2.	Handbook Background Information
CHAPTER 2.	FAA REGULATORY RESPONSIBILITIES AND METHODOLOGY
CHAPTER 3.	THE GENERAL PROCESS FOR APPROVAL OR ACCEPTANCE
CHAPTER 4.	THE GENERIC PROCESS FOR CERTIFICATING ORGANIZATIONS
Section 1.	General Information
Section 2.	The Certification Process
CHAPTER 5.	PREPARATION OF FAA OPERATING CERTIFICATES
CHAPTER 6.	THE FAA AND FLIGHT STANDARDS: HISTORY, ORGANIZATION, AND THE PUBLIC LAW
CHAPTER 7.	ENVIRONMENTAL CONSIDERATIONS AND RESPONSIBILITIES
Section 1.	Background
Section 2.	Aircraft Noise
Section 3.	Environmental Assessments
CHAPTER 8.	EXEMPTIONS, DEVIATIONS, WAIVERS, AND AUTHORIZATIONS
CHAPTER 9.	OBTAIN CERTIFICATE NUMBER FOR AN AIR OPERATOR OR AIR AGENCY, OR AN IDENTIFICATION NUMBER FOR A FRACTIONAL OWNERSHIP
	PROGRAM
CHAPTER 10.	INSPECTOR ETHICS AND CONDUCT
CHAPTER 11.	WHISTLEBLOWER PROTECTION PROGRAM (AIR CARRIER)
Section 1.	Program Overview
Section 2.	Inspector Responsibilities and Procedures
Section 3.	Complaint Processing
CHAPTER 12.	THE GENERIC PROCESS FOR ISSUING MANAGEMENT SPECIFICATIONS TO
	FRACTIONAL OWNER ORGANIZATIONS
Section 1.	Background
Section 2.	Procedures
CHAPTER 13 TI	HRU 15 RESERVED
I	EVALUATING PART 121 AIR CARRIER PROGRAMS WITH SAFETY ATTRIBUTE INSPECTION AND ELEMENT PERFORMANCE NSPECTION DATA COLLECTION TOOLS
Section 1.	Background
Section 2.	Procedures

## **VOLUME 2. CERTIFICATION**

## AIRCRAFT AND EQUIPMENT

CHAPTER 1.	PERFORM FIELD APPROVAL OF MAJOR REPAIRS AND MAJOR ALTERATIONS
Section 1.	Background
Section 2.	Procedures
CHAPTER 2.	ISSUE SFAR 36 AUTHORIZATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 3.	MAINTENANCE/INSPECTION PROGRAMS FOR LOW APPROACH LANDING MIMIMUMS
Section 1.	Background
Section 2.	Procedures
CHAPTER 4.	EVALUATE AN OPERATOR'S DEICING/ANTI-ICING PROGRAM
Section 1.	Background
Section 2.	Procedures
CHAPTER 5.	EVALUATE OPERATOR'S APPLICATION TO CONDUCT FLIGHT IN AIRSPACE WHERE REDUCED VERTICAL SEPARATION MINIMUMS ARE APPLIED
Section 1.	Background
Section 2.	Procedures
CHAPTER 6 RESI	ERVED
CHAPTER 7.	MINIMUM EQUIPMENT LISTS AND CONFIGURATION DEVIATION LISTS
Section 1.	Background
Section 2.	MMEL Development and Approval Process
Section 3.	MEL Approval Process for Part 121 and 135 Operators
Section 4.	MEL Use in Service Parts 121, 129, and 135 Operators
Section 5.	MMEL Subsystem
Section 6.	Configuration Deviation Lists
Section 7.	Approve Part 125 MEL/Revision
Section 8.	MEL Approval Process for Part 125 and Fractional Owners
Section 9.	Maintenance and MEL for U.SRegistered Aircraft Operated Under Part 129
Section 10	). WITHDRAWN—CHANGE 23
Section 11	Procedures
CHAPTER 8.	CERTIFICATE REPAIRMAN FOR LIGHT-SPORT AIRCRAFT
Section 1.	Background
Section 2.	Procedures
CHAPTERS 9 TH	ROUGH 20 RESERVED
F	AR PART 65 AIRMEN OTHER THAN FLIGHT CREWMEMBERS
CHAPTER 21.	INTRODUCTION TO FAR PART 65
CHAPTER 22.	CERTIFICATE AIRFRAME AND/OR POWERPLANT MECHANIC/ADDED RATINGS
Section 1.	Background
Section 2.	
CHAPTER 23.	CERTIFICATE FOREIGN APPLICANTS LOCATED OUTSIDE THE UNITED STATES FOR MECHANIC CERTIFICATES/RATINGS
Section 1.	Background
Section 2.	Procedures

CHAPTER 24.	CERTIFICATE REPAIRMAN/ADDED PRIVILEGES
Section 1.	Background
Section 2.	Procedures
CHAPTER 25.	CERTIFICATE REPAIRMAN FOR EXPERIMENTAL AIRCRAFT
Section 1.	Background
Section 2.	Procedures
CHAPTER 26.	EVALUATE INSPECTION AUTHORIZATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 27.	RENEW INSPECTION AUTHORIZATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 28.	CERTIFICATE PARACHUTE RIGGER/ADDED RATING
Section 1.	Background
Section 2.	
CHAPTER 29.	WITHDRAWN—CHANGE 18
CHAPTERS 30 TH	HRU 34 RESERVED
	PART 91 OPERATORS
CHAPTER 35.	INTRODUCTION TO PART 91 RELATED TASKS
CHAPTER 36.	EVALUATE/INSPECT PART 91 OPERATOR'S AIRCRAFT AND PART 91 SUBPART K, FRACTIONAL OWNERSHIP PROGRAM MANAGER'S AIRCRAFT
Section 1.	
Section 2.	-
CHAPTER 37.	WITHDRAWN—CHANGE 21
CHAPTER 38.	RESERVED
CHAPTER 39.	PROCEDURES TO APPROVE SPECIAL COURSES FOR THE PERFORMANCE
	OF PREVENTIVE MAINTENANCE ON PRIMARY CATEGORY AIRCRAFT
Section 1.	Background
Section 2.	Procedures
CHAPTERS 40 TH	HRU 58 RESERVED
CHAPTER 59.	EVALUATE PART 91 SUBPART K COMPANY MANUAL/REVISION FOR
	MAINTENANCE AND INSPECTION PROCEDURES
Section 1.	Background
Section 2.	Procedures
	PART 121/135
CHAPTER 60.	INTRODUCTION
Section 1.	General
Section 2.	Assigning Responsibilities for FAR Part 121 and Part 135 Certificates and Certification Projects
CHAPTER 61.	EVALUATE PART 121/135.411(a)(2) OPERATOR
Section 1.	
Section 2.	Procedures
CHAPTER 62.	EVALUATE PART 121/135 MANAGEMENT PERSONNEL QUALIFICATIONS
Section 1.	Background
Section 2.	Procedures

CHAPTER 63. REVISION	EVALUATE FAR PART 121/135.411(a)(2) COMPANY MANUAL/
Section 1.	Background6
Section 2.	Procedures
CHAPTER 64.	EVALUATE CONTINUOUS AIRWORTHINESS MAINTENANCE PROGRAM/ REVISION
Section 1.	Background6
Section 2.	Procedures 6
CHAPTER 65.	EVALUATE CONTINUING ANALYSIS AND SURVEILLANCE PROGRAM/ REVISION
Section 1.	Background6
Section 2.	Procedures 6
CHAPTER 66.	APPROVE A RELIABILITY PROGRAM
Section 1.	Background6
Section 2.	Procedures6
CHAPTER 67.	APPROVE CONTRACT RELIABILITY PROGRAM
Section 1.	Background6
Section 2.	•
CHAPTER 68.	EVALUATE PART 135 (NINE SEATS OR LESS) OPERATOR
Section 1.	
Section 2.	
CHAPTER 69.	EVALUATE PART 121/135 (10 OR MORE) OUTSOURCE MAINTENANCE ARRANGEMENT
Section 1.	
Section 1.	
CHAPTER 70.	EVALUATE PARTS 91 SUBPART K/121 /135.411(a)(2) MAINTENANCE TRAINING PROGRAM/RECORD
Section 1.	
Section 2.	
CHAPTER 71.	EVALUATE PART 121/135.411(a)(2) AIR CARRIER'S MAINTENANCE RECORDKEEPING SYSTEM
Section 1.	6
Section 2.	Procedures
CHAPTER 72.	EVALUATE AIRCRAFT LEASE/INTERCHANGE AGREEMENT
Section 1.	Background
Section 2.	Procedures
CHAPTER 73.	EVALUATE FAR PART 121/135 10 OR MORE LEASED MAINTENANCE PROGRAM AUTHORIZATION: U.S. REGISTERED AIRCRAFT
Section 1.	Background
Section 2.	Buckground
	•
CHAPTER 74.	•
CHAPTER 74. Section 1.	Procedures
	Procedures
Section 1.	Procedures
Section 1. Section 2.	Procedures
Section 1. Section 2. CHAPTER 75.	Procedures
Section 1. Section 2. CHAPTER 75. Section 1.	Procedures

Section 2.	Procedures
CHAPTER 77.	EVALUATE FAR PART 121 EMERGENCY EVACUATION/DITCHING PROCEDURES/DEMONSTRATIONS
Section 1.	8
Section 2.	Procedures
CHAPTER 78.	PROCESS PART 121/135 OPERATOR'S AIRCRAFT/ENGINE UTILIZATION REPORT
Section 1.	Background
Section 2.	Procedures
CHAPTER 79.	REVIEW FAR PART 121/135.411(a)(2) ENGINEERING CHANGE AUTHORIZATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 80.	EVALUATE A PART 121/135.411(a)(2) CERTIFICATE HOLDER'S SHORT-TERM ESCALATION PROCEDURE
Section 1.	Background
Section 2.	Procedures
CHAPTER 81.	EVALUATE FOREIGN-REGISTERED AIRCRAFT OPERATED BY FAR PART 121/135.411(a)(2) OPERATORS
Section 1.	Background
Section 2.	Procedures
CHAPTER 82.	EVALUATE/INSPECT PART 121 EXTENDED-RANGE OPERATIONS WITH TWO-ENGINE AIRCRAFT
Section 1.	Background
Section 2.	Procedures
CHAPTER 83.	EVALUATE PART 135 (NINE OR LESS) APPROVED AIRCRAFT INSPECTION PROGRAM
Section 1.	Background
Section 2.	Procedures
CHAPTER 84.	PART 121/125/135 OPERATIONS SPECIFICATIONS
Section 1.	Background
Section 2.	Procedures
CHAPTER 85.	EVALUATE SPECIAL EQUIPMENT OR TEST APPARATUS
Section 1.	6
Section 2.	
CHAPTER 86.	PART 91 SUBPART K, MANAGEMENT SPECIFICATIONS
Section 1.	8
Section 2.	
CHAPTER 87.	APPROVE PARTS/PARTS POOL/PARTS BORROWING
Section 1.	
Section 2.	
CHAPTER 88.	PRORATED TIME AUTHORIZATIONS
Section 1.	6
Section 2.	
CHAPTER 89.	SPECIAL FLIGHT PERMIT WITH CONTINUING AUTHORIZATION TO CONDUCT FERRY FLIGHTS
Section 1.	č
Section 2.	Procedures

CHAPTER 90.	RESERVED
CHAPTER 91.	EVALUATE PART 135 (NINE OR LESS) OPERATOR/APPLICANT'S INSPECTION AND MAINTENANCE REQUIREMENTS
Section 1.	Background9
Section 2.	Procedures9
CHAPTER 92.	EVALUATE PART 135/135.411(a)(1) OPERATOR'S MAINTENANCE RECORDS
Section 1.	Background9
Section 2.	Procedures
CHAPTER 93.	EVALUATE SECTION 135.411(a)(1) MANUAL/REVISION
Section 1.	Background9
Section 2.	Procedures
CHAPTER 94.	WITHDRAWN—CHANGE 12
CHAPTER 95.	EVALUATE AND AUTHORIZE A PART 121 OR 135 (10 OR MORE) APPLICANT/CERTIFICATE HOLDER TO USE "COORDINATING AGENCIES FOR SUPPLIER'S EVALUATION" (C.A.S.E.)
Section 1.	
Section 2.	Procedures 9
CHAPTERS 96 TH	IRU 100 RESERVED
	FAR PART 125
CHAPTER 101.	FAR PART 125 INTRODUCTION
Section 1.	Background
Section 2.	Procedures
CHAPTER 102.	EVALUATE FAR PART 125 OPERATOR
Section 1.	Background
Section 2.	Procedures
CHAPTER 103.	EVALUATE QUALIFICATIONS OF FAR PART 125 MANAGEMENT PERSONNEL
Section 1.	
Section 2.	Procedures
CHAPTER 104.	EVALUATE FAR PART 125 POLICIES AND PROCEDURES MANUAL/REVISION
Section 1.	Background
Section 2.	Procedures
CHAPTER 105.	EVALUATE PART 125 AIRPLANE INSPECTION PROGRAM AND MAINTENANCE
Section 1.	Background
Section 2.	Procedures
CHAPTER 106.	EVALUATE A FAR PART 125 INSPECTION TRAINING PROGRAM/RECORD
Section 1.	
Section 1.	Procedures
CHAPTER 107.	EVALUATE PART 125 OPERATIONS SPECIFICATIONS
Section 1.	
Section 1.	Procedures
CHAPTER 108.	EVALUATE FAR PART 125 EMERGENCY EVACUATION/DITCHING DEMONSTRATION/PROCEDURES
Section 1.	Background
Section 2.	Procedures

CHAPTER 109.	WITHDRAWN—CHANGE 21
CHAPTER 110.	EVALUATE FAR PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM
Section 1.	Background
Section 2.	Procedures
CHAPTER 111.	EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS
Section 1.	Background
Section 2.	Procedures
CHAPTERS 112 T	HRU 124 RESERVED
FAR PART	129 OPERATIONS: FOREIGN OPERATORS OF U.SREGISTERED AIRCRAF ENGAGED IN COMMON CARRIAGE
CHAPTER 125.	INTRODUCTION TO FAR PART 129
CHAPTER 126.	EVALUATE /APPROVE A MAINTENANCE ROGRAM AND A MINIMUM EQUIPMENT LIST FOR U.SREGISTERED AIRCRAFT UNDER PART 129
Section 1.	Background
Section 2.	-
CHAPTERS 127 T	HRU 134 RESERVED
	FAR PART 133 EXTERNAL-LOAD OPERATORS
CHAPTER 135.	INTRODUCTION TO FAR PART 133 RELATED TASKS
CHAPTER 136.	EVALUATE FAR PART 133 OPERATOR
Section 1.	Background
Section 2.	Procedures
CHAPTER 137.	EVALUATE FAR PART 133 ROTORCRAFT LEASE AGREEMENT
Section 1.	Background
Section 2.	
CHAPTERS 138 T	HRU 145 RESERVED
	FAR PART 137 AGRICULTURAL OPERATORS
CHAPTER 146.	INTRODUCTION TO FAR PART 137
CHAPTER 147.	EVALUATE FAR PART 137 APPLICANT
Section 1.	Background
Section 2.	Procedures
CHAPTERS 148 T	HRU 154 RESERVED
	FAR PART 141 PILOT SCHOOLS
CHAPTER 155.	INTRODUCTION TO FAR PART 141 RELATED TASKS
CHAPTER 156.	EVALUATE FAR PART 141 PILOT SCHOOL
Section 1.	Background
Section 2.	Procedures
CHAPTER 157.	TEAM FOCUSED IN-DEPTH INSPECTION OF A PART 145 REPAIR STATION
Section 1.	Background
Section 2.	Procedures

167-13

8300.10 CHG 24		7/3/06
CHAPTER 158.	EVALUATE A PART 121 AIR CARRIER'S LISTING OF LEADING OUTSOURCE MAINTENANCE PROVIDERS: THE QUARTERLY UTILIZATION REPORT	
Section 1.	Background	158-1
Section 2.	•	158-3
CHAPTER 159.	RESERVED	
	PART 145 REPAIR STATIONS	
CHAPTER 160.	REVIEW AND APPROVE A PART 145 REPAIR STATION'S TRAINING PROGRAM	160.1
Section 1.	0	160-1
Section 2. Section 3.		160-13 160-19
CHAPTER 161.	INTRODUCTION TO PART 145 REPAIR STATIONS	100-19
Section 1.		161-1
Section 1.	•	161-9
Section 2.		161-15
CHAPTER 162.	PROCEDURES FOR CERTIFICATING PART 145 REPAIR STATIONS/SATELLITES LOCA WITHIN THE UNITED STATES AND ITS TERRITORIES	
Section 1.	Background	162-1
Section 2.	Procedures	162-5
CHAPTER 163.	INTERNATIONAL FIELD OFFICE PROCEDURES FOR CERTIFICATING/RENEWING/ AMENDING PART 145 REPAIR STATIONS LOCATED OUTSIDE THE UNITED STATES AND ITS TERRITORIES	
Section 1.	Background	163-1
Section 2.	Certification Procedures	163-7
Section 3.	Renewal Procedures	163-19
Section 4.	Certificate Amendment Procedures and Geographic Authorizations	163-25
CHAPTER 164.	EVALUATE A PART 145 REPAIR STATION AND QUALITY CONTROL MANUAL OR REVISION	
Section 1.	Background	164-1
Section 2.	Procedures	164-3
CHAPTER 165.	EVALUATE PART 145 REPAIR STATION FACILITIES AND EQUIPMENT	
Section 1.	Background	165-1
Section 2.	Procedures	165-5
CHAPTER 166.	TRANSITION OF MANUFACTURER MAINTENANCE FACILITY (MMF) TO A DOMESTIC REPAIR STATION	
Section 1.	Background	166-1
Section 2.	Procedures	166-2
CHAPTER 167.	PROCESS THE APPLICATION OF A DOMESTIC REPAIR STATION FOR APPROVAL	
	UNDER EUROPEAN AVIATION SAFETY AGENCY PART 145	
Section 1.	&	167-1
Section 2.	Initial/Amendment Procedures for EASA Part 145 Approval	167-7

Procedures for EASA Continuation Approval.....

Section 3.

CHAPTER 168.	EVALUATE AN EASA SUPPLEMENT TO A REPAIR STATION'S MANUAL/QUALITY
	CONTROL MANUAL
Section 1.	e e e e e e e e e e e e e e e e e e e
Section 2.	
CHAPTER 169.	SUPPORT A MAINTENANCE INTERNATIONAL STANDARDIZATION TEAM VISIT
Section 1.	6
Section 2.	Procedures
CHAPTER 170.	INTERNATIONAL FIELD OFFICE INITIAL CERTIFICATION OF REPAIR STATIONS UNITHE MAINTENANCE IMPLEMENTATION PROCEDURES OF A BILATERAL AVIATION SAFETY AGREEMENT
Section 1.	e e e e e e e e e e e e e e e e e e e
Section 2.	Procedures
CHAPTER 171.	INTERNATIONAL FIELD OFFICE RESPONSIBILITIES FOR RENEWAL/AMENDMENT PROCEDURES FOR REPAIR STATIONS UNDER THE MAINTENANCE IMPLEMENTATION PROCEDURES OF A BILATERAL AVIATION SAFETY AGREEMENT
Section 1.	Background
Section 2.	Procedures
Section 2.	Application for Amending a Repair Station Certificate or OpSpec (Amendment Application)
CHAPTER 172.	INTERNATIONAL FIELD OFFICE PROCESS FOR TURNOVER OF FAA-CERTIFICATED FOREIGN REPAIR STATIONS TO A NATIONAL AVIATION AUTHORITY UNDER A BASA/MIP
Section 1.	Background
Section 2.	Procedures
CHAPTER 185.	INTRODUCTION TO FAR PART 147
CHAPTER 186.	CERTIFICATE FAR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOL
Section 1.	Background
Section 2.	Procedures
CHAPTER 187.	EVALUATE FAR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOL'S CURRICULUM/REVISION AND INSTRUCTOR QUALIFICATIONS
Section 1.	Background
Section 2.	Procedures
CHAPTER 188.	EVALUATE PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOL FACILITIES, EQUIPMENT, MATERIALS, TOOLS AND RECORDS
Section 1.	Background
Section 2.	Procedures
CHAPTERS 189 T	HRU 201 RESERVED
	PART 183 REPRESENTATIVES OF THE ADMINISTRATOR
CHAPTER 202.	DESIGNATE/RENEW DESIGNATED MECHANIC EXAMINER OR DESIGNATED PARACHUTE RIGGER EXAMINER
Section 1.	Background
Section 2.	Procedures
CHAPTER 203.	CERTIFICATE/RENEW DESIGNATED AIRWORTHINESS REPRESENTATIVE
Section 1.	Background
Section 2.	Procedures

#### CHAPTERS 204 THRU 209 RESERVED

#### ACCIDENTS, INCIDENTS, AND VIOLATIONS

CHAPTER 210.	INTRODUCTION TO CONDUCTING ACCIDENT AND INCIDENT INVESTIGATIONS, PROCESSING A VIOLATION PACKAGE, AND RESPONDING TO A COMPLAINT
CHAPTER 211.	CONDUCT AN ACCIDENT INVESTIGATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 212.	CONDUCT AN INCIDENT INVESTIGATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 213.	CONDUCT VIOLATION INVESTIGATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 214.	PARTICIPATE IN AN ACCIDENT PREVENTION PRESENTATION
Section 1.	Background
Section 2.	Procedures
CHAPTER 215.	PROCESS AN AIRMAN FOR REMEDIAL TRAINING
Section 1.	Background
Section 2.	Procedures
CHAPTERS 216 T	HRU 219 RESERVED
	GENERAL FUNCTIONS
CHAPTER 220.	INTRODUCTION TO GENERAL FUNCTIONS
Section 1.	Providing Technical Assistance
Section 2.	Maintenance Review Board Procedures
CHAPTER 221.	WITHDRAWN—CHANGE 21
CHAPTER 222 TH	IRU 224 RESERVED
CHAPTER 225.	ISSUE AIRWORTHINESS CERTIFICATE FOR AN AIRCRAFT
Section 1.	Background
Section 2.	Procedures
CHAPTER 226.	ISSUE IMPORT/EXPORT AIRWORTHINESS APPROVAL
Section 1.	Background
Section 2.	Procedures
CHAPTER 227.	EVALUATE APPLICANT'S REFUELING PROCEDURES AND FACILITIES
Section 1.	Background
Section 2.	Procedures
CHAPTERS 228 T	HRU 234 RESERVED
	AVIONICS
CHAPTER 235.	INTRODUCTION TO AVIONICS
CHAPTER 236.	EVALUATE AVIONICS TEST EQUIPMENT
Section 1.	Background
Section 2.	Procedures

CHAPTER 237.	EVALUATE AVIONICS EQUIPMENT APPROVAL
Section 1.	Background22
Section 2.	Procedures
CHAPTER 238.	EVALUATE AIRBORNE MICROWAVE LANDING SYSTEMS
Section 1.	Background 22
Section 2.	Procedures
CHAPTER 239.	APPROVE ALTIMETER SETTING SOURCES
Section 1.	Background
Section 2.	Procedures
CHAPTER 240.	APPROVE USE OF MANUFACTURER'S AVIONICS RENTAL/EXCHANGE PROGRAMS FOR COMMUTER AIRLINES
Section 1.	Background24
Section 2.	Procedures
CHAPTER 241.	APPROVE AREA NAVIGATIONAL SYSTEMS
Section 1.	Background24
Section 2.	Procedures
	VOLUME 3.
	AIRCRAFT AND EQUIPMENT
CHAPTER 1.	INTRODUCTION TO AIRCRAFT AND EQUIPMENT
Section 1.	
CHAPTER 2.	CONDUCT SPOT INSPECTION OF OPERATOR'S/FRACTIONAL OWNERSHIP
CIII II 12II 2.	PROGRAM MANAGER'S AIRCRAFT
Section 1.	
Section 2.	-
CHAPTER 3.	CONDUCT RAMP INSPECTION OF OPERATOR'S/FRACTIONAL OWNERSHIP
	PROGRAM MANAGER'S AIRCRAFT
Section 1.	
Section 2.	<u> </u>
CHAPTER 4.	CONDUCT COCKPIT EN ROUTE INSPECTION
Section 1.	
Section 2.	
CHAPTER 5.	CONDUCT CABIN EN ROUTE INSPECTION
Section 1.	
Section 2.	č
CHAPTER 6.	GROUND OPERATOR AIRCRAFT
Section 1.	
Section 2.	<u> </u>
CHAPTER 7.	INSPECT AIRCRAFT USED FOR AIR AMBULANCE
Section 1.	
Section 2.	
CHAPTER 8.	CONDUCT A DETAILED PROCESS/TASK INSPECTION
Section 1.	
Section 2.	6
CHAPTER 9.	CONDUCT RAMP INSPECTION ON CARGO LOADING
Section 1.	
Section 1.	0

8300.10 CHG 24	
Section 2.	Procedures
CHAPTER 10.	CONDUCTING RECORDS REVIEWS AND AIRCRAFT INSPECTIONS MANDATED BY THE AGING AIRCRAFT RULES
Section 1.	
Section 2.	-
~~~~~~	HRU 16 RESERVED
CHAITERS II II	IKO 10 KESEKVED
	PART 65 AIRMEN OTHER THAN FLIGHT CREWMEMBERS
CHAPTER 17.	MONITOR CERTIFICATED AIRFRAME AND/OR POWERPLANT MECHANIC, REPAIR PARACHUTE RIGGER, AND INSPECTION AUTHORIZATION HOLDER
Section 1.	8
Section 2.	Procedures
CHAPTER 18.	CONDUCT A REEXAMINATION TEST OF A MECHANIC OR AN INSPECTION AUTHORIZATION UNDER TITLE 49 OF THE UNITED STATES CODE
Section 1.	Background
Section 2.	Procedures
CHAPTER 19.	INSPECT A COMPUTER TESTING CENTER
Section 1.	Background
Section 2.	-
CHAPTERS 20.	SURVEILLANCE OF LIGHT-SPORT REPAIRMAN TRAINING FACILITIES
Section 1.	Background
Section 2.	Procedures
CHAPTERS 21 TH	HRU 24 RESERVED
	FAR PART 91 OPERATORS
CHAPTER 25.	MONITOR AN AIR SHOW/AIR RACE
Section 1.	Background
Section 2.	Procedures
CHAPTER 26.	MONITOR PART 91, AND APPROVE/MONITOR PART 91 SUBPART K OWNER'S
	INSPECTION PROGRAM
Section 1.	
Section 2.	<u> </u>
CHAPTER 27.	INSPECT PART 91 MAINTENANCE RECORDS
Section 1.	
Section 2.	6
CHAPTERS 28 TH	HRU 35 RESERVED
	FAR PART 121/135
CHAPTER 36.	MONITOR CONTINUOUS AIRWORTHINESS MAINTENANCE PROGRAM/REVISION
Section 1.	6
Section 2.	
CHAPTER 37. Section 1.	MONITOR CONTINUING ANALYSIS AND SURVEILLANCE PROGRAM/REVISION  Background
Section 2.	Procedures
CHAPTER 38.	INSPECT APPROVED RELIABILITY PROGRAM
Section 1.	Background
Section 2	Procedures

CHAPTER 39.	INSPECT FAR PART 135 (9 OR LESS) AIR CARRIER
Section 1.	Background
Section 2.	Procedures
CHAPTER 40.	INSPECT FAR PART 121/135 CONTRACTUAL RELIABILITY PROGRAM
Section 1.	Background
Section 2.	Procedures
CHAPTER 41.	INSPECT SECTION 135.411(a)(1) OPERATOR'S MAINTENANCE RECORDS
Section 1.	Background
Section 2.	Procedures
CHAPTER 42.	INSPECT PART 121/135 (TEN OR MORE) AND PART 129 OPERATOR'S MAINTENANCE RECORDS
Section 1.	Background
Section 2.	Procedures
CHAPTER 43.	MONITOR FAR PART 121 EXTENDED-RANGE OPERATIONS WITH TWO-ENGINE AIRCRAFT (ETOPS)
Section 1.	Background
Section 2.	Procedures
CHAPTER 44.	EVALUATE A PART 121/135.411(a)(2) OPERATOR AIRCRAFT STORAGE PROGRAMS
Setion 1.	Background
Section 2.	Procedures
CHAPTER 45.	SURVEILLANCE OF 121/135 OPERATORS PARTICIPATING IN "COORDINATING AGENCIES FOR SUPPLIER'S EVALUATION" (C.A.S.E.)
Section 1.	6
Section 2.	Procedures
CHAPTERS 46 TH	IRU 59 RESERVED
	FAR PART 125 OPERATORS
CHAPTER 60.	MONITOR FAR PART 125 AIRPLANE INSPECTION PROGRAM
Section 1.	Background
Section 2.	<u> </u>
CHAPTER 61.	INSPECT FAR PART 125 OPERATOR'S MAINTENANCE RECORDS
Section 1.	Background
Section 2.	Procedures
CHAPTERS 62 TH	IRU 74 RESERVED
PART 12	9 OPERATIONS: FOREIGN OPERATORS OF U.SREGISTERED AIRCRAFT ENGAGED IN COMMON CARRIAGE
CHAPTER 75.	MONITOR MAINTENANCE PROGRAM FOR U.SREGISTERED AIRCRAFT OPERATED BY A FOREIGN OPERATOR
Section 1.	Background
Section 2.	Procedures
CHAPTERS 76 TH	IRU 81 RESERVED

PART 133 EXTERNAL-LOAD OPERATORS

PART 137 AGRICULTURAL OPERATORS

**PART 145 REPAIR STATIONS** 

8300.10 CHG 24	
CHAPTER 82. IN	ISPECT A REPAIR STATION'S CERTIFICATE REQUIREMENTS
Section 1.	Background
Section 2.	Procedures
CHAPTER 83. IN	ISPECT A REPAIR STATION'S RECORD SYSTEM
Section 1.	Background
Section 2.	Procedures
CHAPTER 84. IN	ISPECT A REPAIR STATION'S MANUAL SYSTEM
Section 1.	Background
Section 2.	Procedures
CHAPTER 85. IN	ISPECT A REPAIR STATION'S HOUSING AND FACILITIES
Section 1.	Background
Section 2.	Procedures
CHAPTER 86. IN	ISPECT A REPAIR STATION'S TOOLS AND EQUIPMENT
Section 1.	Background
Section 2.	Procedures
CHAPTER 87. IN	ISPECT A REPAIR STATION'S TECHNICAL DATA
Section 1.	Background
Section 2.	Procedures
CHAPTER 88. IN	ISPECT A REPAIR STATION'S QUALITY CONTROL SYSTEM
Section 1.	Background
Section 2.	Procedures
CHAPTER 89. IN	ISPECT A REPAIR STATION'S PARTS AND MATERIAL PROGRAM
Section 1.	Background
Section 2.	Procedures
CHAPTER 90. IN	ISPECT A REPAIR STATION'S PERSONNEL
Section 1.	Background
Section 2.	Procedures
	PART 141 PILOT SCHOOLS
CHAPTER 91.	INSPECT PART 141 PILOT SCHOOL AIRCRAFT
Section 1.	Background
Section 2.	Procedures
	PART 145 REPAIR STATIONS
CHAPTER 92. IN	ISPECT A REPAIR STATION'S TRAINING PROGRAM
Section 1.	Background
Section 2.	Procedures

CHAPIER 93.	INSPECT A REPAIR STATION S MAINTENANCE PROCESS
Section 1	. Background
Section 2	Procedures
	INSPECT A REPAIR STATION AND ITS AUTHORIZATION FOR WORK AWAY FROM ITS FIXED LOCATION
Section 1	. Background
Section 2	Procedures
CHAPTER 95.	INSPECT A REPAIR STATION'S CONTRACT MAINTENANCE PROGRAM
Section 1	. Background
Section 2	Procedures
CHAPTER 96.	INSPECT A REPAIR STATION FOR MAINTENANCE/ALTERATIONS PERFORMED FOR PARTS 121, 125, 129, AND 135 CERTIFICATE HOLDERS
Section 1	. Background
Section 2	Procedures
CHAPTER 97.	INSPECT PART 145 REPAIR STATIONS WITHIN THE UNITED STATES
Section 1	. Background
Section 2	Procedures
CHAPTER 98.	INSPECT PART 145 REPAIR STATIONS OUTSIDE THE UNITED STATES
Section 1	. Background
Section 2	Procedures
CHAPTER 99.	INTERNATIONAL FIELD OFFICE PROCEDURES FOR CONDUCTING SAMPLING INSPECTIONS, FAA INDEPENDENT INSPECTIONS, AND PARTICIPATING IN FOREIG NATIONAL AVIATION AUTHORITY'S INTERNAL QUALITY AUDITS UNDER A BASA
Section 1	. Background
Section 2	Procedures
CHAPTERS 100	THRU 104 RESERVED
F	AR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOLS
CHAPTER 105.	INSPECT FAR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOL
Section 1	. Background
Section 2	Procedures
CHAPTERS 106	THRU 113 RESERVED
	PART 183 REPRESENTATIVES OF THE ADMINISTRATOR
CHAPTER 114.	MONITOR DESIGNATED MECHANIC EXAMINER AND/OR DESIGNATED PARACHUTE RIGGER EXAMINER
Section 1	. Background
Section 2	Procedures
CHAPTER 115.	MONITOR DESIGNATED AIRWORTHINESS REPRESENTATIVE
Section 1	. Background
Section 2	Procedures
CHAPTERS 116	THRU 123 RESERVED

CHAPTER 124.	ISSUE AIRCRAFT CONDITION NOTICE
Section 1.	Background
Section 2.	Procedures
CHAPTER 125.	EVALUATION OF AIR CARRIER'S MANAGEMENT OF SIGNIFICANT CHANGES
Section 1.	Background
Section 2.	Procedures
CHAPTER 126.	MONITORING PART 145 REPAIR STATION'S THAT ARE SUBSTANTIAL MAINTENANCE PROVIDERS, BEFORE, DURING, AND AFTER LABOR STRIKE DISPUTE, STRIKE, OR BANKRUPTCY
Section 1.	Background
Section 2.	Procedures
CHAPTER 127.	WITHDRAWN—CHANGE 16
CHAPTER 128.	PROCESS SERVICE DIFFICULTY REPORT
Section 1.	Background
Section 2.	Procedures
CHAPTER 129.	PROCESS MALFUNCTION OR DEFECT REPORT
Section 1.	Background
Section 2.	Procedures
CHAPTER 130.	REVIEW OPERATOR'S MECHANICAL INTERRUPTION SUMMARY REPORT
Section 1.	Background
Section 2.	Procedures
CHAPTER 131.	INSPECT OPERATOR'S MAINTENANCE FACILITY
Section 1.	Background
Section 2.	Procedures
	ERFORMANCE/EVALUATION/INSPECTION AND ASSESSMENT OF A ART 121 AIR CARRIER'S OUTSOURCE MAINTENANCE SYSTEM
Section 1.	Background
Section 2.	Procedures
CHAPTER 133.	EVALUATE/INSPECT A PART 125, 129, AND 135 AIR OPERATOR'S OUTSOURCE MAINTENANCE PROVIDERS FACILITY
Section 1.	Background
Section 2.	Procedures
CHAPTER 134.	CONDUCT A DETAILED AIR CARRIER IN-PROCESS/TASK INSPECTION/TEAM EVENT OF SUBSTANTIAL MAINTENANCE PROVIDERS
Section 1.	Background
Section 2.	Procedures
CHAPTER 135.	MONITOR OPERATOR'S REFUELING PROCEDURES
Section 1.	
Section 2.	Procedures
CHAPTER 136.	APPROVAL OF PARACHUTE ALTERATIONS
Section 1.	Background
Section 2.	Procedures
CHAPTERS 137 T	HRU 139 RESERVED
	AVIONICS
CHAPTER 140.	INSPECT FOREIGN NON-FEDERAL LOCATED GROUND NAVIGATIONAL AIDS
	Background

Section 2.	Procedures	140-2
CHAPTER 141.	INSPECT COMMUNICATIONS STATIONS	
Section 1.	. Background	141-
Section 2.	Procedures	141-
CHAPTER 142.	MONITOR FLIGHT DATA RECORDERS	
Section 1.	Background	142-
Section 2.	Procedures	142-
CHAPTER 143.	MONITOR COCKPIT VOICE RECORDERS	
Section 1.	Background	143-
Section 2.	Procedures	143-
CHAPTER 144.	INSPECT AVIONICS TEST EQUIPMENT	
Section 1.	Background	144-
Section 2.	Procedures	144-
CHAPTER 145.	INSPECT ALTIMETER SETTING SOURCES	
Section 1.	. Background	145-
Section 2.	Procedures	145-
CHAPTER 146.	MONITOR APPROVED AVIONICS SOFTWARE CHANGES	
Section 1.	Background	146-
Section 2.	Procedures	146-
CHAPTER 1.	FAR PART 91 COMPARISON CHART	1-
CHAPTER 2.	ACTION NOTICES	2-
CHAPTER 3.	COMPARISON BETWEEN OLD AND NEW HANDBOOK	3-
CHAPTER 4.	TESTING OF POWERPLANTS AFTER OVERHAUL	
Section 1.	. Background	4-
CHAPTER 5.	ACCESS TO PUBLIC AND PRIVATE AIRPORTS, LANDING STRIPS, AND OTHER AREAS USED FOR OPERATION OF AIRCRAFT	5-
CHAPTER 6.	AVIATION SAFETY ACTION PROGRAM	6-
CHAPTER 7.	POWERPLANT REPAIRS	7-
CHAPTER 8.	HUMAN FACTORS INVOLVED IN INSPECTION AND REPAIR IN A HEAVY MAINTENANCE ENVIRONMENT	8-
CHAPTER 9.	RESTRICTED CATEGORY AGRICULTURAL AIRPLANES	9-
CHAPTER 10.	RESERVED	
CHAPTER 11.	RESERVED	
CHAPTER 12.	AIR CARRIER AND AIR AGENCY CONTROL AND HANDLING OF AIRCRAFT COMPONENTS OR CONSUMABLE MATERIALS THAT CONTAIN HAZARDOUS MATERIALS	12-
APPENDIX 1.	ACRONYMNS AND ABBREVIATIONS	
(7 pages)	App	endix 1-
APPENDIX 2.	INSPECTOR FEEDBACK	
(2 pages)	A no	andiv 2

APPENDIX 3.	AIRWORTHINESS HANDBOOK BULLETINS	
(as maintain	ed on the Flight Standards Internet AVS Home page)	Appendix 3-1
APPENDIX 4.	AIRWORTHINESS INFORMATION BULLETINS	
(as maintain	ed on the Flight Standards Internet AVS Home page)	Appendix 4-1
APPENDIX 5.	AIRLINE/MANUFACTURER MAINTENANCE PROGRAM DEVELOPMENT DOCUMENT	
	(NO LONGER ACCESSIBLE ON THE 8300.10 WEB SITE AS OF 6/25/04)	
(82 pages)		Appendix 5-1
APPENDIX 6.	NATIONAL AVIATION SAFETY INSPECTION PROGRAM (NASIP) INSPECTION CHECKLIST	
(59 pages)		Appendix 6-1
APPENDIX 7.	FA ACT CODE 49 CONVERSION TABLE	
(12 pages)		Appendix 7-1
	AIR TRANSPORT ASSOCIATION (ATA) SPECIFICATION 117	Appendix 8-1
APPENDIX 9.	ENHANCED REPAIR STATION AND AIR CARRIER OUTSOURCING OVERSIGHT SYSTEM	
(59 pages)	OVERSIGIT STSTEM	Appendix 9-1
COMPREHENS	IVE INDEX	
(45 pages)		Page 1

## **VOLUME 1. TABLE OF CONTENTS**

CHAPTER	1. GENERAL INFORMATION
Section	on 1. General
1. 3. 5.	Purpose
Section	on 2. Handbook Background Information
1. 3.	Handbook Format and Use  Authority to Change this Document
CHAPTER	2. FAA REGULATORY RESPONSIBILITIES AND METHODOLOGY
1. 3. 5. 7. 9.	General
CHAPTER	3. THE GENERAL PROCESS FOR APPROVAL OR ACCEPTANCE
1. 3. 5. 7. 9.	General Phase One, Preapplication Phase Phase Two. Phase Three Phase Four. Phase Five.
CHAPTER	4. THE GENERIC PROCESS FOR CERTIFICATING ORGANIZATIONS
1. 3.	1. General Information  Background  Guidance for the Process
1. 3. 5. 7. 9. 11.	The Certification Process
CHAPTER	5. PREPARATION OF FAA OPERATING CERTIFICATES
1. 2. 3.	Forms to be Used

CHAPTER 6	THE FAA AND FLIGHT STANDARDS: HISTORY, ORGANIZATION AND
CIMIL IZIN O.	THE PUBLIC LAW PAGE
1.	Early Regulatory Authority And Responsibilities
3.	Establishment of the FAA
5.	Organization of the FAA
7.	History of Flight Standards
9.	Organization of Flight Standards
11.	Evolution of Safety Regulations
13.	Aviation Promotion and Regulation
15.	The National Transportation Safety Board
17.	The Civil Aeronautics Board
21.	Flight Standards and the FA Act
21.	The Private Sector Responsibilities
25.	Air Operator Responsibilities for Public Safety
CHAPTER 7.	ENVIRONMENTAL CONSIDERATIONS AND RESPONSIBILITIES
Section	1. Background
1.	Public Law
3.	Environmental Responsibilities
5.	Availability Of Assistance
Section 2	2. Aircraft Noise
1.	Pertinent Regulations and Orders
3.	Flight Standards Responsibilities
Section 3	3.Environmental Assessments
1.	General
3.	Types of Action Requiring an Environmental Assessment by Field Inspectors
5.	Official Responsible for Accomplishing the Environmental Assessment
7.	Collection of Information
9.	Processing the Environmental Assessment
Fig. 7-1.	Sample Environmental Impact Statement
CHAPTER 8.	EXEMPTIONS, DEVIATIONS, WAIVERS, AND AUTHORIZATIONS
1.	General
2.	Content of Petition
3.	Preparing and Mailing the Petition
4.	Processing the Petition
5.	Distribution and Availability of Exemptions
6.	Amending Operations Specifications (OpSpecs)
7.	Amending Management Specifications (MSpecs)
8.	Petition for Reconsideration
9.	Processing a Petition for Reconsideration
10.	General
11.	Waivers and Authorizations
12.	Deviations

13.	Deviation for Military Contract Operations
14.	Deviation to Perform an Emergency Operation
CHAPTED O	. OBTAIN CERTIFICATE NUMBER FOR AN AIR OPERATOR OR AIR
CHAPIER 9	AGENCY, OR AN IDENTIFICATION NUMBER FOR A FRACTIONAL
	OWNERSHIP PROGRAM
1.	General
2.	Elements of a Certificate or Identification Number
3.	Precertification Numbers.
4.	Restrictions
5.	Termination of the Certification or MSpecs Application Process
٥.	Termination of the Certification of Mospees Application (170000)
CHAPTER 1	0. INSPECTOR ETHICS AND CONDUCT
1.	Purpose
3.	General
5. 5.	References
7.	On-The-Job Ethics and Conduct
7. 9.	
	Off-The-Job Ethics and Conduct
11.	Outside Employment and Financial Interests
13.	Teaching, Lecturing, Writing, and Other Outside, Part-Time Employment Activities.
15. 17.	Financial Interests
Section	1. Program Overview
1.	Applicability
3.	
5.	**
7.	Background
9.	Background
	Background The Law Legislative Authority and Agency Responsibilities
11.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA
11. 13.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W
13.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators
13. 15.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities
13. 15. 17.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators. Organizational Responsibilities Whistleblower Protection Program Hotline
13. 15. 17. 19.	Background The Law. Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W. Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities. Whistleblower Protection Program Hotline Whistleblower Protection Program Web Page.
13. 15. 17. 19. Fig. 11-1	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities Whistleblower Protection Program Hotline Whistleblower Protection Program Web Page Title 49 of the United States Code (49 U.S.C.) Section 42121
13. 15. 17. 19. Fig. 11-1 Fig. 11-2	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities Whistleblower Protection Program Hotline Whistleblower Protection Program Web Page Title 49 of the United States Code (49 U.S.C.) Section 42121 Title 49 of the United States Code (49 U.S.C.) Section 46301, Paragraph (a)(1)(A)
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities Whistleblower Protection Program Hotline Whistleblower Protection Program Web Page Title 49 of the United States Code (49 U.S.C.) Section 42121 Title 49 of the United States Code (49 U.S.C.) Section 46301, Paragraph (a)(1)(A) 2. Inspector Responsibilities and Procedures
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section 1.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities Whistleblower Protection Program Hotline Whistleblower Protection Program Web Page Title 49 of the United States Code (49 U.S.C.) Section 42121 Title 49 of the United States Code (49 U.S.C.) Section 46301, Paragraph (a)(1)(A) 2. Inspector Responsibilities and Procedures Definitions
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section 1. 3.	Background The Law
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section 1. 3. 5.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W. Duties and Responsibilities of the Regional Whistleblower Coordinators Organizational Responsibilities. Whistleblower Protection Program Hotline Whistleblower Protection Program Web Page. Title 49 of the United States Code (49 U.S.C.) Section 42121. Title 49 of the United States Code (49 U.S.C.) Section 46301, Paragraph (a)(1)(A) 2. Inspector Responsibilities and Procedures Definitions Principal and Geographic Inspector(s) Responsibilities Inspector Procedures
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section 1. 3. 5.	Background The Law
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section 1. 3. 5. 7. 9.	Background The Law
13. 15. 17. 19. Fig. 11-1 Fig. 11-2 Section 1. 3. 5.	Background The Law Legislative Authority and Agency Responsibilities FAA's Relationship with DOL/OSHA Duties and Responsibilities of the National WBPP Office, AFS-200W Duties and Responsibilities of the Regional Whistleblower Coordinators

15.	FOIA Requests
17.	Record Retention
19.	Sharing of Information with OSHA
21.	International Operations
Section	on 3. Complaint Processing
1.	FAA Processing
3.	DOL Processing
CHAPTER 12.	THE GENERIC FOR ISSUING MANAGEMENT SPECIFICATIONS TO FRACTIONAL OWNERSHIP ORGANIZATIONS
Section	1. General Information
1.	Background
2.	Gudiance for the Process
Section	2. Process of Issuing MSpecs
1. 2.	General
2. 3.	Process for a Program Manager to Obtain MSpecs
3. 4.	Formal Application Phase
5.	Document Compliance Phase
6.	Demonstration and Inspection Phase
7.	MSpecs Issuance Phase
	THRU 15 RESERVED  EVALUATING PART 121 AIR CARRIER PROGRAMS WITH SAFETY ATTRIBUTE INSPECTION AND ELEMENT PERFORMANCE INSPECTION DATA COLLECTION TOOLS
	INSTECTION DATA COLLECTION TOOLS
Section	1. Background
1.	General
3.	Objective
5.	Overview
7.	The Air Transportation Oversight System (ATOS)
9.	ATOS Concepts and Principles
11.	<b>,</b> , , , , , , , , , , , , , , , , , ,
13.	Element Performance Inspections (EPI)
Section	2. Procedures
1.	Objective
3.	Down Loading and Saving Word Versions of 1.X SAIs and EPIs
5.	Detailed Description of the 1.X SAI
7.	Detailed Description of the 1.X EPI
9.	SAI/EPI Response Options
11.	"YES" Answers to the SAI Questions
	What to do with "NO" Answers Gathered with 1.X SAIs
15.	What to do with "NO" Answers Collected with 1.X EPIs

		Page
17.	Targeting Activity	16-8
	PTRS	16-8
21.	Continuous Monitoring	16-8

#### CHAPTER 5. PREPARATION OF FAA OPERATING CERTIFICATES

**1. FORMS TO BE USED.** Federal Aviation Administration (FAA) Form 8430-21, Operating Certificate, shall be used for an operating certificate. Air agency certificates are not affected by this section. They will continue to be issued in the current manner using the existing form.

NOTE: Fractional ownership management programs do not receive operating certificates. They receive management specifications (MSpecs).

- **2. REQUIRED INFORMATION.** The following information must be typed on the form when preparing the certificate for issuance.
- A. Legal Name. The certificate holder's legal name shall be entered directly below the words, "This certifies that." Any additional business names shall be placed on the certificate below the legal name.
- (1) The additional business name will be preceded by the acronym DBA (doing business as).
- (2) The certificate holder shall provide evidence that all business names have been authorized by the appropriate state or local government, as applicable.
- (3) The certificate-holding district office (CHDO) should not restrict the number of DBAs used by a certificate holder. Should there be insufficient space on the certificate to accommodate all DBAs, the legal name and address should appear on the certificate with a notation to see an accompanying letter for a list of DBAs. Title 14 of the Code of Federal Regulations (14 CFR) part 125 operators will have DBAs placed on their operations specifications (OpSpecs).
- B. Address of Principal Base. The address of the certificate holder's principal base of operations shall be entered directly below the certificate holder's name. A post office box address is not acceptable unless it also reflects the physical location of the principal base of operations.
- C. Statement of Authority. The pre-printed certification statement of authority on FAA

Form 8430-21 shall not be modified. However, the statement of authority must be completed by typing either "Part 125 Operations," "Rotorcraft External Load Operations," "Private Agricultural Aircraft Operations," or "Commercial Agricultural Aircraft Operations Repair Station," as appropriate, in the space provided.

- D. Certificate Number. The certificate number will be obtained from the Aviation Data Systems Branch, AFS-620, in accordance with Order 8300.10, Volume 1, Chapter 9, Obtain Certificate Number for an Air Operator or Air Agency, or an Identification Number for a Fractional Ownership Program, and will be typed in the space provided on the form.
- E. Effective Date. The date on which all requirements for certification were met will be entered in the space provided for the certificate effective date. If a certificate is to be amended because of an address change or a change of the CHDO, the date of original issuance will be retained on the amended certificate.
- F. District Office Designator. The four-character alpha-numeric designator of the CHDO and its city location shall be typed in the "issued at" space of the form. For example: EA16, Richmond, VA.
- G. Signature. Operating certificates issued to air operators complying with 14 CFR part 125, 133, or 137 and air agency certificates issued for part 145 shall be signed by the district office manager in the space provided. When the district office manager signs the certificate, the acronym of the region and the Flight Standards District Office (FSDO) acronym and FSDO number will be entered in the "title" space, e.g., ANM-FSDO-01.

#### 3. CHANGE OF NAME.

A. Legal Name Change. A change of legal name must be approached with care. Whatever the complexity of the legal name change, the change of name has an effect of a new certification and, therefore, a new certificate and certificate number will be issued. This does not include a change to a DBA, only the legal name.

Vol. 1 5-1

8300.10 7/3/06

B. Legal Authorization. The certificate holder must provide evidence that the change of legal name has been authorized by the appropriate state or local government, as applicable. The aviation safety

inspector (ASI) must be satisfied that the name change is not used to circumvent initial certification requirements.

5-2 Vol. 1

# CHAPTER 8. EXEMPTIONS, DEVIATIONS, WAIVERS, AND AUTHORIZATIONS

- **1. GENERAL.** The granting of an exemption is generally viewed as an alternative method of complying with a regulatory requirement. Exemptions are promulgated under Title 14 of the Code of Federal Regulations (14 CFR) part 11. A grant of exemption and each specific condition and limitation is a regulatory requirement. Any interested person may submit a petition for exemption to the Federal Aviation Administration (FAA).
- **2. CONTENT OF PETITION.** Each petition for an exemption should contain the following:
  - The rule requirement from which exemption is sought
  - The nature and extent of the requested regulatory relief
  - A description of each person or aircraft to be covered by the exemption
  - Any information, views, or arguments to support the action sought
  - The reasons why a grant of exemption would be in the public interest
  - The action to be taken by the petitioner to provide a level of safety equivalent to that provided by the rule from which exemption is sought or the reason why a grant of exemption would not adversely affect public safety
- **3. PREPARING** AND MAILING THE PETITION. Each petition should be submitted to the FAA at least 120 days before the proposed effective date of the requested exemption. Part 11 specifies the address for the proper FAA action office based on the subject of the petition. Frivolous or ill-prepared petitions are rejected and both the petitioner's and the FAA's resources are ill-used in the rejection process.
- A. Petitions are frequently rejected because the petitioner failed to identify and explain the reasons why a grant of exemption would be in the public interest. The petitioner's interest is not necessarily considered to be in the "public interest." A petitioner's

statement that a grant of exemption would be in the public interest because it would reduce the petitioner's operating costs is unacceptable and is a reason for FAA rejection of the petition.

- *B*. Each petition for exemption should be well-conceived and in writing.
- **4. PROCESSING THE PETITION.** A summary of each petition for exemption is normally published in the Federal Register and the public has 20 days to submit comments to the FAA-assigned public docket. After the close of the public comment period, the FAA action office considers all comments received and decides whether to accept or deny the petition. The decision document is then prepared, coordinated, signed, and mailed to the petitioner.
- 5. DISTRIBUTION AND AVAILABILITY OF **EXEMPTIONS.** Additional copies of both grants and denials of exemptions are mailed to each regional Flight Standards Division. Each document is also placed in the archives of the FAA's computer system located in Oklahoma City (Regulatory Support Division, AFS-600) and may be accessed through the Automated Exemption System (AES). Access to the system may be obtained by contacting the program manager at each regional headquarters. A grant of exemption normally contains conditions limitations applicable to the grantee and is valid for a period of 2 years. However, some grants of exemption may be valid for only a few months (for example, delayed compliance with an aircraft modification due to the non-availability of parts).
- **6. AMENDING OPERATIONS SPECIFICATIONS (OpSpecs).** The OpSpecs of an operator granted an exemption are amended to show that the certificate holder is authorized to use the exemption in conducting its operations. (See OpSpecs A004 and A005.)
- **7. AMENDING MANAGEMENT SPECIFICATIONS** (**MSpecs**). The MSpecs of a fractional ownership program manager granted an exemption are amended to show that the program manager is authorized to use

Vol. 1 8-1

the exemption in conducting its flights. (See Mspecs A004 and A005.)

#### 8. PETITIONING FOR RECONSIDERATION.

A petitioner who is denied an exemption may petition the FAA Administrator for reconsideration within 30 days after being notified of the denial of exemption. If a petition for exemption is granted, a person other than the initial petitioner may file a petition for reconsideration with the FAA Administrator within 45 days after the grant of exemption is issued. The petitioner's request for reconsideration of its petition must be based on the existence of one or more of the following:

- An erroneous material fact
- A necessary legal conclusion that is without governing precedent or is a departure from or contrary to law, FAA rules, or precedent
- An additional fact relevant to the decision which was not presented in the initial petition for exemption. (The petition for reconsideration must state the reason the additional fact was not presented in the initial petition.)
- **9. PROCESSING** A PETITION FOR RECONSIDERATION. A summary of a petition for reconsideration of a grant or denial of exemption may be published in the Federal Register. If accomplished, a reasonable period for public comment is announced in the summary. In either event (with or without publication in the Federal Register), the FAA action office prepares and coordinates the decision document.
- A. If a grant or partial grant of exemption is issued, the document is signed by the FAA official who has been delegated such authority and responsibility in part 11.
- B. If a denial of petition for reconsideration is prepared and coordinated, the decision document is signed by the FAA Administrator. Copies of the grant, partial grant, or denial of petition for reconsideration are mailed and placed in archives as previously discussed. If the petitioner disagrees with the FAA Administrator's decision, the petitioner may institute legal action within the Federal Appeals Court system.
- **10. GENERAL.** Certain CFR sections allow the Administrator to issue a Certificate of Waiver, a Certificate of Authorization, OpSpecs, or MSpecs,

which authorize a deviation. These actions permit a person or an organization to either deviate from a specific regulation or comply with special alternative provisions, conditions, or limitations. This regulatory flexibility is available to the Administrator when the specific regulatory section stipulates that it is available. There are three options available that are referred to as follows:

- A. Deviation. When a regulatory section contains phrases such as "unless otherwise authorized by the Administrator," "the Administrator may...," "if the Administrator finds...," "the Administrator may authorize...," "the Administrator allows a deviation...," "notwithstanding the Administrator may issue OpSpecs...," or other similar words, the regulatory flexibility is referred to as a deviation.
- B. Waiver. When the regulatory section contains phrases such as "the Administrator may issue a certificate of waiver...," "in accordance with the terms of a certificate of waiver issued by the administrator," or other similar words, the regulatory flexibility is referred to as a waiver.
- C. Authorization. When the regulatory section contains words such as "in violation of the terms of an authorization issued under this section," "unless a certificate of authorization...," or other similar words, the regulatory flexibility is referred to as an authorization.

NOTE: If the specific regulatory section does not stipulate that a deviation, waiver, or authorization may be granted or issued, compliance with the regulation is mandatory. In these cases, the only methods of obtaining relief from the regulation is through the exemption process.

- 11. WAIVERS AND AUTHORIZATIONS. When a regulatory section stipulates that a waiver or authorization is permitted, any person may apply for a certificate of waiver or a certificate of authorization. FAA Form 7711-2, Certificate of Waiver or Authorization Application, must be prepared and signed by the applicant and delivered or mailed to the appropriate FAA regional or district office for processing.
- A. The application must be processed in a timely manner. The assigned inspector shall review the application, obtain appropriate additional information

8-2 Vol. 1

from the applicant, if necessary, and determine whether the applicant has provided adequate justification for a temporary waiver or authorization. The inspector shall also determine whether the applicant will provide an equivalent level of public safety during the conduct of any operation under a certificate of waiver or authorization.

- (1) If the application is denied, the reasons for denial shall be specified in a letter to the applicant.
- (2) If the waiver or authorization is granted, the inspector shall prepare FAA Form 7711-1, Certificate of Waiver or Authorization, for review by the authorizing FAA manager or designated representative. The completed Certificate of Waiver or Authorization, dated and signed by the responsible FAA manager, will be mailed or delivered to the applicant. A copy of both the application (both front and back) and a copy of the completed certificate shall be retained in the files of the issuing office.
- B. A Certificate of Waiver or Authorization shall not be issued for any operation conducted under part 121, 125, 129, or 135. Requests for a deviation from these parts must be requested and processed in accordance with the following paragraphs.
- **12. DEVIATIONS.** Any person or organization may apply for a deviation when a regulatory section stipulates that a deviation is permitted. Deviations may be granted and issued to operators conducting operations under part 121, 125, 129, or 135, or to program managers under part 91, subpart K. To apply for a deviation, an operator or program manager must submit a specific request to the FAA.
- A. The application must be made by a letter that identifies the specific regulatory sections from which a deviation is requested. The letter and attachments, if appropriate, must contain the specific reasons the deviation is requested, information to show that an equivalent level of safety will be maintained, and any other information the FAA may require.
- B. The types of information that must be submitted with the request for a deviation are described in other sections of this handbook that relate to the specific subject matter. Unless otherwise specified by this handbook, deviations requested by operators conducting operations under part 121, 125, 129, or 135 must be authorized for use by OpSpecs. Program managers under part 91, subpart K should be authorized to use deviations through their MSpecs.

The approval, denial, and reconsideration procedures for processing deviation requests shall be the same as the procedures for processing, issuing, or amending OpSpecs or MSpecs.

C. The district office recordkeeping requirements for each deviation are the same as OpSpecs or MSpecs recordkeeping requirements.

# 13. DEVIATIONS FOR MILITARY CONTRACT OPERATIONS.

- A. Title 49 of the United States Code (49 U.S.C.) § 40118 provides for the government-financed air transportation of passengers and property. Normally, the transportation of such persons and property must be provided by air carrier certificate holders authorized to operate under part 121.
- (1) Part 119, § 119.57 permits the Administrator to authorize deviations to the applicable requirements of part 121, when necessary, so that operators may perform certain unique operations under a military contract. The operator must submit an application for the deviation (application to amend OpSpecs) directly to the Manager, Air Transportation Division, AFS-200, with a copy to its certificate-holding district office (CHDO).
- (2) The district office shall immediately advise its regional office that the operator has forwarded the application for a deviation and amended OpSpecs to AFS-200.
- B. AFS-200 shall coordinate the request with the Aircraft Maintenance Division, AFS-300, if appropriate. AFS-200 shall coordinate the request with the Department of Defense (DOD) to verify that the proposed operation is essential for national defense and not based on either an economic advantage or convenience to either the air carrier or the United States. Title 49 U.S.C. § 40118 permits the use of a foreign operator pursuant to bilateral agreement and the government of the foreign air carrier.
- (1) When AFS-200/DOD coordination has been accomplished, AFS-200 will advise the appropriate regional Flight Standards division manager whether the deviation is approved. If the deviation is denied, AFS-200 shall notify the operator in writing. Copies of the denial shall be provided to the appropriate region, district office, and DOD offices. If the application is approved, AFS-200 will prepare a draft of the OpSpecs authorizing the

Vol. 1 8-3

deviation. AFS-200 shall include any conditions or limitations considered necessary.

(2) AFS-200 shall forward the draft OpSpecs directly to the district office, and a copy to the appropriate regional Flight Standards division. The district office shall issue the amended OpSpecs to the operator. The amendment shall contain an expiration date consistent with the duration of the specific military operation. However, the operator shall be advised that the Administrator may, at any time, terminate the grant of deviation authority covered by the amended OpSpecs.

# 14. DEVIATION TO PERFORM AN EMERGENCY OPERATION.

- A. Section 119.57 and part 135, § 135.19 specify requirements for obtaining deviation authority to perform an emergency operation.
- (1) The term "emergency operations" means an immediate but temporary action to prevent or reduce the loss of life or property when an unanticipated threat to life or property occurs.

Operations under a long-term contract to provide certain types of protection (such as rescue, fire-fighting, security) to the public cannot be classified as an unanticipated, temporary action.

- (2) An "emergency operation" under §§ 119.57 and 135.19 is not related to the pilot-in-command responsibility and authority (emergency authority) provided in part 91, § 91.3.
- B. The nature of the emergency dictates whether a verbal or written amendment of OpSpecs is justified. The manager of the CHDO must make this determination. If time permits, the district office manager may wish to consult with the regional Flight Standards division manager by telephone. authorization to deviate, whether verbally or by written amendment to the OpSpecs, must be justified and applicable only to a specific emergency operation. The authorization must also be for a temporary and limited period of time. If a verbal authorization is certificate holder given, the must provide documentation describing the nature of the emergency to the district office within 24 hours after completing the operation.

8-4 Vol. 1

# CHAPTER 9. OBTAIN CERTIFICATE NUMBER FOR AN AIR OPERATOR OR AIR AGENCY, OR AN IDENTIFICATION NUMBER FOR A FRACTIONAL OWNERSHIP PROGRAM

**1. GENERAL.** The Aviation Data Systems Branch, AFS-620, manages and controls all air operator and air agency certificate numbers and all fractional ownership management specifications (MSpecs) designators. The numbering system used by AFS-620 provides a standardized format, a multitude of possible numbers, and a central location for assigning, storing, and retrieving information.

# 2. ELEMENTS OF A CERTIFICATE OR IDENTIFICATION NUMBER.

- A. Four Elements of a Certificate or Identification Number. A certificate number or fractional owner identification number consists of four elements: the "designator" element, the "type" element, the "numeric" element, and the "alpha suffix" element. For example, the operator certificate number RWI-L-001-A (or RWIL001A without the dashes) denotes the following:
- (1) RWI (Designator Element). The "designator" element uses combinations of three letters. An air operator or air agency applicant or fractional program manager (hereafter referred to as the program manager) may request a specific three-letter designator. Given the 26 letters of the alphabet in combinations of 3, there are 17,576 possible unique combinations. Thus, an operator or program manager can personalize the designator received.
- (a) For Title 14 of the Code of Federal Regulations (14 CFR) parts 121, 125, 135, 145, and 147 applicants, this can be accomplished on the Preapplication Statement of Intent (PASI). Title 14 CFR part 91, subpart K applicants can complete a Statement of Intent.
- (b) For 14 CFR part 129, 133, 137, or 141 applicants, the three-letter designators can be requested in the letter of intent and/or on the respective application forms.
- (c) AFS-620 shall attempt to accommodate the applicant's request. If all three choices have already been assigned or if the applicant does not provide any choices, AFS-620 issues the first available, random designator.

- (2) L (Type Element). The "type" element identifies the type of certificate or identification number and the applicable regulation. AFS-620 always assigns an organization with operations having different types of certificates the same three-letter designator with the "type" element assuring the differentiation.
- (3) 001 (Numeric Element). The "number" element provides 999 (001 to 999) number combinations for each type of certificate.
- (4) A (Alpha Suffix Element). The "alpha suffix" element provides even more possible combinations by established 25 alphabet groups (A through Z, excluding P, which is used to denote a precertification number). When all possible number element combinations (001 to 999) have been used for a particular type of certificate, the alpha suffix changes to the next letter alphabetically. For example, the next external-load operator certificate number after ELO-L-999-A, regardless of the designator, will be XYZ-L-001-B.
- B. Certificate/Identification Number Commonality. This number system also allows operators or program managers who hold different types of certificates to maintain a certain amount of commonality in their certificate and identification numbers. For example, an air operator who is also an air agency can have the same designator:

Number: RWI-L-001-A

Elements: RWI = Rotorworks International

L = External-Load Operator 001 = First certificated external-

load operator

A = First group alphabetically

Number: RWI-R-002-A

Elements: RWI = Rotorworks International

R = Repair Station

002 = Second certificated repair

station

A = First group alphabetically

Vol. 1 9-1

#### TABLE 1. AIR OPERATORS

TYPE OF	TYPE	14 CFR	
CERTIFICATE	ELEMENT	PART	
Air Carrier Certificate	A	121/135	
Operating Certificate			
(Business/private	В	125	
carriage)			
Operating Certificate	C	121/135	
(Commercial)	C		
Foreign Operator			
(Operations	F	129	
specifications only)			
Agricultural Aircraft	G	137	
Operator	U	137	
Rotorcraft External-Load	I.	133	
Operator	L	133	
Part 125 Full Deviation			
Holder (Certificate	M	91	
number not issued)			

#### TABLE 2. FRACTIONAL OWNERS

TYPE OF	TYPE	14 CFR
OPERATION	ELEMENT	PART
Part 91, Subpart K, Fractional Ownership	K	91

TABLE 3. AIR AGENCIES

TYPE OF	TYPE	14 CFR	
CERTIFICATE	ELEMENT	PART	
Domestic Satellite	D	145	
Repair Station	D	143	
Domestic Repair Station	R	145	
Pilot School	S	141	
Aviation Maintenance	Т	141	
Tech School	1	141	
Provisional Pilot School	V	141	
Foreign Repair Station	Y	145	
Foreign Satellite Repair	Z	145	
Station	L	143	

**3. PRECERTIFICATION NUMBERS.** The letter "P" is used as the alpha suffix element for the temporary precertification number used for CFR applicants. Upon successful completion of the certification process, the "P" is changed to the appropriate alpha suffix element (A through Z, excluding P).

#### 4. RESTRICTIONS.

A. Number Assignment. The complete certification or identification number (all eight characters), once assigned to a particular organization, is never assigned to another.

#### B. Reassignment of Designators.

- (1) Regardless of the type of certificate or identifier number, the designator element of an organization that has become inactive or has terminated operations shall not be reassigned to a different organization until at least 3 years have elapsed. During the 3-year period, the designator can be reassigned to the original organization if it resumes operations.
- (2) After the 3-year period, the number can be assigned to another organization provided there is no record of significance associated with the designator element in any of the databases maintained by AFS-620. If a designator element has an associated record of significance, AFS-620 shall not reassign the designator element for at least 10 years.
- C. Alpha Suffix Combination Reassignment.

  Organizations that have more than one type of certificate or identification number and conduct business under more than one operating regulation are assigned identical numeric elements for each assigned certificate or identification number, wherever possible. A specific numeric element can be reassigned if a different alpha suffix element is assigned. For example, 999 can be used with an "A" alpha suffix and also with a "B" alpha suffix.
- **5. TERMINATION OF THE CERTIFICATION OR MSPECS APPLICATION PROCESS.** If an applicant for a part 91 (subpart K), 121, 125, 135, 145, or 147 certificate or identification number terminates the certification process prior to certificate or MSpec issuance, the district office must inform AFS-620 so that the 3-letter designator can be released for future use. The same holds true for when the Federal Aviation Administration (FAA) terminates the process.

NOTE: Part 129, 133, 137, or 141 applicants are not affected since they are not issued precertification numbers.

9-2 Vol. 1

# CHAPTER 12. THE GENERIC PROCESS FOR ISSUING MANAGEMENT SPECIFICATIONS TO FRACTIONAL OWNERSHIP ORGANIZATIONS

#### **SECTION 1. GENERAL INFORMATION**

- **1. BACKGROUND.** The process of issuing management specifications (MSpecs) provides a means by which prospective fractional program managers (hereafter referred to as program managers) are empowered to conduct business in a manner that complies with all applicable sections of Title 14 of the Code of Federal Regulations (14 CFR), Title 49 of the United States Code (49 U.S.C.), and Federal Aviation Administration (FAA) directives. The process is designed to prevent the issuance of MSpecs to applicants who are unwilling or unable to comply with regulations or to conform to safe operating practices.
- **2. GUIDANCE FOR THE PROCESS.** Previously, how the FAA worked with fractional owners differed from region to region. Some fractional owners were viewed as strictly 14 CFR part 91, and others were considered to be 14 CFR part 135 air carriers. This chapter standardizes the FAA's approach to fractional ownership on a national basis by replacing any previous guidance, including regional supplements.

Vol. 1 12-1

[THIS PAGE INTENTIONALLY LEFT BLANK]

12-2 Vol. 1

#### SECTION 2. PROCESS OF ISSUING MSPECS

- 1. GENERAL. This section describes the process leading up to and the issuance of MSpecs. Under no circumstances will an applicant receive MSpecs until the district office is assured that the applicant is capable of fulfilling responsibilities and complying with 14 CFR in an appropriate and consistent manner.
- **2. PROCESS FOR A PROGRAM MANAGER TO OBTAIN MSPECS.** In the narrative that follows, the process is detailed in a series of five phases or steps:
  - Preapplication
  - Formal application
  - Document compliance
  - Demonstration and inspection
  - Issuance of MSpecs
- A. Aviation Safety Inspector (ASI) Judgment. For simple management organizations, the steps outlined here can be condensed or eliminated. It is important for the ASI to realize that the simplicity or complexity of the organization is based upon the ASI's assessment of the applicant's proposed operation.
- B. Differences Among Applicants. The ASI must also realize that some applicants, even though they are proposing a simple operation, may lack a basic understanding of what is required by a fractional owner. In such an instance, and after considering all factors, the ASI may want to insist upon following all steps in the process to ensure that safety is enhanced. Conversely, other applicants may propose a very complex operation but be well-prepared and knowledgeable, therefore not requiring that all steps be followed. The process must be complex enough to apply to all possibilities and, at the same time, flexible enough not to discourage the aviation public or overburden the ASI.
- **3. PREAPPLICATION PHASE.** Initial inquiries about or requests for an application from a fractional owner or program manager may come from individuals or organizations and may be in writing or in the form of informal meetings with district office personnel.

- A. Initial Inquiry. During the initial contact, the applicant will usually have specific questions about the requirements for fractional ownership.
- (1) The ASI should explain to the applicant all equipment, material, personnel, manual, and facility requirements, and discuss pertinent sections of 14 CFR and advisory circulars (AC). The ASI should tell the applicant how to obtain current copies of these documents and explain that the applicant should review them carefully.
- (a) At this point, the ASI should determine if the applicant is sufficiently aware of the regulatory requirements. The ASI should try to gauge the experience level of the applicant to determine how formal the process must be. If the applicant wishes to continue with the process, the ASI will provide the applicant with copies of the appropriate documents or Web site addresses where they can be found.
- (b) The applicant may provide three choices (in order of preference) of a three-letter designator, which will become part of the identifier number. The applicant will have to provide the choices to the ASI (preferably in writing) at some point during the process of receiving MSpecs. Otherwise, the applicant will receive a random, computer-generated number. Obtaining designator numbers is covered in Order 8300.10, Airworthiness Inspector's Handbook, Volume 1, Chapter 9, Obtain Number for an Air Operator, Air Agency, or a Fractional Ownership Program.
- (2) If the applicant is proposing a complex operation (i.e., a large number of complex aircraft or an operation conducted in several district office jurisdictions) or seems unclear about the specific requirements, the ASI may ask the applicant to describe the intended operation in writing. A compliance statement completed by the applicant should also be requested.
- (a) In such an instance, an applicant for MSpecs must provide a Statement of Intent (SOI) for review.
- (b) The scope of the proposed operation may also require that the applicant (or representative) come to the district office for a preapplication meeting in addition to submitting an SOI or letter of intent. If

Vol. 1 12-3

there is any question about the need for such a meeting, the ASI should consult with the district office manager or unit supervisor.

- (3) An applicant who is already familiar with the process (i.e., a pilot who has worked for a fractional owner, certificated air operator, or air agency, and wishes to start a similar business) may simply submit a completed application form during the initial contact with the district office. The applicant may present the application in person along with any manuals and other documents that might be required. This will usually occur only when the applicant's operation is of limited complexity.
- B. Team Assignment. The district office manager will assign sufficient ASIs to the team. One team member will be designated as a team leader. The team leader will not only coordinate matters with the applicant, but will also ensure that the unit supervisor is kept fully informed of the project's current status (e.g., during staff meetings). From the time of its appointment, the team handles all matters pertaining to the applicant, regardless of who the applicant initially contacted.
- C. Preapplication Meeting. If, after its assignment to the project, the team has determined that a preapplication meeting is necessary, the team leader shall contact the applicant to arrange the meeting as soon as practical. The meeting should include, but not be limited to, the following:
  - A review of the SOI or letter of intent to verify that all information is complete and accurate
  - A review of applicable federal aviation regulations and ACs (and how to obtain them, if not already accomplished)
  - A review and discussion of the procedures to ensure that the applicant understands what is expected
  - A review of what is required on the application and what is to be submitted with the application
  - An indication of which ASIs will conduct which aspects of the project
- D. Terminating the Preapplication Phase. The Preapplication Phase ends when the fractional team is satisfied that the applicant is prepared to proceed with

formal application. If the applicant is not ready, the team should advise the applicant of the problems and work with the applicant to arrive at solutions or terminate the process.

- **4. FORMAL APPLICATION PHASE.** An applicant's presentation of an application package and the district office's review is considered the Formal Application Phase.
- A. Receipt of Formal Application Package. The applicant may send the application package by mail or may hand-deliver it to the district office. If it is hand-delivered, the FAA will inform the applicant that it will need a brief period of time to review it. Avoid discussions of its acceptability at this time. Inform persistent applicants that further discussion would be unproductive until the team has reviewed the formal application. Then advise the applicant that the team will be in contact on the application package's acceptability and to arrange for a formal application meeting if necessary.
- B. Application Package Initial Review. Upon receipt of an application package, the team must initially review it to determine its acceptability. The package generally consists of:
  - Copies of the application form
  - Documentation that the applicant has or can obtain use of an aircraft or appropriate facilities, as applicable
  - Any partial or complete manuals, as applicable
  - Curricula or personnel training programs, as applicable
  - A Schedule of Events (see below)
- C. Schedule of Events. For 14 CFR part 91, subpart K, a Schedule of Events is required to be submitted with the application. The team must carefully consider the feasibility of the proposed schedule with respect to logic of sequence, timeliness of events, completeness of events, and ASI availability.
- (1) Logic of Sequence. Many of the activities or events listed in the schedule must occur before other activities or events.

12-4 Vol. 1

- (2) Timeliness of Events. The Schedule of Events must provide sufficient time for the team to review the applicant's various documents, manuals, and proposals.
- (3) Completeness of Events. The number of and kinds of submissions made by the applicant for evaluation and acceptance or approval may vary according to the complexity of the proposed operation.
- (4) ASI Availability. Another concern in meeting the Schedule of Events is the availability and the capability of the office personnel resources. Sufficient qualified ASIs must be made available to ensure timely completion of the process.
- D. Formal Application Meeting. If the fractional team determines that a formal application meeting is necessary, all members of the team must be present, barring unanticipated circumstances. During the meeting, the team and the applicant will review the application package and resolve any discrepancies.
- (1) If mutual agreements cannot be reached on any discrepancies, the team should terminate the meeting and inform the applicant that the application package is not acceptable. The application package must then be returned to the applicant with a letter explaining the reasons for the rejection.
- (2) When agreement has been reached on corrective action for deficiencies, the team should then encourage the applicant to present any questions. The team members should answer these questions fully and candidly.
- (3) Before the conclusion of the formal application meeting, the team must make certain the applicant clearly understands the following:
- (a) The applicant will receive notification in writing in the event the application is rejected. This notification should be made within five working days after the formal application meeting. A telephone call concerning the application rejection shall be made to the applicant as soon as the determination is made, indicating that written notification will follow and will include the reasons for the rejection.
- (b) If the application is acceptable, the process continues with an indepth examination of the application and associated documents during the Document Compliance Phase. A letter accepting the

application is necessary because the time limit begins upon receipt of the application in an acceptable form.

- (c) Acceptance of the application does not constitute acceptance or approval of any attached documents (curricula, sample manuals, etc.). They will be reviewed further, and the applicant will be expected to take corrective action if required. Acceptance or approval of each attachment will be indicated separately.
- E. Application Rejection. Rejection of an application will be a sensitive issue, since the applicant will most likely have already expended funds and resources to this point. Therefore, it is important for the team to document thoroughly the reasons for the rejection. The reasons should clearly indicate that to proceed with the process would not be productive unless the applicant is willing to accept the team's corrective suggestions. Reasons for rejection might include lack of agreement on appropriate courses of action or evidence that the applicant misunderstands regulatory requirements and the process. In the event of rejection, the application and documents submitted are returned to the applicant with a letter of rejection.
- F. Terminating the Formal Application Phase. If the team accepts the application package, the Formal Application Phase of the process is terminated, and the Document Compliance Phase begins.
- **5. DOCUMENT COMPLIANCE PHASE.** The Document Compliance Phase is that part of the process in which the applicant's manuals and other documents are carefully reviewed and either approved or rejected. This phase, for the most part, is performed in the district office by members of the team.
- A. Required Documents. The required documents vary with the type and size of the operation under consideration.
- B. Unacceptable Documents. If any of the documents are unacceptable, they will be returned to the applicant. The team may want to send the applicant a letter of rejection stating those reasons for rejection.
- *C. Acceptable Documents*. If the team finds all documents acceptable, the process proceeds with the Demonstration and Inspection Phase.

Vol. 1 12-5

- D. Applicant Profile. The team shall obtain a profile of the applicant and personnel by using the Integrated Safety Information Subsystem (ISIS). This profile may determine if the process should continue. For example, if the information obtained in the profile indicates a suspension or revocation order is in effect, it may prohibit further action. The team should also consider what position the person would be filling.
- E. Terminating the Document Compliance Phase. Once all required documents are approved or accepted, the Document Compliance Phase ends. The process continues in the Demonstration and Inspection Phase. Although the Document Compliance Phase and the Demonstration and Inspection Phase are dealt with as distinct, separate phases, the two may overlap or occasionally coincide.
- **6. DEMONSTRATION** AND INSPECTION **PHASE.** In the Demonstration and Inspection Phase, the team inspects the applicant's facilities and equipment and observes personnel in the performance of their duties. Emphasis in this phase is on compliance with regulations and safe operating practices. Through observation, monitoring, and other forms of onsite evaluation, the team will be exposed to many types of activities.
- A. Regulatory Compliance. During evaluation, the team shall ensure the applicant's ability to comply with all applicable sections of 14 CFR.
- B. Determination of Approval or Disapproval. Throughout the Demonstration and Inspection Phase, the team will ensure that all aspects of the applicant's required demonstrations are observed and that a determination of approval or disapproval for each is made.
- C. Handling Deficiencies. If, at any time, certain items or the applicant's conduct of activities prove to be deficient, appropriate corrective action must be taken. If necessary, the team will advise the applicant of the impracticality of continuing the process due to the extent of the deficiencies.
- D. Unsatisfactory Demonstration. If a particular demonstration of compliance is unsatisfactory, the team must discuss with the applicant how to correct the problem. Reinspection should be scheduled as necessary. The team may want to follow up with a letter indicating the nature of the failure and its corrective action. Deficiencies will have to be corrected before the process can continue.

E. Satisfactory Demonstrations. If the applicant's demonstrations are successful, the team will issue appropriate documentation.

F. Terminating the Demonstration and Inspection Phase. When all demonstrations are satisfactorily completed, the Demonstration and Inspection Phase is ended, and the applicant is ready for issuance of the MSpecs.

#### 7. MSPECS ISSUANCE PHASE.

- A. Obtaining Designator Numbers. The team leader is responsible for assuring that a designator number is obtained from the Operational Systems Branch, AFS-620, in Oklahoma City, OK. An ASI on the team shall telephone AFS-620 when a designator number is required.
- (1) When contact is made, the ASI will state that the purpose of the call is to obtain a designator number for a program manager. The ASI follows the procedures found in vol. 1, ch. 9.
- (2) AFS-620 uses a systematic scheme for the construction of standard certificate numbers. See vol. 1, ch. 9 for an explanation of how this number assignment system works.
- B. Program Manager File. The team will assemble a file for the program manager. The file, which is maintained at the certificate-holding district office (CHDO), will include:
  - A copy of the SOI or letter of intent, as appropriate
  - A copy of the application
  - A copy of the program manager's MSpecs
  - A copy of any manuals or approved curricula
  - A summary of any difficulties encountered during any phase of the MSpecs issuance process or recommendations for future surveillance (report)
  - Enforcement Information System (EIS) and Accident/Incident Data System (AIDS) profiles for the applicant and the pilots

12-6 Vol. 1

- Copies of leases, agreements, and contracts, if applicable
- Compliance statement
- Any correspondence between the applicant and the FAA
- C. Surveillance Plan. After the new fractional owner has received its MSpecs, the team will establish a plan using the national program guidelines as a basis for inspection and surveillance.
- (1) When developing the plan, the team may decide to direct additional surveillance during the first

few months the new fractional owner is in business. This may assist the program manager in continuing compliance with pertinent regulations.

(2) The team is also responsible for assembling a report that includes the names and titles of each team member. The report shall be signed by the team leader and have a summary of any difficulties or recommendations encountered during the process. This report will be valuable in preparing surveillance plans because it will have highlighted possible weak areas that can be emphasized during an inspection.

Vol. 1 12-7

[THIS PAGE INTENTIONALLY LEFT BLANK]

12-8 Vol. 1

## [CHAPTERS 13 THROUGH 15 RESERVED]

Vol. 1 13-1 through 15-1

[THIS PAGE INTENTIONALLY LEFT BLANK]

15-2 Vol. 1

#### **VOLUME 2. TABLE OF CONTENTS**

	AIRCRAFT AND EQUIPMENT
CHAPTER 1.	PERFORM FIELD APPROVAL OF MAJOR REPAIRS AND MAJOR ALTERATIONS
Section 1	. Background
1	. Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3	. Objective
5	. General
7	. Replacement and Modification Parts
9	. Alterations That May Require Engineering Evaluation, Aircraft Certification Office (ACO) Assistance, or STCs
11	. Incomplete and/or Incremental Installations
13	Major Repair Design Approvals by Transport Canada Civil Aviation (TCCA) and Canadian Design Approval Representative (Canadian Equivalent to a U.S. DER)
15	Use of Management Designated Airworthiness Representatives (DAR, Function Code 50)
17	. Flight Test/Operational Check Requirements and Limitations
19	FAA Form 337, Major Repair and Alteration
21	. Instructions for Continued Airworthiness (ICA)
Section 2	Procedures
1	. Prerequisites and Coordination Requirements
3	. References, Forms, and Job Aids
5	Procedures
7	. Task Outcomes
9	. Future Activities
Fig. 1-1.	ICA Checklist
Fig. 1-2.	Decision Flow Chart for Field Approval Process
Fig. 1-3.	Major Alterations Job Aid
CHAPTER 2.	ISSUE SFAR 36 AUTHORIZATION
Section 1	. Background
1	. Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3	. Objective
5	. General
7	. Maintaining Eligibility
9	. Data Review and Service Experience
Section 2	Procedures
1	Prerequisites and Coordination Requirements
3	. References, Forms, and Job Aids
5	. Procedures
7	. Task Outcomes
9	Future Activities

CHAPTER 3.	MAINTENANCE/INSPECTION PROGRAMS FOR LOW APPROACH LANDIN MINIMUMS
Section	1. Background
	1. Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3. Objective
	5. General
	7. Category I Operations
	9. Category II Equipment Approval Under Parts 91 and/or 135 (9 or Less)
1	1. Category III Equipment Approval Under Part 121/135 (10 or More)
1	3. Continuous Airworthiness Program for Lower Landing Minimums (LLM)
1	5. Program Development
1	7. Maintenance/Inspection Programs
1	9. Maintenance Training Programs
2	21. Existing Continuous Airworthiness Programs
2	23. Test Equipment and Standards
2	25. Maintenance Period Extensions - General Aviation
2	7. Functional Flight Checks
2	9. Reports and Records
Section	2. Procedures
	1. Prerequisites and Coordination Requirements
	3. References, Forms, and Job Aids
	5. Procedures
	7. Task Outcomes
	9. Future Activities
CHAPTER 4.	EVALUATE AN OPERATOR'S DEICING/ANTI-ICING PROGRAM
Section	1. Background
	1. Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3. Objective
	5. General
Section	2. Procedures
	1. Prerequisites and Coordination Requirements
	3. References, Forms, and Job Aids
	5. Procedures
	7. Task Outcomes
	9. Future Activities
CHAPTER 5.	EVALUATE OPERATOR'S APPLICATION TO CONDUCT FLIGHT AIRSPACE WHERE REDUCED VERTICAL SEPARATION MINIMUMS APPLIED
Section	1. Background
	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3. Objective
	5. General
	7. Aircraft Compliance
	9. Maintenance Program
	1 Operator Evaluation

Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 6 RESI	ERVED
CHAPTER 7. N	MINIMUM EQUIPMENT LISTS AND CONFIGURATION DEVIATION LISTS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Applicability
5.	Principal Maintanenance Inspector's (PMI) Responsibilities
6.	Definitions.
7.	MEL Purpose
8.	Items Listed on the MEL
9.	Inoperative Equipment
10.	Recordkeeping
	Multiple Inoperative Items
	Fleet Approval
	Air Carrier Manual Instructions—Conditions and Limitations
	Conflict with other FAA-Approved Documents
Section 2.	MMEL Development and Approval Process
1.	General
2.	Proposed MMEL
3.	Intitial MMEL Approval Process
4.	MMEL Revision Procedures.
5.	Lead Airline Concept
Fig. 7-1.	Sample OpSpec D095
Section 3.	MEL Approval Process for Part 121 and 135 Operators
1.	General
2.	MEL Acceptability
3.	Initial Phase of MEL Approval
4.	Demonstration Phase
5.	Final Phase of the MEL Approval Process
5. 6.	Terms and Conditions of Relief
7.	PI Approval of the Operator's MEL
8.	PTRS Input
9.	MMEL Subsystem Entry
Fig. 7-2.	Sample Letter to the Operator for Denying the MEL
Fig. 7-2.	Sample Letter to the Operator for Approving the MEL
Section 4.	MEL Use in Service Parts 121, 129, and 135 Operators
1.	General

2.	Revision Procedures
3.	Tracking of Revision Status
4.	Availability of MEL for Flight Crewmembers
5.	Method of Authorizing Flight Crewmember Access to MEL
6.	Discrepancies Discovered During Flight
7.	Documentation of Discrepancies
8.	Conflict with Airworthiness Directives
9.	Interrelationships of Inoperative Components
10.	Repair Categories
	PTRS Input
Castian 5	MMEI Cubanatam
Section 5.	MMEL Subsystem
1.	Background
2.	General Section Completition
3.	System Capability
4.	System Access Instructionds and Support
5.	Automatic Notification
6. 7	MEL Status Reports
7. 8.	Public Access to MMEL
٥.	Public Access to MIMEL
Section 6.	Configuration Deviation Lists
1.	General
2.	Developments and Approval of a CDL
3.	Use of the CDL
4.	Operational Control
Section 7.	Approve Port 125 MEL/Pavision
	Approve Part 125 MEL/Revision
1.	General Padvindont Equipment Items
2.	Redundant Equipment Items
3.	Aircraft Systems
4. 5.	PI Responsibilities
5. 6.	MMELs
7.	Reference and Manual Requirements
7. 8.	Deleting Items from the MEL/CDL
0.	Deleting Items from the MEL/CDL
Section 8.	MEL Approval Process for Part 125 and Fractional Owners
1.	Prerequisites and Coordination Requirements
2.	Reference, Forms, and Job Aids
3.	Procedures
4.	Tasks Outcomes
5.	Future Activities
Section 0	Maintanance and MEL for U.S. Dagistared Aircraft Operated Under Part 120
Section 9.	Maintenance and MEL for U.SRegistered Aircraft Operated Under Part 129
1.	General Approval
2.	Approval
Section 10.	WITHDRAWN—CHANGE 23
Section 11	Procedures

	1.	Prerequisites and Coordination Requirements
	2.	References, Forms, and Job Aids
	3.	Procedures
	4.	Task Outcomes.
г. с	5.	Future Activities
Fig. 7	/-4.	MEL Order 8300.10 Handbook Ready Reference
CHAPTER 8	. CER	TIFICATE REPAIRMAN FOR LIGHT-SPORT AIRCRAFT
Secti	on 1.	Background
	1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3.	Objective
	5.	General
		Light-Sport Repairman Eligibility Requirements
		Priviligies and Limitations of the Repairman (Light-Sport Aircraft) Certificate
		Major Repairs/Major Alterations
		Training Required for Maintanace Rating
	15.	Credit for Light-Sport Aircraft Practical Experience Toward Mechanic Qualifications
	17	Requirements under Part 65, § 65.77
		Duration of Repairman (Light-Sport Aircraft) Certificates
Secti	_	Procedures
	1.	Prerequisites and Coordination Requirements
	3.	References, Forms, and Job Aids
	5.	Procedures
	7. 9.	Task Outcomes
	9.	Tuture Activities
СНА	PTER	S 9 THRU 20 RESERVED
	1	FAR PART 65 AIRMEN OTHER THAN FLIGHT CREWMEMBERS
CHAPTED 1		
CHAPTER 2	1. 11	NTRODUCTION TO FAR PART 65
	1.	FAR Part 65
CHAPTER 2		CERTIFICATE AIRFRAME AND/OR POWERPLANT MECHANIC/ADDE CATINGS
Secti	on 1.	Background
	1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	2.	Objective
	3.	Certification Program
	4.	Eligibility Requirements
	5.	Experience Requirements
	6.	Oral and Practical Skill Test Prerequisites
	7.	Oral and Practical Skill Test Administration
	8.	Change of Address/Name/Gender/Nationality/Date of Birth
	9.	Falsification, Fraudulent Reproduction, or Alteration of Documents
	10.	Ineligible Applicants
	11.	Competency Examinations/Reexaminations

Section 2.	Procedures
1.	
2.	
3.	
4.	
5.	
Fig. 22-1.	
•	FAA Certification Performance of Job Tasks
	Certificate of Eligibility
CHAPTER 23.	CERTIFICATE FOREIGN APPLICANTS LOCATED OUTSIDE THE UNITE STATES FOR MECHANIC CERTIFICATES/RATINGS
Section 1.	Background
1.	PTRS Activity Codes
3.	·
5.	·
Section 2.	Procedures
1.	
3.	
5.	
7.	
9.	
CHAPTER 24.	CERTIFICATE REPAIRMAN/ADDED PRIVILEGES
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	
Section 2.	Procedures
1.	
3.	
5. 5.	
7.	
9.	
Fig. 24-1.	Temporary Airman Certificate
2	CERTIFICATE REPAIRMAN FOR EXPERIMENTAL AIRCRAFT
Section 1.	Background
1.	
	· · · · · · · · · · · · · · · · · · ·
3.	3
5.	
7.	8 1
9.	
11.	
13.	
Section 2.	
1.	Prerequisites and Coordination Requirements
3	References Forms and Job Aids

5.	Procedures
7.	Task Outcomes
9.	Future Activities.
CHAPTER 26.	EVALUATE INSPECTION AUTHORIZATION
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Eligibility
9.	Knowledge Test
). 11.	Duration of an IA
13.	Privileges of an IA
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5. 5.	Procedures
3. 7.	
7. 9.	Task Outcomes.  Future Activities.
9.	Future Activities
CHAPTER 27.	RENEW INSPECTION AUTHORIZATION
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Renewal of Inspection Authorization
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Procedures
4.	Task Outcomes
5.	Future Activities
CHAPTER 28.	CERTIFICATE PARACHUTE RIGGER/ADDED RATING
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Eligibility Requirements
9.	Experience, Knowledge, Skills, and Test Requirements
11.	Parachute Rigger Privileges
13.	Recordkeeping Requirements
15.	Facilities and Equipment
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures

	P	age
		8-3 8-4
CHAPTER 29.	WITHDRAWN—CHANGE 18	
CHAPTERS 30	0 THROUGH 34 RESERVED	
	FAR PART 91 OPERATORS	
CHAPTER 35.	INTRODUCTION TO PART 91 RELATED TASKS	
	1. Part 91 Authority	5-1
	<b>y</b>	5-1
		5-1
CHAPTER 36.	EVALUATE/INSPECT PART 91 OPERATOR'S AIRCRAFT AND PART 91 SUBPART K, FRACTIONALOWNERSHIP PROGRAM MANAGER'S AIRCRAFT	
Section		6-1
		6-1
	3	6-1
	1	6-1
		6-1
G t		6-2
Section		6-3
	1	6-3
		6-3 6-3
		6-5
		6-5
		0
CHAPTER 37.	WITHDRAWN—CHANGE 21	
CHAPTER 38	RESERVED	
CHAPTER 39.	PROCEDURES TO APPROVE SPECIAL COURSES FOR THE PERFORMANCE OF PREVENTIVE MAINTENANCE ON PRIMARY CATEGORY AIRCRAFT	
Section	n 1. Background	9-1
		9-1
	3	9-1
		9-1
Section		9-3
	1	9-3
		9-3
		9-3
		9-4
	9. Future Activities	9-4
CHAPTERS 40	0 THROUGH 58 RESERVED	

CHAPTER 59. EVALUATE PART 91 SUBPART K COMPANY MANUAL/REVISION FOR

1	MAINTENANCE AND INSPECTION PROCEDURES
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Reviewing Program Manager/Applicant's Manual
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Procedures
4.	Task Outcomes
5.	Future Activities
	FAR PART 121/135
CHAPTER 60. I	NTRODUCTION
Section 1.	General
1.	Purpose
3.	Types of Certificates
5.	Common Carriage vs. Private Carriage
7.	Air Transportation and Air Carriers
9.	Economic Authority - Department of Transportation Certificates and Exemptions
11.	Regulatory Requirements
Section 2.	Assigning Responsibilities for FAR Part 121 and Part 135 Certificates and
	Certification Projects
1.	General
3.	Principal Base of Operations
5.	Assigning a District Office
7.	Split Main Operations and Main Maintenance Base Locations
9.	Regional Coordination
CHAPTER 61.	EVALUATE FAR PART 121/135.411(a)(2) OPERATOR
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Preapplication Phase
9.	Formal Application Phase
11.	Document Compliance Phase
13.	Demonstration and Inspection Phase
15.	Certification Phase
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Preapplication Phase Procedures
7.	Formal Application Phase Procedures
9.	Document Compliance Phase Procedures

11.	· · · · · · · · · · · · · · · · · · ·
13.	Certification Phase Procedures
15.	Task Outcomes
17.	Future Activities
CHAPTER 62.	EVALUATE PART 121/135 MANAGEMENT PERSONNEL QUALIFICATIONS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Deviations
9.	Authority to Approve or Deny Management Experience and Commuter Deviation
	Requests
Section 2.	
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Process for Request for Deviation Authority
9.	Task Outcomes
11.	Future Activities
CHAPTER 63.	EVALUATE FAR PART 121/135.411(a)(2) COMPANY MANUAL/REVISION
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Reviewing Operator/Applicant's Manual
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
	Future Activities
CHAPTER 64.	EVALUATE CONTINUOUS AIRWORTHINESS MAINTENANCE PROGRAM/REVISION
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Inspections
5.	Maintenance Program
6.	Inspection Organization
7.	Outsourcing Maintenance.
Section 2.	
1.	Prerequisites and Coordination Requirements
2.	

2	Duo andruman
3.	
4.	Task Outcomes.
5.	Future Activities
	EVALUATE CONTINUING ANALYSIS AND SURVEILLANCE PROGRAM/ REVISION
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Reviewing the Operator's Program
Section 2.	Procedures
1.	· · · · · · · · · · · · · · · · · · ·
3.	· · · · · · · · · · · · · ·
5.	
7.	Task Outcomes
9.	Future Activities
CHAPTER 66.	APPROVE A RELIABILITY PROGRAM
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Primary Maintenance Processes
9.	New Aircraft
11.	Data Collection System
13.	Tr
15.	Performance Standards
17.	
	and Reporting
	Interval Adjustments, Process, and/or Task Changes
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	
7.	Task Outcomes
9.	Future Activities
CHAPTER 67.	APPROVE A CONTRACT RELIABILITY PROGRAM
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	
7.	Contractual Maintenance Agreements
9.	Operator/Applicant and Contractor Compatibility
11.	, ,
13.	•
15.	Program Displays and Status of Corrective Action Programs

17.	Contractual Agreement
19.	•
Section 2.	
1.	Prerequisites and Coordination Requirements
3.	
5.	
7.	Task Outcomes
9.	Future Activities
CHAPTER 68.	EVALUATE PART 135 (NINE SEATS OR LESS) OPERATOR
Section 1.	Background
1.	
3.	
5.	•
7.	
9.	**
11.	
13.	
15.	
Section 2.	
1.	
3.	
5.	
7.	
9.	
,	EVALUATE PART 121/135 (10 OR MORE) OUTSOURCE MAINTEN ARRANGEMENT
Section 1.	e
1.	
3.	
5.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	, ,
5.	
7.	Task Outcomes
9.	Future Activities
	EVALUATE PARTS 91 SUBPART K/121/135.411(a)(2) MAINTENANCE TRAIN PROGRAM/RECORD
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Coordination Requirements and Scheduling
5.	Scheduling Maintenance Training Programs
6.	

7.	Accepting the Maintenance/Inspection Training Program
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Procedures
4.	Task Outcomes
5.	Future Activities
	EVALUATE PART 121/135.411(a)(2) AIR CARRIER'S MAINTENANCE RECORDKEEPING SYSTEM
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Required Air Carrier Aircraft Maintenance Records
9.	Other Required Records and Reports
11.	Historical Aircraft Maintenance Records
_	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 72.	EVALUATE AIRCRAFT LEASE/INTERCHANGE AGREEMENT
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Interchange Agreements
9.	FAA Responsibilities
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures for Lease Agreements
7.	Procedures for Interchange Agreements
9.	Task Outcomes.
11.	Future Activities
	EVALUATE FAR PART 121/135 10 OR MORE LEASED MAINTENAN PROGRAM AUTHORIZATION: U.S. REGISTERED AIRCRAFT
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Accomplishing the Task
9.	

Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
	EVALUATE PART 121/135 (10 OR MORE AND TURBINE-POWERED AIRCRAF OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Certification Basis (Type Certificate (TC)/Amended TC/Supplemental Type Certificate (STC)
9.	• •
11	Operator/Applicant-Developed Program
	Aircraft Weights
15.	C
17.	
19.	
21.	
23.	
25.	
27.	
29.	
31.	Verifying Maintenance Documentation Procedures
33.	• •
35.	
37.	•
	FAA Surveillance
	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	
Fig. 74-1.	
	EVALUATE PART 135 (NINE OR LESS) WEIGHT AND BALANCE CONT PROCEDURES
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Manufacturer-Developed Program
9.	Operator/Applicant-Developed Program

Section 2	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5. 5.	Procedures
7.	Task Outcomes.
7. 9.	Future Activities
9.	Tuture Activities
CHAPTER 76.	CONDUCT PARTS 91/121/135 PROVING/VALIDATION TESTS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Proving Tests
5.	Validation Tests
6.	Proving and Validation Test Process
7.	Proving Test Requirements
8.	Validation Test Requirements
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Proving Test Procedures
4.	Task Outcomes for Proving Tests
5.	Future Activities for Proving Tests.
6.	Validation Test Procedures
7.	Task Outcomes for Validation Tests.
8.	Future Activities for Validation Tests.
Fig. 76-1.	
CHAPTER 77.	EVALUATE FAR PART 121 EMERGENCY EVACUATION/DITCHING PROCEDURES/DEMONSTRATIONS
Section 1.	Background
	PTRS Activity Codes
3.	Objective
5.	Background
7.	Full-Scale Emergency Evacuation Demonstration
9.	Partial Emergency Evacuation Demonstration
11.	Full-scale Ditching Demonstration
13.	
15.	
17.	Increasing Seating Capacity by Analyses and Tests, FAR § 25.803(d)
	Participants
21.	•
23.	
	_
25. 27.	Initiation Signal
Section 2.	•
	Procedures
1.	Prerequisites and Coordination Requirements

3.	References, Forms, and Job Aids
5.	Procedures for Emergency Evacuation Demonstration
7.	Procedures For Ditching Demonstration
9.	Evaluating Emergency Evacuation and Ditching Demonstrations
11.	Task Outcomes
13.	Future Activities
	PROCESS PART 121/135 OPERATOR AIRCRAFT/ENGINE UTILIZATION REPORT
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	•
Section 2.	
1.	
3.	References, Forms, and Job Aids
5. 5.	
7.	Task Outcomes.
9.	Future Activities.
	Daily Utilization Calculations
	3
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities.
	EVALUATE A PART 121/135.411(a)(2) CERTIFICATE HOLDER'S SHORT-TER ESCALATION PROCEDURE
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Procedures
4.	Task Outcomes
5.	Future Activities

Section 1	Background
1.	
3.	Objective
5.	
7.	Foreign Airworthiness Certificates
7. 9.	Differences and/or Exceptions of Maintenance Tasks
Section 2.	
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes.
	Future Activities.
	EVALUATE/INSPECT PART 121 EXTENDED-RANGE OPERATIONS WITH IWO-ENGINE AIRCRAFT
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
	EVALUATE PART 135 (NINE OR LESS) APPROVED AIRCRAFT INSPECTION
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Changes to Approved Time Intervals
9.	Policies and Procedures Manual
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids.
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 84.	PART 121/125/135 OPERATIONS SPECIFICATIONS
Section 1.	Background
1.	
	5

3.	Objective
5.	General
7.	Aviation Safety Inspector (ASI) Responsibilities
9.	Using Automated OpSpecs
11.	
13.	
15.	Maintenance OpSpecs - Parts D and E
Section 2.	
1.	
3.	
5.	
7.	
9.	
11	. Future Activities
CHAPTER 85.	EVALUATE SPECIAL EQUIPMENT OR TEST APPARATUS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Background
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 86. PA	ART 91 SUBPART K, MANAGEMENT SPECIFICATIONS
	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General (ASI) P. T.
4.	Aviation Safety Inspector (ASI) Responsibilities
5.	Using Automated MSpecs
6.	Nonstandard Paragraphs
7.	General MSpecs—Parts MA, MB, MC, and MH
8.	Maintenance MSpecs—Part MD
9.	Admentment or Cancellation of MSpecs
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aid
3.	Procedures
4.	Task Outcomes
5.	Future Activities

CHAPTER 87. A	APPROVE PARTS/PARTS POOL/PARTS BORROWING
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Parts Pool Agreement Authorizations
9.	Parts Borrowing Authorization
11.	Parts Approval
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes.
9.	Future Activities
CHAPTER 88. P	RORATED TIME AUTHORIZATIONS
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Data and Computation
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
Fig. 88-1.	Proration Formula Example
	PECIAL FLIGHT PERMIT WITH CONTINUING AUTHORIZATION TO CONDUC ERRY FLIGHTS
Section 1	Background
1	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Applications Involving Foreign Air Transportation
5.	Issuance of Continuous Special Flight Authorization to Certain Canadian Air Carriers
6.	Display of Permit
7.	Facsimile (FAX) Transmission of Special Flight Permits
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
1. 2.	References, Forms, and Job Aids
3.	Procedures
4.	Task Outcomes.
5.	Future Activities
٥.	

8300.10 CHG 24

Section 1	ND MAINTENANCE REQUIREMENTS  Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Annual and 100-hour Inspection Requirements
9.	Progressive Inspections
11.	Progressive Inspection Intervals
13.	Additional Maintenance Requirements
15.	Manufacturer's Service Bulletin Requirements
17.	Maintenance Program Approval for Carry-on Oxygen Equipment Used for Medical Purposes
19.	Revising Time Limitations
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
1.	Background
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements  References, Forms, and Job Aids
3. 5.	Procedures
7.	Task Outcomes
7. 9.	Future Activities
	EVALUATE SECTION 135.411(a)(1) MANUAL/REVISION
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Reviewing Operator/Applicant's Manual
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
5. 7.	Procedures

CHAPTER 94.	WITHDRAWN—CHANGE 12
	EVALUATE AND AUTHORIZE A PART 121 OR 135 (10 OR MORE) APPLIC CERTIFICATE HOLDER TO USE "COORDINATING AGENCIES FOR SUPPLI EVALUATION" (C.A.S.E.)
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	Definitions
7.	General
9.	Coordinating Agencies for Supplier Evaluation
Section 2.	
1.	· · · · · · · · · · · · · · · · · · ·
3.	,,,
5.	
7.	
9.	Future Activities
CHAPTERS 96 T	HROUGH 100 RESERVED
CHAPTER 101.	FAR PART 125 INTRODUCTION
Section 1.	Applicability of FAR Part 125
1.	Purpose
3.	Conditions and Limitations
5.	Operations by Foreign Nationals
Section 2.	
1.	General
3.	1
5.	Inspector Responsibilities
7.	Using the Deviation Authority
	EVALUATE FAR PART 125 OPERATOR
	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Preapplication Phase
9.	Formal Application Phase
11.	1
13. 15.	
Section 2.	Procedures Procedures
Section 2.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5. 5.	Preapplication Phase
7.	Formal Application Phase
9.	Document Compliance Phase
11.	
13.	Certification Phase

15.	Task Outcomes
17.	Future Activities
CHAPTER 103. I	EVALUATE QUALIFICATIONS OF FAR PART 125 MANAGEMENT PERSONNE
Section 1.	
1.	PTRS Activity Codes
3.	Objective
5. 5.	·
Section 2.	
1.	Prerequisites and Coordination Requirement
3.	References, Forms, and Job Aids
5. 5.	Procedures
7.	Task Outcomes.
9.	
	EVALUATE FAR PART 125 POLICIES AND PROCEDURES MANUAL/REVISIO
Section 1.	
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Manual Content
9.	Fueling Procedures
11.	Initial Certification
13.	Compliance Statement
15.	1 8
17.	Manual Revisions
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 105. I	EVALUATE PART 125 AIRPLANE INSPECTION PROGRAM AND MAINTENANCE
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Airplane Inspection Program
9.	Engine Maintenance
11.	Changes to Approved Time Intervals
13.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5	Procedures

7.	Task Outcomes
9.	Future Activities
CHAPTER 106.	EVALUATE A FAR PART 125 INSPECTION TRAINING PROGRAM/RECORDS
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Content
9.	Training Records
11.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 107.	EVALUATE PART 125 OPERATIONS SPECIFICATIONS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	
7.	Coordination
9.	Required Authorizations
11.	
13.	•
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	
	FAA-Initiated OpSpecs/Amendments
9.	
	Future Activities
CHAPTER 108.	EVALUATE FAR PART 125 EMERGENCY EVACUATION/DITCHING DEMONSTRATION/PROCEDURES
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	
7.	Regulatory Requirements
9.	Manufacturer Conducted Demonstrations
11.	The Aborted Takeoff Demonstration
13.	
15.	
10.	

19. FAA Team Planning 21. Selecting Exits. 23. Initiation Signal. 25. Pre-Demonstration Inspection. 27. Pre-Demonstration Briefings 29. Conducting the Demonstration 31. Ditching Demonstrations. 33. Evaluating Emergency Evacuation and Ditching Demonstrations. Section 2. Procedures. 1. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities. CHAPTER 109. WITHDRAWN—CHANGE 21 CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM Section 1. Background. 1. PTRS Activity Codes. 3. Objective. 5. General. 7. Established Weight and Center of Gravity (CG) Limits. 9. Loading Procedures. 11. Aircraft Weights. 13. Contractors. Section 2. Procedures. 11. Aircraft Weights. 13. Contractors. Section 2. Procedures. 14. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities. CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS Section 1. Background. 1. PTRS Activity Codes.		
19. FAA Team Planning. 21. Selecting Exits. 23. Initiation Signal. 25. Pre-Demonstration Briefings. 27. Pre-Demonstration Briefings. 29. Conducting the Demonstration. 31. Ditching Demonstrations. 33. Evaluating Emergency Evacuation and Ditching Demonstrations. 33. Evaluating Emergency Evacuation and Ditching Demonstrations. Section 2. Procedures. 1. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities. CHAPTER 109. WITHDRAWN—CHANGE 21 CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM Section 1. Background. 1. PTRS Activity Codes. 3. Objective. 5. General. 7. Established Weight and Center of Gravity (CG) Limits. 9. Loading Procedures. 11. Aircraft Weights. 13. Contractors. Section 2. Procedures. 11. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 9. Future Activities. CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS Section 1. Background. 1. PTRS Activity Codes. 3. Objective. 5. General. 5. Procedures. 9. Future Activities.	17.	Pre-Demonstration Meeting with Operator
21. Selecting Exits. 23. Initiation Signal. 25. Pre-Demonstration Inspection. 27. Pre-Demonstration Briefings. 29. Conducting the Demonstration. 31. Ditching Demonstrations. 33. Evaluating Emergency Evacuation and Ditching Demonstrations. Section 2. Procedures. 1. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities. CHAPTER 109. WITHDRAWN—CHANGE 21 CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM Section 1. Background. 1. PTRS Activity Codes. 3. Objective. 5. General. 7. Established Weight and Center of Gravity (CG) Limits. 9. Loading Procedures. 11. Aircraft Weights. 13. Contractors. Section 2. Procedures. 14. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities. CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS Section 1. Background. 1. PTRS Activity Codes. 3. Objective. 5. General. Section 2. Procedures. 1. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities.	19.	
23. Initiation Signal. 25. Pre-Demonstration Inspection	21.	Selecting Exits
25. Pre-Demonstration Inspection	23.	
27. Pre-Demonstration Briefings 29. Conducting the Demonstration 31. Ditching Demonstrations 33. Evaluating Emergency Evacuation and Ditching Demonstrations 34. Prerequisites and Coordination Requirements 35. References, Forms, and Job Aids 56. Procedures 77. Task Outcomes 97. Future Activities  CHAPTER 109. WITHDRAWN—CHANGE 21  CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background 1. PTRS Activity Codes 1. Objective 1. General 1. Established Weight and Center of Gravity (CG) Limits 1. Aircraft Weights 1. Aircraft Weights 1. Contractors 1. Prerequisites and Coordination Requirements 1. References, Forms, and Job Aids 1. Procedures 1. Procedures 1. Procedures 1. Precedures 1. Background 1. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 1. Prerequisites and Coordination Requirements 1. References, Forms, and Job Aids 1. PTRS Activity Codes 1. Precedures 1. Pre	25.	-
29. Conducting the Demonstration 31. Ditching Demonstrations 33. Evaluating Emergency Evacuation and Ditching Demonstrations Section 2. Procedures	27.	<u>*</u>
31. Ditching Demonstrations 32. Evaluating Emergency Evacuation and Ditching Demonstrations Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 109. WITHDRAWN—CHANGE 21  CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 7. Established Weight and Center of Gravity (CG) Limits 9. Loading Procedures 11. Aircraft Weights 13. Contractors  Section 2. Procedures 14. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 5. General 7. Task Outcomes 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 5. General 7. Task Outcomes 9. Future Activities		
Section 2. Procedures		
Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 109. WITHDRAWN—CHANGE 21  CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 7. Established Weight and Center of Gravity (CG) Limits 9. Loading Procedures 11. Aircraft Weights 13. Contractors Section 2. Procedures 14. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities		
1. Prerequisites and Coordination Requirements. 3. References, Forms, and Job Aids. 5. Procedures. 7. Task Outcomes. 9. Future Activities.  CHAPTER 109. WITHDRAWN—CHANGE 21  CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 7. Established Weight and Center of Gravity (CG) Limits. 9. Loading Procedures 11. Aircraft Weights. 13. Contractors Section 2. Procedures. 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures. 7. Task Outcomes 9. Future Activities.  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities of General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities		
3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 109. WITHDRAWN—CHANGE 21  CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 7. Established Weight and Center of Gravity (CG) Limits 9. Loading Procedures 11. Aircraft Weights 13. Contractors  Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 9. Future Activities		
5. Procedures		
7. Task Outcomes		
9. Future Activities		
CHAPTER 109. WITHDRAWN—CHANGE 21 CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General 7. Established Weight and Center of Gravity (CG) Limits 9. Loading Procedures 11. Aircraft Weights 13. Contractors Section 2. Procedures 14. Prerequisites and Coordination Requirements 15. References, Forms, and Job Aids 16. Procedures 17. Task Outcomes 18. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 18. PTRS Activity Codes 38. Objective 59. General 50. Section 2. Procedures 19. Prerequisites and Coordination Requirements 19. References, Forms, and Job Aids 10. PTRS Activity Codes 10. References, Forms, and Job Aids 11. Prerequisites and Coordination Requirements 12. References, Forms, and Job Aids 13. References, Forms, and Job Aids 14. Procedures 15. Procedures 16. Procedures 17. Task Outcomes 18. Procedures 19. Future Activities		
CHAPTER 110. EVALUATE PART 125 OPERATOR'S WEIGHT AND BALANCE CONTROL PROGRAM  Section 1. Background		
PROGRAM  Section 1. Background	CHAPTER 109.	WITHDRAWN—CHANGE 21
1. PTRS Activity Codes		
3. Objective	Section 1.	Background
3. Objective	1.	PTRS Activity Codes
5. General	3.	Objective
7. Established Weight and Center of Gravity (CG) Limits	5.	· ·
9. Loading Procedures	7.	
11. Aircraft Weights	9.	
Section 2. Procedures	11.	
Section 2. Procedures	13.	
1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities	Section 2.	
3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background 1. PTRS Activity Codes 3. Objective 5. General Section 2. Procedures 1. Prerequisites and Coordination Requirements 3. References, Forms, and Job Aids 5. Procedures 7. Task Outcomes 9. Future Activities		
5. Procedures		•
7. Task Outcomes. 9. Future Activities.  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background		
9. Future Activities  CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background		
CHAPTER 111. EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS  Section 1. Background		
Section 1. Background		
1. PTRS Activity Codes 3. Objective. 5. General	CHAPTER 111.	EVALUATE FAR PART 125 OPERATOR'S MAINTENANCE RECORDS
1. PTRS Activity Codes 3. Objective. 5. General	Section 1.	Background
5. General	1.	PTRS Activity Codes
5. General	3.	Objective.
Section 2. Procedures  1. Prerequisites and Coordination Requirements  3. References, Forms, and Job Aids  5. Procedures  7. Task Outcomes  9. Future Activities	5.	· · · · · · · · · · · · · · · · · · ·
<ol> <li>Prerequisites and Coordination Requirements</li> <li>References, Forms, and Job Aids</li> <li>Procedures</li> <li>Task Outcomes</li> <li>Future Activities</li> </ol>		
<ol> <li>References, Forms, and Job Aids.</li> <li>Procedures.</li> <li>Task Outcomes.</li> <li>Future Activities.</li> </ol>		
<ul><li>5. Procedures</li><li>7. Task Outcomes</li><li>9. Future Activities</li></ul>		
7. Task Outcomes		
9. Future Activities		
	9	
	CHAPTERS 112 T	

FAR PART 129 OPERATIONS: FOREIGN OPERATORS OF U.S.-REGISTERED AIRCRAFT

	ENGAGED IN COMMON CARRIAGE
CHAPTER 125.	INTRODUCTION TO FAR PART 129
1.	General
3.	Background
5.	Relationships with Foreign Nationals
7.	FAR Part 129 Operations Specifications
9.	Foreign Air Carriers Operating U.S. Registered Aircraft
	EVALUATE/APPROVE A MAINTENANCE PROGRAM AND A MINIM EQUIPMENT LIST FOR U.S- REGISTERED AIRCRAFT UNDER PART 129
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Maintenance Program Requirements
9.	Obtaining MEL Approval
11. Section 2.	
Section 2.	Procedures
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes.
9.	Future Activities.
CHAPTERS 127 T	CHROUGH 134 RESERVED
	FAR PART 133 EXTERNAL-LOAD OPERATORS
CHAPTER 135	INTRODUCTION TO FAR PART 133 RELATED TASKS
	External-Load Operations
3.	Attaching Means
	Load Classes
	EVALUATE FAR PART 133 OPERATOR
	Background
1.	
3.	Objective
5.	
Section 2.	
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 137.	EVALUATE FAR PART 133 ROTORCRAFT LEASE AGREEMENT
Section 1.	Background

1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Ownership of Rotorcraft
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTERS 138 T	THROUGH 145 RESERVED
	FAR PART 137 AGRICULTURAL OPERATORS
CHAPTER 146. I	NTRODUCTION TO FAR PART 137
1.	Agricultural Aircraft Operations
3.	Public Emergencies.
5.	Definition of Agricultural Aircraft Operation
7.	Aircraft Equipment
9.	Hazardous/Toxic Materials
CHAPTER 147. I	EVALUATE FAR PART 137 APPLICANT
Section 1.	Background
1.	
3.	Objective
5.	General
7.	The Certification Process
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTERS 148 T	THROUGH 154 RESERVED
	FAR PART 141 PILOT SCHOOLS
CHAPTER 155. I	NTRODUCTION TO FAR PART 141 RELATED TASKS
1	General
	Instrument Training.
CHAPTER 156. I	EVALUATE FAR PART 141 PILOT SCHOOL
Section 1.	Background
	PTRS Activity Codes
	Objective
	General

Section 2.	Procedures
1.	
3.	
5.	
7.	
7. 9.	Document Compliance Phase
). 11.	*
13.	•
15.	
17.	ruture Activities
CHAPTER 157. T	TEAM FOCUSED IN-DEPTH INSPECTION OF A PART 145 REPAIR STATION
Section 1.	Background
1.	
3.	
5.	Scope
7.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
Fig. 157-1	. Part 145 Detailed Inspection Areas
	EVALUATE A PART 121 AIR CARRIER'S LISTING OF LEADING OUTSOURCE MAINTENANCE PROVIDERS: THE QUARTERLY UTILIZATION REPORT
Section 1.	Background
	rogram Tracking and Reporting Subsystem (PTRS) Activity Codes
	bjective
5. G	eneral
Section 2.	
Section 2.	
_ `	
3.	,,,
	Procedures
7.	, ,
	Instructions
	. Task Outcomes
	3. Future Activities
Fig. 158-1	. Outsource Maintenance Providers Quarterly Utilization Report
CHAPTER 159. F	RESERVED
	REVIEW AND APPROVE A PART 145 REPAIR STATION'S TRAINING PROGRAM
Section 1	Background
~~~~~~~	··· Q · · · · · · · ·

1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	Definitions
4.	Background
5.	Basic Format Requirements
6.	Preparation
7.	Issues Affecting Program Requirements
8.	Training Methods and Sources
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Electronic Media
4.	Evaluation and Approval of a Training Program and Revisions
5.	Task Outcomes
6.	Future Activities
Section 3.	Sample Training Program Elements
1.	Inspector Evaluation Guide for the Development and Implementation of a Part 145
	Repair Station's Training Program
2.	Additional Training Program Structure Guides
Fig. 160-1.	Training Program Content Analysis
	ASI Checklist to Facilitate Training Program Approval
Section 1.	NTRODUCTION TO PART 145 REPAIR STATIONS  Background
1.	Purpose
2.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	CL
3.	Additional Fixed Locations
4.	Contract Maintenance
5.	Maintenance Performed at Another Location
Section 3.	Repair Station Ratings
1.	Airframe Ratings and Classifications Under Part 145, Section 145.59
2.	Powerplant Ratings and Classifications Under Section 145.59
3.	Propeller Ratings and Classifications Under Section 145.59
4.	Propeller Ratings
5.	Radio and Instrument Ratings and Classifications Under Section 145.59
6.	Accessories Ratings and Classifications Under Section 145.59
7.	Limited Specialized Service Ratings, Section 145.61
S	PROCEDURES FOR CERTIFICATING PART 145 REPAIR STATIONS/ SATELLITES LOCATED WITHIN THE UNITED STATES AND ITS TERRITORIES
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes

2.	Objective
3.	The Certification Process
4.	Satellite Repair Stations
5.	Amendment to or Transfer of Certificate
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Preapplication Phase
4.	Formal Application Phase
5.	Document Compliance Phase
6.	Demonstration and Inspection Phase
7.	Certification Phase
8.	Task Outcomes
9.	Future Activities
;	INTERNATIONAL FIELD OFFICE PROCEDURES FOR CERTIFICATIN RENEWING/AMENDING PART 145 REPAIR STATIONS LOCATED OUTSII THE UNITED STATES AND ITS TERRITORIES
Section 1.	e
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	Introduction
4.	The Certification/Renewal/Amendment Process
5.	Satellite Repair Stations
6.	Amendment to or Transfer of Certificate
7.	Special Provisions for Repair Stations Located Outside the United States
Section 2.	Certification Procedures.
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Preapplication Phase
4.	Formal Application Phase
5.	1
6.	Demonstration and Inspection Phase
7.	Certification Phase
8.	Task Outcomes.
9.	Future Activities
Section 3.	
1.	1
2.	References, Forms, and Job Aids
3.	Preapplication Phase
4.	Formal Application Phase
5.	Document Compliance Phase
6. 7.	Certification Phase
7. 8.	Task Outcomes
8. 9.	Future Activities
	Certificate Amendment Procedures and Geographic Authorizations
CCHOI 4	A ATTURANG AND ENGINEED TO COULEN AND A TOUS TOUR AND DO A TOUR

1.	Prerequisites and Coordination Requirements
2.	Preapplication Phase—Adding an Additional Rating
3.	Geographic Authorization
4.	Application Phase
5.	Document Compliance Phase
6.	Demonstration and Inspection Phase
7.	Issue of Amended Certificate and OpSpecs
8.	Task Outcomes
9.	Future Activities
	VALUATE A PART 145 REPAIR STATION AND QUALITY CONTROL MANUAL OR REVISION
Section 1.	Background
	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Repair Station Manual Procedures
7.	Quality Control Manual Procedures
9.	Task Outcomes
11.	Future Activities
CHAPTER 165. I	EVALUATE PART 145 REPAIR STATION FACILITIES AND EQUIPMENT
Section 1.	e
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Satellite Repair Station Inspection
9.	Repair Station Inspection
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 166. I	TRANSITION OF MANUFACTURER MAINTENANCE FACILITY (MMF) TO DOMESTIC REPAIR STATION
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	The Certification Process
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids

5.	Records
3. 7.	Surveillance
9.	Inspection Procedures Manual Use of Material Review Board Procedures
13.	Enforcement
	PROCESS THE APPLICATION OF A DOMESTIC REPAIR STATION FOR APPROVAL UNDER EUROPEAN AVIATION SAFETY AGENCY PART 145
Section 1.	č
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	EASA Part 145 Approval Process
5.	EASA Continuation Approvals
6.	Acceptance of Air Carrier Line Stations
Section 2.	Initial/Admendment Procedures for EASA Part 145 Approval
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Preapplication Phase
4.	Formal Application Phase
5.	Document Compliance Phase
6.	Demonstration and Inspection Phase
7.	EASA Approval Phase
8.	Task Outcomes
9.	Future Activities
Section 3.	
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	EASA Part 145 Continuation Approval Process
4.	Document Compliance Phase
5.	Demonstration and Inspection Phase
	EASA Approval Phase
7.	
, -	Future Activities
CHAPTER 168. I	EVALUATE AN EASA SUPPLEMENT TO A REPAIR STATION'S MANUAL QUALITY CONTROL MANUAL
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Procedures
4.	Tasks Outcomes
5.	Future Activities

	SUPPORT A MAINTENANCE INTERNATIONAL STANDARDIZATION TEAM VISIT	[
Section 1.	Background	
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes	
2.	Objective	
3.	General	
4.	Focus of MIST Visits	
Section 2.	Procedures	
1.	Prerequisites and Coordination Requirements	
2.	References, Forms, and Job Aids	
3.	FAA Responsibilities	
4.	Information Regarding MIST Inspection	
5.	Tasks Outcomes	
6.	Future Activities	
	INTERNATIONAL FIELD OFFICE INITIAL CERTIFICATION OF REPAIR STATIONS UNDER THE MAINTENANCE IMPLEMENTATION PROCEDURES OF A BILATERAL AVIATION SAFETY AGREEMENT	
	Background	
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes	
3.	Objective	
5.	General	
7.	The Certification Process—General Information	
9.	Continuing Validity of Part 145 Repair Station Certificate	
11.	1	
13.	Approved Maintenance Organizations with Deviations	
15.	Protection of Proprietary Data and Freedom of Information Act (FOIA) Requests	
Section 2.	Procedures	
1.	Prerequisites and Coordination Requirements	
3.	References, Forms, and Job Aids	
5.	Initial Certification Application	
7.	Review of Documents	
9.	Special Provisions for Repair Stations Located Outside the United States	1
11.	Certification (Initial) Document Preparation	1
]	INTERNATIONAL FIELD OFFICE RESPONSIBILITIES FOR RENEWAL AMENDMENT PROCEDURES FOR REPAIR STATIONS UNDER THE MAINTENANCE IMPLEMENTATION PROCEDURES OF A BILATERAL AVIATION SAFETY AGREEMENT	]
Section 1.	Background	
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes	
3.	Objective	
5.	General	
7.	Renewal and Amendment Process	
9.	Transition Plan for Multiple Facilities Under One FAA Certificate	

Section 2.	Procedures		
Prerequisites and Coordination Requirements			
3. References, Forms, and Job Aids			
5.	Procedures		
7.	Task Outcomes		
Section 3.	Application for Amending a Repair Station Certificate or OpSpec		
	Amendment Application)		
1.	Amendment Procedures		
3.	Task Outcomes		
(	INTERNATIONAL FIELD OFFICE PROCESS FOR TURNOVER OF FAA- CERTIFICATED FOREIGN REPAIR STATIONS TO A NATIONAL AVIATION AUTHORITY UNDER A BASA/MIP		
Section 1.	Background		
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes		
3.	Objective		
5.	General		
7.	Background		
Section 2.	Procedures		
1.	Prerequisites and Coordination Requirements		
3.	References, Forms, and Job Aids		
5.	Pre-Turnover Process		
7.	Turnover Procedures		
9.	Turnover of Repair Station Procedures		
CHAPTER 173 TI	HROUGH 184 RESERVED		
F	AR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOLS		
CHAPTER 185. II	NTRODUCTION TO FAR PART 147		
1.	Objective		
3.	Certification		
	Use of the Aviation Maintenance Technician School Norm		
	Read Values For AC Form 8080-08		
· ·	ERTIFICATE FAR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOL		
Section 1.	Background		
1.	PTRS Activity Codes		
3.	Objective		
5.	General		
7.	Preapplication Phase		
9.	Formal Application Phase		
11.	Document Compliance Phase		
13.	Demonstration and Inspection Phase		
15.	Certification Phase		
Section 2.	Procedures		
1.	Prerequisites and Coordination Requirements		

8300.10 CHG 24

3.	References, Forms and Job Aids		
5.	Preapplication Phase		
7.	Formal Application Phase		
9.	Document Compliance Phase		
11. Demonstration and Inspection Phase			
13.	Certification Phase		
15.	Task Outcomes		
17.	Future Activities		
	EVALUATE FAR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOO CURRICULUM/REVISION AND INSTRUCTOR QUALIFICATIONS		
Section 1.	Background		
1.	PTRS Activity Codes		
3.	•		
5.	General		
7.	Curriculum Requirements		
9.	Revisions to the Curriculum		
11.	Credit for Previous Instruction or Experience		
13. Instructor Qualifications and Faculty Requirements			
Section 2. Procedures			
Prerequisites and Coordination Requirements			
3. References, Forms, and Job Aids			
5. Procedures			
7.	Task Outcomes		
9.	Future Activities		
	EVALUATE PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOO FACILITIES, EQUIPMENT, MATERIALS, TOOLS AND RECORDS		
Section 1.	Background		
1.	PTRS Activity Codes		
3.	Objective		
5.	~ .		
7.	Pre-Inspection Activity		
9.			
11. Facilities			
13. Equipment			
15.	Materials		
17.	Tools		
Section 2.			
1.	Prerequisites and Coordination Requirements		
3.			
5.	Procedures		
7.	Task Outcomes		
9.	Future Activities		

	DESIGNATE/RENEW DESIGNATED MECHANIC EXAMINER OR DESIGNATED PARACHUTE RIGGER EXAMINER
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Eligibility
9.	Orientation and Standardization
11.	Fixed Base of Operation
13.	Privileges and Limitations
15.	Renewal
17.	Voluntary Surrender or Cancellation of Designation
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
Section 1. 1. 2. 3. 4. 5. 6. 7. 8. Section 2. 1. 2. 3. 4.	Task Outcomes for Managing Offices
5.	Future Activities
CHAPTER 204 T	HROUGH 209 RESERVED
	ACCIDENTS, INCIDENTS, AND VIOLATIONS
]	NTRODUCTION TO CONDUCTING ACCIDENT AND INCIDENT INVESTIGATIONS, PROCESSING A VIOLATION PACKAGE, AND RESPONDING TO A COMPLAINT
_	
1	Cieneral
_	
3.	General FAA Compliance and Enforcement Policy Complaints

7.	Complaint Hotline		
CHAPTER 211. C	ONDUCT AN ACCIDENT INVESTIGATION		
Section 1	Background		
1.	PTRS Activity Codes		
3.	Objective		
	5. General		
7.	Responsibilities		
9.	Types of Aircraft Accident Investigations		
11.	Post-Notification Activities		
13.			
15.			
17.			
19.			
21.			
23.	Accident Investigation Records Disposal		
Section 2.			
1.	Prerequisites and Coordination Requirements		
3.	References, Forms, and Job Aids.		
5. Procedures			
7.	Task Outcomes		
9.	Future Activities		
CHAPTER 212. C Section 1.	CONDUCT AN INCIDENT INVESTIGATION  Background		
1.	PTRS Activity Codes		
3.	Objective		
5.	General		
7.	Responsibilities		
9.	Types of Incident Investigations		
11.			
	Post-Notification Activities		
	Witness Statements		
17.			
19.	Upgrading an Incident to an Accident		
	Procedures		
1.			
3.	References, Forms, and Job Aids		
5.			
7.	Task Outcomes		
9.	Future Activities		
CHAPTER 213.	CONDUCT VIOLATION INVESTIGATION		
Section 1	Background		
1.	PTRS Activity Codes		
3.	Objective		
	General		
J.	~		

7.	Compliance and Enforcement Responsibilities	
9.	Determining the Regulation Violated	
11.	, , , , , , , , , , , , , , , , , , , ,	
13. FAA Form 2150-5 - Section A		
15. FAA Form 2150-5 - Section B - Summary of Facts		
17. FAA Form 2150-5 - Section C - Items of Proof		
19. FAA Form 2150-5 - Section D - Facts and Analysis		
Section 2.	Procedures	
1.	Prerequisites and Coordination Requirements	
3.	References, Forms, and Job Aids	
5.	Procedures	
7.	Task Outcomes	
9.	Future Activities	
CHAPTER 214. I	PARTICIPATE IN AN ACCIDENT PREVENTION PRESENTATION	
Section 1.	Background	
1.	PTRS Activity Codes	
3.	Objective	
5.	General	
Section 2.	Procedures	
1.	Prerequisites and Coordination Requirements	
3.	References, Forms, and Job Aids	
5.	Procedures	
7.	Task Outcomes	
9.	Future Activities	
CHAPTER 215. I	PROCESS AN AIRMAN FOR REMEDIAL TRAINING	
Section 1.	Background	
1.	PTRS Activity Codes	
3.	Objective	
5.		
	Procedures	
1.	Prerequisites and Coordination Requirements	
3.	References, Forms, and Job Aids	
5.		
7.	Task Outcomes	
9.	Future Activities	
,	THROUGH 219 RESERVED	
210 2	GENERAL FUNCTIONS	
CHAPTER 220 I	INTRODUCTION TO GENERAL FUNCTIONS	
	Providing Technical Assistance	
	General	
	Maintenance Review Board Procedures	
1.	Background	

3.	Maintenance Review Board Process
5.	Regulatory Authority Participation
CHAPTER 221.	WITHDRAWN—CHANGE 21
CHAPTERS 222 T	CHROUGH 224 RESERVED
CHAPTER 225. IS	SSUE AIRWORTHINESS CERTIFICATE FOR AN AIRCRAFT
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 226. I	SSUE IMPORT/EXPORT AIRWORTHINESS APPROVAL
Section 1.	Background
1.	
3.	
5.	J .
Section 2.	
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures
7.	Task Outcomes
9.	Future Activities
,	EVALUATE APPLICANT'S REFUELING PROCEDURES AND FACILITIES
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Fuels
9.	Geographic Considerations
11.	Reviewing the Manual
13.	Inspecting the Facilities
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities

	AVIONICS
CHAPTER 235.	NTRODUCTION TO AVIONICS
1.	General
CHAPTER 236. I	EVALUATE AVIONICS TEST EQUIPMENT
Section 1.	Background
1.	
3.	Objective
5.	General
7.	Automatic Test Equipment (ATE)
9.	Built-In Test Equipment (BITE)
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities.
CHAPTER 237. I	EVALUATE AVIONICS EQUIPMENT APPROVAL
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	General
Section 2.	
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities.
CHAPTER 238. I	EVALUATE AIRBORNE MICROWAVE LANDING SYSTEMS
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
	General
7.	
9.	Maintenance Program Requirements
Section 2.	Procedures
1.	
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes.
9.	
	APPROVE ALTIMETER SETTING SOURCES
Section 1.	Background

		Page
1.	PTRS Activity Codes	239-1
3.	Objective	239-
5.	General	239-
Section 2.	Procedures	239-
1.	Prerequisites and Coordination Requirements	239-
3.	References, Forms, and Job Aids	239-
5.	Procedures	239-
7.	Task Outcomes	239-2
9.	Future Activities	239-2
	APPROVE USE OF MANUFACTURER'S AVIONICS RENTAL/EXCHANGE PROGRAMS FOR COMMUTER AIRLINES	
Section 1.	Background	240-
1.	PTRS Activity Codes	240-
3.	Objective	240-
5.	General	240-
Section 2.	Procedures	240-
1.	Prerequisites and Coordination Requirements	240-
3.	References, Forms, and Job Aids	240-
5.	Procedures	240-
7.	Task Outcomes	240-
9.	Future Activities	240-
CHAPTER 241.	APPROVE AREA NAVIGATIONAL SYSTEMS	
Section 1.	Background	241-
1.	PTRS Activity Codes	241-
3.	Objective	241-
5.	General	241-
Section 2.	Procedures	241-
1.	Prerequisites and Coordination Requirements	241-
3.	References, Forms, and Job Aids	241-
5.	Procedures	241-
7.	Task Outcomes	241-
9.	Future Activities	241-

#### **CHAPTER 27. RENEW INSPECTION AUTHORIZATION**

#### SECTION 1. BACKGROUND

# 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3514

B. Avionics: None

**2. OBJECTIVE.** This chapter provides guidance for the renewal of Inspection Authorizations (IA).

#### 3. GENERAL.

- A. When the base of operation changes for an IA holder, the Flight Standards District Office (FSDO) for the area of the new base must be notified in writing before the holder can again exercise the privileges of the authorization.
- *B.* The IA expires annually on March 31. An IA holder must continue to meet the requirements of Title 14 of the Code of Federal Regulations (14 CFR) part 65, § 65.93 in order to retain the authorization.

#### 4. RENEWAL OF INSPECTION AUTHORIZATION.

- A. Application for renewal may be required to comply with following:
- (1) Complete Federal Aviation Administration (FAA) Form 8610-1, Mechanic's Application for Inspection Authorization, in duplicate; and
- (2) Show evidence of meeting the requirements of § 65.93(a).
- B. Meeting the requirements of § 65.93(a) does not mean that the applicant has to meet all 5 of the listed requirements. To be eligible for renewal of an inspection authorization for a 1-year period, the applicant must show evidence of having performed 4 annual inspections during the 365-day period prior to renewal date to be able to qualify for renewal. The same logic applies for major repairs and alterations. However, the number of annual inspections, major repairs and alterations performed cannot be mixed simply because the 14 CFR section does not provide

for such combinations. The following chart demonstrates this system:

1st 90 days	2nd 90 days	3rd 90 days	4th 90 days
1 Ann	1 Ann	1 Ann	1 Ann or
2 MA	2 MR	2 MA	2 MR
0	4 Ann	0	0
0	0	8 MR/MA	0

Mixing annual inspections (Ann), major repairs (MR), and major alterations (MA) is not permissible.

NOTE: An inspection program required under 14 CFR part 91, § 91.409(e) is not acceptable as IA activity. Partial inspections such as phases or events on more than one aircraft are not acceptable as activity. A progressive inspection is a complete inspection on one identified aircraft.

- (1) Successful completion of an 8 hour refresher course, acceptable to the Administrator, during the 12-month period preceding the renewal application.
- (a) The refresher course must contain subjects directly related to aircraft maintenance, inspection, repairs, and alterations. In addition, some non-technical subjects, such as human factors or professionalism as they relate to aviation maintenance personnel, may be acceptable. Training must not be used to promote a new or existing product.
- (b) The instructional requirements of § 65.93(a)(4), may be met by accumulating at least 8 hours of maintenance training. Each course or seminar must be at least 1 hour long and completed in the 12-month period between April 1 and March 31 prior to inspection authorization renewal.

Vol. 2 27-1

(c) In order to provide standardization and preclude IA refresher training from being evaluated each time it is given, training must be accepted through one of the Regional Safety Program Managers (RSPM) Airworthiness (A/W). The RSPM A/W will be responsible for the review and acceptance or rejection of all IA refresher training. If an RSPM A/W is not available in a particular region, the IA renewal package will be forwarded to the Airman and Avionics Branch, AFS-350, for approval. Training must be on the list of accepted training provided by the RSPM A/W. Training that appears on the list of acceptable training is good in any location and has been accepted for up to a 2-year period. Each training organization that intends to provide training must notify the local FSDO or International Field Office (IFO) in writing 30 days prior to the actual training session. Inspectors are encouraged to attend any training in their district. For surveillance purposes, the training organization will provide any A/W inspector with free access to the meeting and all student materials pertinent to the course or seminar. Should an inspector find that the course does not meet the requirements for IA renewal, they should contact the regional RSPM within 5 days. It is not the responsibility of Flight Standards Airworthiness Inspectors attending in official capacity to endorse or provide a certificate of training to the course Inspectors may/are encouraged to participate in training sessions, they may not, however, act as the primary source of training. A local or regional SPM A/W may act as the primary source of training, provided the training has been developed and approved. Technical training provided by an aircraft, engine, propeller, or component manufacturer, is considered acceptable training without further showing. If the manufacturer contracts out his training the contractor must obtain approval.

(d) Each person who intends to use 8 hours of instruction to meet 14 CFR § 65.93(a)(4) must provide proof of attendance for instruction received at the time of renewal. Acceptable proof of attendance consists of a certificate of training or similar document showing the name of the course. name of attendee, course identification number assigned by the RSPM A/W, expiration date, description of the course content, time in hours, the date, location, and course instructor's name and The proof of attendance should be reviewed by inspectors at renewal time to ensure that both the training organization and the IA have met the appropriate requirements. The training organization must keep a list of all attendees for a period of 2 years. This list must be provided by the training organization to FSDO inspectors upon request.

(2) Passing of an oral test given by an aviation safety inspector (ASI) to ensure that the applicant's knowledge of regulations and standards is current.

NOTE: An IA issued less than 90 days before the expiration date need not comply with § 65.93(a)(1) through (5) for that quarter, but still needs to apply for renewal.

- C. If the applicant applies for renewal at an office other than the jurisdictional office, the receiving office should withhold renewal until the applicant's activities can be verified.
- D. When the applicant is employed by a repair station, credit for renewal activity can be claimed only for those aircraft that the authorization holder personally inspected. Evidence supporting the activity should be presented in addition to the signed application.

27-2 Vol. 2

#### **SECTION 2. PROCEDURES**

# 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of 14 CFR parts 39, 43, and 65
- *B. Coordination.* This task may require coordination with other FSDOs.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

#### A. References:

 Order 8300.10, Volume 2, Chapter 26, Evaluate Inspection Authorization

#### B. Forms:

- FAA Form 8310-5, Inspection Authorization
- FAA Form 8610-1, Mechanic's Application for Inspection Authorization
- C. Jobs Aids. None.

#### 3. PROCEDURES.

- A. Ensure Applicant Meets Eligibility Requirements.
- B. Renew IA.
- (1) Enter the new expiration date and sign the reverse side of FAA Form 8310-5.

- (2) Complete Item 14, "record of action" portion of FAA Form 8610-1 and forward the original of the form to AFS-760 in Oklahoma City while retaining the duplicate copy.
- (3) Issue a new IA, FAA Form 8310-5, if the holder's form is soiled or worn, or the reverse side is completely filled out.
- C. Process Failure to Renew IA. Update data in the Vital Information System at the FSDO level, which will delete the IA from the data bank.

#### 4. TASK OUTCOMES.

#### A. Complete PTRS.

- B. Process Change of Location. Upon receipt of written notification, contact the previous supervising office and request the appropriate IA file. Visit the IA holder at the new base as soon as possible.
- C. Process Surrendered Authorization. When the holder of an IA voluntarily surrenders it, accomplish the following:
  - Destroy the IA, FAA Form 8310-5
  - Attempt to obtain a statement in writing indicating that the surrender is voluntary
  - Submit mailing list information as required

#### 5. FUTURE ACTIVITIES. Routine surveillance.

Vol. 2 27-3

[THIS PAGE INTENTIONALLY LEFT BLANK]

27-4 Vol. 2

#### **CHAPTER 35. INTRODUCTION TO PART 91 RELATED TASKS**

**1. PART 91 AUTHORITY.** Title 14 of the Code of Federal Regulations (14 CFR) part 91, subpart C, prescribes the maintenance requirements for all U.S.-registered civil aircraft operating within and/or outside the United States. Part 91, subpart K, prescribes the requirements that are unique to fractional ownership programs. Hereafter, the program manager for a fractional aircraft ownership operation will be referred to as the "program manager."

#### 2. MAINTENANCE RESPONSIBILITY.

Technological advancements in general aviation-type aircraft dictate the need for maintenance requirements. Therefore, all aircraft must be maintained in a condition for safe operation and meet their respective type designs. It is essential that the continued airworthiness of aircraft be consistent with the terms of the original airworthiness certificate.

- A. Part 91, § 91.403 places the responsibility for maintaining the aircraft in an airworthy condition on the owner/operator. The actual maintenance of the aircraft must be performed or supervised by certificated persons.
- B. The owner/operator must have the aircraft inspected as prescribed in §§ 91.409, 91.411, and 91.413. Between these required inspections, discrepancies must be repaired as prescribed in 14 CFR part 43.
- C. Section 91.1011 discusses the implications of the owner being in operational control of the aircraft. When an owner delegates performance of tasks or regulatory compliance to the program manager, or relies on the program manager's expertise for the performance of these tasks, the owner and the program manager are responsible to the Federal Aviation Administration (FAA) for compliance. Section 91.1014 requires that the program manager's services be sufficient to ensure owner compliance with part 91.

- D. Part 43, appendix A, paragraph (c)(9) defines preventive maintenance actions. All maintenance must be accomplished in accordance with the performance standards of § 43.13 and must conform to the other applicable sections of part 43.
- (1) Section 43.15(a)(1) states that any person performing an inspection required by part 91 shall perform the inspection so as to determine whether the aircraft under inspection, or portions thereof, meets all applicable airworthiness requirements. This includes any maintenance items performed during the repainting of an aircraft.
- (2) During routine surveillance activities, aviation safety inspectors (ASI) should determine the airworthiness status of aircraft that appear to have been painted recently by verifying that properly certificated facilities/persons performed the maintenance in accordance with the manufacturer's manuals and that the maintenance was documented in the aircraft's records.
- (3) Section 91.407 states that no person may operate any aircraft that has undergone maintenance, preventive maintenance, rebuilding, or alteration unless it has been approved for return to service by a person authorized under § 43.9 or § 43.11, as applicable.

#### 3. TYPES OF INSPECTION PROGRAMS.

Several options for inspection programs are available in part 91, subpart C. The inspection program an operator uses is dictated by the size of the aircraft, the type of propulsion, and the type of operation. A program manager must have its aircraft inspection program(s) approved by the appropriate Flight Standards District Office (FSDO), regardless of any previous approvals of that program.

Vol. 2 35-1

[THIS PAGE INTENTIONALLY LEFT BLANK]

35-2 Vol. 2

# CHAPTER 36. EVALUATE/INSPECT PART 91 OPERATOR'S AIRCRAFT PART 91 SUBPART K, FRACTIONAL OWNERSHIP PROGRAM MANAGER'S AIRCRAFT

#### SECTION 1. BACKGROUND

- 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.
  - A. Maintenance: 3681
  - B. Avionics: 5681
- **2. OBJECTIVE.** This chapter provides guidance for evaluating and inspecting aircraft operated in accordance with Title 14 of the Code of Federal Regulations (14 CFR) part 91 and part 91, subpart K, Fractional Ownership.
- **3. INSPECT AND EVALUATE AIRCRAFT.** Part 91, § 91.403 places the responsibility for maintaining the aircraft in airworthy condition on the owner. The aviation safety inspector (ASI) is tasked with inspecting the aircraft to verify that it is airworthy.
- A. Fractional Ownership Aircraft. Certain elements of part 91, subpart K are designed to provide those aircraft programs with a level of safety equivalent to certain regulations that apply to ondemand operators. As far as maintenance is concerned, this is evident in two major factors: the aircraft inspection programs must be approved by the cognizant Flight Standards District Office (FSDO), and the aircraft have specific additional equipment requirements. Fractional program managers (hereafter referred to as program managers) may elect to use a Continuous Airworthiness Maintenance Program (CAMP) per part 91, subpart K.
- B. Training Required of Fractional Ownership Program Maintenance Personnel.
- (1) Personnel responsible for aircraft maintenance who are employed by the program manager are required to receive appropriate initial and recurrent training on the aircraft.

- (2) The program manager must provide each direct employee and all contract personnel with drug and alcohol misuse education.
- C. Additional Equipment. Fractional ownership aircraft may have specific additional requirements that should be inspected. These include, but may not be limited to: cockpit voice recorders, flight data recorders, ground proximity warning system, terrain awareness and warning system, a traffic alert and collision avoidance system, and either airborne thunderstorm detection equipment or airborne weather radar. The operating rule provides the specific requirements.
- D. Drug and Alcohol Misuse Education Program. Per part 91, § 91.1047, except for "emergency maintenance" as defined in § 91.1047(e), no program manager may use personnel to perform aircraft maintenance unless the personnel have completed a drug and alcohol misuse education program. However, if emergency maintenance is required, the program manager may use personnel who do not meet this requirement.
- (1) ASIs should review aircraft records to ensure that all other maintenance is being performed by individuals who have or are receiving drug and alcohol misuse education.
- (2) When emergency maintenance is performed, the program manager must meet the specific requirements of § 91.1047(d). These requirements include reinspection of the work performed and notifying the Drug Abatement Division, AAM-800. ASIs should verify compliance with these requirements.
- **4. INSPECTION PROGRAMS.** Several types of inspection programs are available to the part 91 owner/operator and part 91, subpart K program managers. However, unlike part 91 aircraft, all inspection programs used by program managers operating under part 91, subpart K must be submitted

Vol. 2 36-1

to, and approved by, the applicable FSDO. Federal Aviation Administration (FAA) Order 8300.10, Volume 3, Chapter 26, Monitor Part 91, and Approve/Monitor Part 91 Subpart K Owner's Inspection Program, provides guidance on these programs.

NOTE: The following programs apply to part 91 operators, but program managers have specific requirements for their approved inspection programs.

#### A. Annual and 100-Hour Inspections.

- (1) Annual Inspections. Part 91, § 91.409(a) requires that a person who operates an aircraft must ensure that the aircraft has been inspected in accordance with the requirements of an annual inspection.
- (2) The 100-Hour Inspection. The scope and detail of a 100-hour inspection is defined in appendix D of part 43. One hundred-hour inspections are required in addition to annual inspections under the following situations:
  - Aircraft are operated for carrying persons for compensation or hire
  - Aircraft are used for flight instructions if furnished by the flight instructor
- B. Progressive Inspections. The progressive inspection must be a complete inspection of the aircraft, conducted in stages, with all stages being completed in a period of 12 calendar months.
- C. Large Airplane (Over 12,500 lbs.) and Turbine-Powered (Turbojet and Turbopropeller) Multiengine Airplane Inspection Programs. These aircraft must be inspected according to the requirements of an inspection program selected by the owner/operator. Part 91, § 91.409(f) outlines various options available to the owner/operator.

D. Approved Aircraft Inspection Programs. Part 91 addresses use of approved aircraft inspection programs.

E. Manufacturers' Inspection Programs. These programs may be included in the aircraft maintenance manuals, or offered by the manufacturer separately. Typically they are designed to provide the owner/operator with a degree of scheduling flexibility and a minimum of down time. Care should be taken, as these programs may not cover items such as avionics, emergency equipment, or equipment installed by a person not the manufacturer.

5. COMPUTERIZED **MAINTENANCE TRACKING** RECORDKEEPING **AND PROGRAMS.** Computer software companies and operators have developed computer programs designed to function as maintenance tracking programs to track items such as scheduled maintenance, airworthiness directives, and service bulletins. Operators may have these programs inhouse or they may send their data to the software company to track the maintenance for them. In either case, the owner/operator is responsible for the proper accomplishment of maintenance. These programs provide greater accuracy and reliability in tracking maintenance over older methods and do not require approval of the FAA. However, if an operator uses a computer program to comply with the recordkeeping and maintenance recording requirements of the CFRs, then prior approval is required. These types of programs eliminate the "paper" maintenance records and replace them with computerized records that have digital signature capabilities. FAA approval of one of these programs for one owner/operator does not constitute approval for use of the same program by all operators nor does it grant approval of the program for the computer software company.

NOTE: See the current edition of AC 120-78, Acceptance and Use of Electronic Signatures, Electronic Recordkeeping Systems, and Electronic Manuals, for guidance.

36-2 Vol. 2

#### **SECTION 2. PROCEDURES**

# 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

- A. Prerequisites. This task requires knowledge of 14 CFR.
- *B. Coordination.* This task requires coordination between Airworthiness ASIs.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - 14 CFR parts 39, 43, 65, 91, 135 and § 135.419
  - Advisory Circular (AC) 39-7, Airworthiness Directives
  - AC 43-9, Maintenance Records
  - AC 43-16, General Aviation Maintenance Alerts
  - AC 43.9-1E, Instructions for Completion of FAA Form 337 (OMB No. 2120-0020), Major Repair and Alteration (Airframe, Powerplant, Propeller, or Appliance)
  - AC 91-38A, Large and Turbine-Powered Multiengine Airplanes, Part 91 (Subpart D)
  - Order 8300.10, Volume 3, Chapter 1, Introduction to Aircraft and Equipment
  - 8300.10, Vol. 3, Ch. 2, Conduct Spot Inspection of Operator's/Fractional Ownership Program Manager's Aircraft
  - 8300.10, Vol. 3, Ch. 3, Conduct Ramp Inspection of Operator's/Fractional Ownership Program Manager's Aircraft
  - 8300.10, Vol. 3, Ch. 26
  - 8300.10, Vol. 3, Ch. 27, Inspect FAR Part 91 Maintenance Records
  - 8300.10, Vol. 3, Ch. 143, Monitor Cockpit Voice Recorders
- B. Forms. None.

#### C. Job Aids:

• JTA: 2.5.1

#### 3. PROCEDURES.

- A. Conduct Surveillance of the Aircraft. Examine the aircraft to determine, to the extent possible, that it is in condition for safe operation. Ensure that the inspection is accomplished, either in the presence of, or with specific approval from the owner/operator.
- (1) Inspect the Airworthiness Certificate. Ensure that the airworthiness certificate is current, correct, and in the aircraft.
- (2) Inspect the Registration Certificate. Ensure that the registration certificate is current and correct. If it is a temporary certificate, ensure that it has not expired.
  - (3) Inspect the Aircraft. Ensure that:
- (a) The general condition of the aircraft is airworthy.
- (b) The flight manual or pilot's operating handbook are complete and current.
- (c) The aircraft complies with applicable maintenance, operating, and equipment rules.
- (d) The aircraft complies with Airworthiness Directives.
- (e) The aircraft records indicate that it complies with life-limited parts requirements.
- (f) Properly certificated persons have been performing maintenance and inspections.
- (4) Additional Items to Check. Although by no means a complete list, the following are examples of items to be checked:
  - Proper internal and external placarding
  - Obvious signs of excessive wear and deterioration, including corrosion, worn places on tires, nicks in the leading edge of the propeller blades, broken windshields, etc.

Vol. 2 36-3

- Condition of fabric on fabric-covered control surfaces, wings, or fuselages
- The interior of the aircraft for obvious deterioration
- Tires and brakes for serviceability
- Any other indication that would render the aircraft unsafe for flight
- (5) Special Equipment Requirements for Aircraft Operated Under Part 91, Subpart K, Fractional Ownership. Ensure that the aircraft are equipped with the following, per § 91.1045:
- (a) A cockpit voice recorder conforming to part 121 § 121.359 or part 135 § 135.151, as applicable.
- (b) A flight recorder conforming to §§ 121.343, 121.344 or § 135.152, as applicable.
- (c) A ground proximity warning system conforming to § 121.360 or § 135.153, as applicable.
- (d) A terrain awareness and warning system conforming to  $\S 121.354$  or  $\S 135.154$ , as applicable.
- (e) A traffic alert and collision avoidance system conforming to  $\S 121.356$  or  $\S 135.180$ , as applicable.

#### (f) Either:

- 1. Airborne thunderstorm detection equipment conforming to § 135.173, as applicable; or
- 2. Airborne weather radar conforming to § 121.357 or § 135.175, as applicable.
- B. Review Maintenance Records. Ensure that persons approving and disapproving equipment for return to service after any required inspection have entered the inspection in the record of that equipment. Ensure that when an owner maintains a single record, the entry for required inspections is made in that record. Ensure that if the owner maintains separate records for the airframe, engines, powerplants, propellers, appliances, and components, the entry for required inspections is entered in each, as applicable.
- (1) Annual/100-Hour Inspection. Review records to ensure compliance with the requirements of

part 43, § 43.11 and § 91.417. Determine whether the appropriate entries have been made and have met regulatory requirements.

- (2) Progressive Inspection. Ensure that records indicate the following:
  - Completion of an annual inspection before starting inspections under a progressive inspection program
  - Compliance with inspection intervals prescribed in the progressive program
  - Completion of the inspection cycle within 12 calendar months
- (3) Large Airplane (Over 12,500 lbs.) and Turbine-Powered (Turbojet and Turbopropeller) Multiengine Airplane Inspection Programs. Ensure that the maintenance records indicate that the owner/operator has identified and is using a selected program in accordance with § 91.409(f). Ensure that this system reflects the current airworthiness requirements for the individual airplane.
- (4) Aircraft Records. If the aircraft records are available, review them in accordance with vol. 3, ch. 27. This should include life-limited items.
- (5) Special Considerations for Aircraft Operated Under Part 91, Subpart K. This part requires that the manager have at least two airworthy aircraft. Ensure that the following are current:
- (a) Mechanical Irregularities or Defects. Records that indicate that mechanical irregularities or defects reported during flights have been corrected or that correction of certain mechanical irregularities or defects have been deferred.
- (b) Persons Performing Work. Records that show a description (or reference to data acceptable to the Administrator) of maintenance performed, the name of the person performing the work, and the name or other positive identification of the person approving the work.
- (c) Management Specifications (MSpecs). Review the MSpecs for the following:
- 1. Ensure that the aircraft is listed by registration number and serial number for the approved inspection program.

36-4 Vol. 2

- 2. Ensure that all life-limited components and those with time limitations are overhauled/inspected/checked/replaced within those limitations.
  - 3. Any applicable deviations.

NOTE: En route inspections of aircraft operated under part 91, subpart K are prohibited by the regulations.

- 4. TASK OUTCOMES.
  - A. Complete PTRS.

- B. Complete the Task Successful completion of the task will result in assurance that the aircraft is airworthy and is maintained and inspected in accordance with the applicable regulations.
- **5. FUTURE ACTIVITIES.** Carefully monitor inspection systems for compliance with appropriate 14 CFR parts and for continued airworthiness of subject aircraft. Determine whether maintenance practices are performed at an adequate level of safety. Direct particular attention to any areas where trends indicate a faulty inspection system or inadequate maintenance. Take immediate action to correct any deficiencies.

Vol. 2 36-5

[THIS PAGE INTENTIONALLY LEFT BLANK]

36-6 Vol. 2

## [CHAPTER 40 THROUGH 58 RESERVED]

Vol. 2 40-1 through 58-1

[THIS PAGE INTENTIONALLY LEFT BLANK]

58-2 Vol. 2

# CHAPTER 59. EVALUATE PART 91 SUBPART K COMPANY MANUAL/REVISION FOR MAINTENANCE AND INSPECTION PROCEDURES

#### **SECTION 1. BACKGROUND**

# 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3302

B. Avionics: 5302

**2. OBJECTIVE.** This chapter provides guidance for evaluating a fractional program manager (hereafter referred to as the program manager)/applicant's operating manual or revision to ensure that policies, procedures, and technical criteria meet regulatory requirements.

#### 3. GENERAL.

- A. The operating manual should enable the program manager's maintenance and servicing personnel to carry out their duties at a high level of safety. The complexity of the manual will vary with the complexity of the operation. The manual must cover specific items in accordance with Title 14 of the Code of Federal Regulations (14 CFR), but may include additional items at the discretion of the applicant. A manual is therefore accepted rather than approved.
- *B*. Manual acceptance can be a cause of delay in the issuance of management specifications (MSpecs).
- (1) If the program manager/applicant does not have experienced and qualified personnel to prepare an acceptable manual, the use of a consultant may be appropriate. A consultant can be used in an advisory position only.

NOTE: The program manager/applicant remains responsible for the manual and its procedures, whether or not a consultant writes the manual for them.

(2) After the review, return the manual to the program manager/applicant with a list of any discrepancies found. Inform the program manager/applicant that issuance of MSpecs will not be completed until discrepancies are corrected. Aviation safety inspectors (ASI) should be concerned primarily with ensuring regulatory compliance.

## 4. REVIEWING PROGRAM MANAGER/APPLICANT'S MANUAL.

- A. The manual is an administrative tool used to control and direct personnel. It should define all aspects of the maintenance operation.
- (1) The policies and procedures section should address organizational matters.
- (2) The maintenance section should address policies and procedures for administering the inspection and maintenance requirements, test flight requirements, and other subjects, as applicable.
- B. The manual should include detailed instructions or specific references for accomplishing inspection and maintenance functions. It should also include forms, instructions, and references for recurring non-routine requirements such as engine changes and inspections following abnormal occurrences (hard landings, lightning strikes, severe turbulence, high brake energy stops, etc.).
- C. Manufacturers' technical manuals provide instructions for accomplishing specific tasks. These documents also establish methods, technical standards, measurements, and operational test procedures. The policy and procedures section of the program manager's manual must describe areas of application for the pertinent technical documents.
- D. The following are examples of manual sections and titles:
  - General Policy and Procedures
  - Inspection Procedures
  - Maintenance Procedures
  - Training
  - Wiring
  - Parts

Vol. 2 59-1

- Overhaul
- Structural Repair
- Manufacturers or Vendors
- Weight and Balance Control
- Servicing
- E. Manuals must be easy to revise and must show the date of last revision on each page. The manuals must have a page control system showing the number of pages and including the latest revision. The page control system is usually identified as a list of effective pages.
- F. The program manager/applicant is responsible for ensuring that manuals present adequate guidance to meet all regulatory requirements. The program manager/applicant must understand and accept this responsibility early in the manual acceptance process.
- G. An ASI may, when necessary, formally request revision to any part of the program operating manual when such revision is in the interest of safety, or when the manual does not meet regulatory requirements. This authority should be used only when the need for revisions is adequately substantiated by safety considerations or federal aviation regulation requirements and when informal discussions with the program manager fail to accomplish the necessary revision.

59-2 Vol. 2

#### **SECTION 2. PROCEDURES**

### 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

- A. Prerequisites:
  - Knowledge of the regulatory requirements of 14 CFR part 91, subpart K
  - Successful completion of the Airworthiness Inspector Indoctrination course(s), or equivalent
- *B. Coordination.* This task requires close coordination between Airworthiness ASIs, and, in some areas, Operations ASIs.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References:
  - 14 CFR parts 43 and 91
- B. Forms. None.
- C. Job Aids. None.

#### 3. PROCEDURES.

- A. Brief Program Manager/Applicant. Provide the program manager/applicant with policies and regulatory requirements. Schedule and conduct a preliminary meeting, if necessary.
- B. Review Schedule of Events. If this task is to be performed as part of an original issuance of MSpecs, review the schedule of events to ensure that the task can be accomplished according to the schedule.
  - C. Evaluate Operations Manual Requirements.
- (1) Ensure that the program manager/applicant's policies and procedures manual describes procedures, levels of authority, and information appropriate to part 91, subpart K.
- (a) The manual must include a description introducing its philosophy and goals. If it is in more than one volume, the manual must describe the division of contents between the volumes. The manual must also contain a list of effective dates.
- (b) Manual revision and distribution procedures to provide current information to all manual holders are required. The manual must

include provisions to make it available to maintenance and ground personnel and to furnish a copy to the Federal Aviation Administration (FAA) Flight Standards District Office (FSDO) that issued the MSpecs.

- (c) Significant terms, acronyms, or abbreviations unique to the manual must be defined. Common industry terms need not be defined as long as the common meaning is intended. Terms clearly defined in the text need not be included.
- (2) The manual must detail requirements for program managers to ensure the appropriate parts of the manual are carried on the aircraft. If manuals are electronic or some other media, procedures must exist to ensure that computers or other required reading equipment are available.
- D. Ensure that the Manual Contains Required Organizational Elements. Check for the following:
- (1) The names of all management personnel authorized to sign applicable MSpecs and act on behalf of the program manager/applicant.
  - (2) Organizational charts, which must include:
    - Lines of authority
    - Maintenance organization and support structures
    - If there is a Continuous Airworthiness Maintenance Program (CAMP), the names of the Director of Maintenance and the Chief Inspector
- (3) Job descriptions for all elements noted above.
- (4) Procedures for and a description of a training program ensuring that:
  - All personnel, including inspection personnel, are fully informed of procedures and techniques currently in use
  - All personnel are competent to perform their duties

Vol. 2 59-3

- A method of documenting and retaining training records is established
- E. Ensure that the Manual Contains Compliance Procedures. Check for the following:
- (1) Procedures to ensure compliance with aircraft weight and balance limitations. These are to include:
  - Pre-weighing and weighing requirements
  - Necessary equipment
  - Standards
  - Forms and documents
- (2) The program manager/applicant's MSpecs. The program manager may decide, however, to insert pertinent parts of its MSpecs or reference the MSpecs. This must be done in such a manner that they retain their identity as MSpecs (see part 91 § 91.1015).
- (3) Procedures, policies, instructions, and controls for the use of the Minimum Equipment List (MEL).
- *F. Evaluate Manual Contents.* The program manager's program manual must describe procedures and provide information appropriate to the applicable CFRs.
- (1) The inspector must ensure that manual description and procedures meet the requirements of § 91.1025.
- (2) The manual must describe the revision control procedures and how the distribution of manuals will be controlled.
- (a) Manuals must be easy to revise and must have the date of last revision on each page. The manuals must have a page control system that shows the number of pages and ensures that the latest revision is included. The page control system is usually identified as a list of effective pages.
- (b) Each program manager must prepare and keep current a manual. Program managers must make a copy of the manual, or appropriate portions of the manual (and changes and additions), available to their maintenance and ground operations personnel. If the manual is provided in other than printed form (e.g., electronic manual), the program manager must ensure that a compatible reading device is available to those persons.

(3) Any terms contained in the manual that are unique to the program manager's operation must be defined.

- (4) The manual must include a chart or description of the program manager's organization. The organizational chart must describe, at a minimum, the management personnel and major functions. However, it is recommended that the chart cover the program manager's entire organization.
- (5) The list of inspection personnel must include persons with whom the program manager has arranged to perform any of the required inspections, other maintenance, preventive maintenance, or alterations, including a general description of the work.
- (6) The inspection program or maintenance program and a program covering other maintenance, preventive maintenance, and alterations must ensure the following:
- (a) Maintenance, preventive maintenance, and alterations are performed in accordance with the program manager's manual.
- (b) Competent personnel, adequate facilities, and equipment are provided for accomplishing maintenance, preventive maintenance, and alterations.
- (c) Each aircraft released to service is airworthy and properly maintained.
- (7) The manual must include the duties and responsibilities of appropriate members of the ground organization personnel.
- (8) The manual must include programs that must be followed while performing maintenance, preventive maintenance, and alterations of the program manager's aircraft, including airframes, aircraft engines, propellers, rotors, appliances, and emergency equipment. These programs must include at least the following:
- (a) A method for performing routine and non-routine maintenance (other than required inspections, preventive maintenance, and alterations).

#### (b) For CAMPs:

 A designation of items of maintenance and alteration that must be inspected (required inspections). The designations should include at

59-4 Vol. 2

least those items that, if maintenance is not performed properly or if improper parts or materials are used, could result in a failure, malfunction, or defect endangering the safe operation of the aircraft.

- 2. A method of performing required inspections and the occupational title(s) of persons authorized to perform each required inspection.
- 3. Procedures for reinspecting work performed under previous required inspection findings ("buy-back" procedures).
- 4. Procedures, standards, and limits necessary for required inspections and acceptance or rejection of inspected items.
- 5. Procedures to ensure that all required inspections are performed.
- 6. Instructions to prevent any person who performs work on any item from performing required inspection of that work.
- 7. Instructions and procedures to prevent any decision of an inspector regarding a required inspection from being voided by persons other than those listed below:
  - Supervisory personnel of the inspection unit
  - A person at a supervisory level of administrative control who has overall responsibility for the management of both the required inspection functions and the other maintenance, preventive maintenance, or alterations functions
- (c) Procedures to ensure that required inspections, maintenance, preventive maintenance, and alterations not completed as a result of employee shift changes or similar work interruptions are properly completed before the aircraft is released to service.
- (d) Instructions and procedures for maintenance, preventive maintenance, and servicing.
- (e) Time limitations or standards for determining time limitations for overhauls, inspections, and checks of airframes, engines, propellers, appliances, and emergency equipment.

(f) Procedures for aircraft refueling, elimination of fuel contamination, fire protection (including electrostatic protection), and supervision and protection of passengers during refueling.

- (g) Airworthiness inspections, including instructions covering procedures, standards, responsibilities, and authority of inspection personnel.
- (h) Methods and procedures for maintaining the aircraft's weight and center of gravity within approved limits.
- (i) A suitable system, which may include a coded system, providing for preservation and retrieval of information in a manner acceptable to the Administrator and which provides the following (Ref. § 91.1025(p)):
  - A description of the work performed or reference to data acceptable to the Administrator
  - The name of the person performing the work if the work is performed by a person outside the organization of the program manager
  - The name or other positive identification of the individual approving the work
- (9) Copies of MSpecs, parts D and E, are normally included in the manual. The program manager may decide, however, to insert pertinent excerpts of its MSpecs or reference the MSpecs. This must be done in such a manner that they retain their identity as MSpecs (Ref. § 91.1015).
- (10) The manual must provide procedures for the reporting and correction of mechanical irregularities. These procedures must address the following:
- (a) The recording of actions in the aircraft maintenance log (Ref.  $\S 91.1113$  ).
- (b) The method of ensuring that the aircraft maintenance log is readily accessible to each flight crewmember.
  - (c) The MEL.
  - (d) The MEL placard system.
  - (e) Deferred maintenance.

Vol. 2 59-5

- (f) Airworthiness release procedures, or maintenance record entries in the maintenance section of the manual, that include a certification that:
  - Work was performed in accordance with the requirements of the manual
  - All items required to be inspected were inspected
  - No known condition exists that would make the aircraft unairworthy
  - So far as the work performed is concerned, the aircraft is in condition for safe operation

NOTE: Rather than restate the above requirements each time an airworthiness release is executed; the program manager/applicant may state in the manual that the signature of a properly authorized person constitutes that certification.

- (g) The determination of qualifications and authorization of persons to perform airworthiness releases.
- (h) Definition of when an airworthiness release is required.
- (i) The form and manner in which an airworthiness release will be documented.
- (j) Provision of a copy to the pilot-in-command.
- (k) A list of required maintenance-related forms and the requirements for preparation.
- (11) If the manager has a CAMP, the manual must provide the specifics of the program manager's continuing analysis and surveillance program, including the audit system and mechanical performance.
- (12) The manual must include ferry flight limitations and procedures.

(13) The manual must provide procedures for the following:

- Reporting the occurrence or detection of each failure, malfunction or defect of mechanical reliability (mechanical reliability reports)
- Reporting each interruption to a flight, unscheduled change of aircraft en route, or unscheduled stop or diversion from a route caused by known or suspected mechanical difficulties (Mechanical Interruption Summary Report)
- Ensuring that reports of major repairs are prepared and retained by the program manager
- (14) Test flight requirements and limitations are required to be in the manual. These include:
  - Items requiring operational check flight
  - Procedures for performing operational check flight
- G. Analyze Results. Upon completion of review, analyze the results and determine whether the program manager/applicant's manual meets all requirements.
- H. Debrief Program Manager/Applicant. Discuss discrepancies and advise what areas need corrective action.

#### 4. TASK OUTCOMES.

- A. Complete PTRS.
- B. Document Task. File all supporting paperwork in the program manager/applicant's office file.
- **5. FUTURE ACTIVITIES.** Normal surveillance.

59-6 Vol. 2

## CHAPTER 64. EVALUATE CONTINUOUS AIRWORTHINESS MAINTENANCE PROGRAM/REVISION

#### **SECTION 1. BACKGROUND**

### 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3330, 3341

B. Avionics: 5341

- **2. OBJECTIVE.** This chapter provides guidance for evaluating a Continuous Airworthiness Maintenance Program (CAMP) developed by an operator/applicant subject to Title 14 of the Code of Federal Regulations (14 CFR) part 121 or 135, or a fractional program manager (hereafter referred to as the program manager) under part 91, subpart K.
- 3. GENERAL. A CAMP combines the maintenance and inspection functions used to fulfill an operator/applicant's or program manager's total maintenance needs. The regulations specify that each operator/applicant or program manager must have a maintenance program adequate to perform the work and a separate inspection program adequate to perform required inspections.

#### A. Definitions.

- (1) Airworthiness. A condition in which the aircraft, airframe, engine, propeller, accessories, and appliances meet their type design and are in a condition for safe operation.
- (2) Inspection. The routine performance of inspection tasks at prescribed intervals. The inspection must ensure the airworthiness of an aircraft up to and including its overhaul or lifelimits.
- (3) Scheduled (Routine) Maintenance. The performance of maintenance tasks at prescribed intervals.
- (4) Unscheduled (Non-Routine) Maintenance. The performance of maintenance tasks when mechanical irregularities occur. These irregularities are categorized as to whether or not they occur during flight time.

- (5) Structural Inspection. A detailed inspection of the airframe structure that may require special inspection techniques to determine the continuous integrity of the airframe and its related parts.
- B. Program Requirements. Basic requirements of a CAMP include the following:
  - Inspection
  - Scheduled maintenance
  - Unscheduled maintenance
  - Overhaul and repair
  - Structural inspection
  - Required Inspection Items (RII)
  - Continuing Analysis and Surveillance System (CASS)
  - Outsourcing maintenance
- C. Manuals. Instructions and standards for unscheduled maintenance should be in the operator/program manager/applicant's technical manuals. The manuals must contain procedures to be followed when using these manuals and recording scheduled and unscheduled maintenance.
- D. Operations Specifications (OpSpecs)/
  Management Specifications (MSpecs). CAMPs are authorized according to the OpSpecs for certificate holders, and MSpecs for fractional ownership programs. These OpSpecs/MSpecs describe the scope of the program and reference manuals and other technical data. Details of the program must be included in the operator/program manager/applicant's manual.

NOTE: MSpecs apply only to those operations conducted under part 91, subpart K. All other operators must use OpSpecs.

Vol. 2 64-1

- E. Operator/Program Manager/Applicant's Organization. The operator/program manager/applicant must have an organization adequate to carry out the provisions of the CAMP. If the work is to be performed outside of the operator/program manager/applicant's organization, the contractor must meet the same requirements. In determining the adequacy of the organization, the following must be considered:
  - The complexity of the organization
  - The aircraft
  - The experience of the personnel
  - The number of personnel

#### 4. INSPECTIONS.

- A. Applicability. During the original certification process of an operator/program manager/applicant, the aviation safety inspector (ASI) should ensure that the CAMP is applicable to the operation in question. To do so, the ASI will inform the operator/program manager/applicant of the relevant policies, procedures, and requirements of the regulations. This is also true during the process for issuing MSpecs to a program manager.
- B. Scheduling. The operator/program manager/applicant and the ASI should develop a plan to determine a schedule for submitting required documents.
- (1) Scheduled Maintenance. Maintenance tasks performed at prescribed intervals are considered scheduled maintenance. Some of these tasks are performed concurrently with inspection tasks and may be included on the same work form. Work forms that include maintenance instructions must be provided for a record of the accomplishment of these tasks.
- (a) Scheduled tasks include replacement of life-limited items and components requiring periodic overhaul, special nondestructive inspections (such as X-rays), and checks or tests for on-condition items, lubrications, and weighing aircraft.
- (b) Prime factors considered for inspection intervals are aircraft use, environmental conditions, and the type of operation. Examples include changes in temperature, frequency of landings and takeoffs, operation in areas of high industrial pollutants, and passenger or cargo operations.

(c) To ensure proper maintenance, each inspection interval must be stated in terms of calendar times, cycles, and hours, as required.

- (2) Unscheduled Maintenance. Unscheduled maintenance takes place when mechanical irregularities occur.
- (a) Mechanical Irregularities Occurring During Flight Time (Block-to-Block). These include operational failures and malfunctions and abnormal flight operations, such as hard or overweight landings. The aircraft maintenance record, required by part 91, § 91.1439, part 121, §§ 121.563 and 121.701, and part 135, § 135.65, must be used to record each irregularity and its corrective action.
- (b) Mechanical Irregularities Not Occurring During Flight Time. These include all other failures, malfunctions, and discrepancies, including, but not limited to, inspection findings. A discrepancy form or equivalent system must be used to record each irregularity and its corrective action.

#### C. Types of Maintenance.

(1) Overhaul and Repair (Airframe, Engine, Propeller, and Appliance). Maintenance for these items, whether scheduled or unscheduled, may be independent from maintenance performed on the aircraft. The operator/program manager/applicant must provide instructions and standards for repair and overhaul, and a method of approving and recording the work. Appropriate life-limited parts replacement requirements should be included in this portion of a CAMP.

#### (2) Structural Inspection.

- (a) Each level of inspection must be clearly defined in the operator/program manager/ applicant's CAMP. For example, a specific area of the aircraft may require only a visual inspection during pre-flight "A" and "B" checks, but will require a detailed X-ray or Zyglo inspection in the same area for a "C" or "D" check.
- (b) Some aircraft are subject to a supplemental structural inspection document, which requires additional age-related structural inspections to be incorporated into the maintenance program.
- D. Requirements. If a certificated operator or program manager proposes changes to the CAMP, the ASI must determine the impact of the revision on the

64-2 Vol. 2

program. Because CAMPs vary, depending on the operator/program manager/applicant's complexity of operation, the ASI must become familiar with all of the pertinent technical and regulatory aspects of the program.

- E. Return to Service. Through the provisions of 14 CFR part 43, either part 121 or 135 operators using a CAMP are considered maintenance organizations. As such, they are authorized to approve aircraft and/or equipment for return to service and are responsible for meeting the requirements of part 43, § 43.13. Program managers are not maintenance organizations and do not have the privileges of a certificated organization, although they may have related organizations, such as repair stations that are certificated.
- (1) The persons exercising certificate privileges have always had the responsibility to show compliance with regulatory requirements and to make a determination of conformance and safety. The need to ensure that a replacement part was produced by a Federal Aviation Administration (FAA)-approved source is therefore critical.
- (2) Principal inspectors (PI), during the process of certification and surveillance, must ensure that the operator/program manager/applicant fully understands § 43.13 and the following resulting responsibilities:
- (a) Showing that any/all parts and/or materials used, from any source, are airworthy (i.e., conform to type design),
- (b) That such parts are equal to the original or properly altered condition, and
- (c) That parts and materials have been maintained properly.
- (3) Additionally, the PI must ensure that the operator/program manager/applicant's manual contains adequate procedures at the incoming inspection to determine the compliance with § 43.13, prior to the material being stocked or used.
  - F. Part 135 (Nine or Less) Operators. An operator with a CAMP must maintain its aircraft according to that program. This includes aircraft of nine or less passengers maintained under an operator's CAMP in accordance with § 135.411(b).

G. Maintenance Performed for Other Operators. An operator maintaining their aircraft under a CAMP under part 121 or 135 may also perform maintenance for another certificate holder under the same 14 CFR part. Such maintenance must be performed in accordance with that certificate holder's CAMP, including aircraft of nine or less passenger seats. However, an operator under part 135 is NOT authorized to perform maintenance for an operator under part 121, and vice versa.

NOTE: Although program managers may use a CAMP, they are not authorized to perform maintenance for other program managers unless they also hold an appropriate certificate, such as a repair station certificate or a mechanic's certificate. Having approval to use a CAMP does not give them the same privilege to perform maintenance that an air carrier certificated under part 121 or part 135 has.

- **5. MAINTENANCE PROGRAM.** The maintenance program must incorporate a set of procedures that ensures the following:
  - Maintenance, preventive maintenance, and alterations performed by air carriers or by other persons/organizations (outsourcing maintenance) are performed according to the operator's or program manager's manual
  - Competent personnel and adequate facilities/equipment are provided for the proper performance of maintenance, preventive maintenance, and alterations
  - Each aircraft released to service is airworthy
  - Airworthiness inspections and RII are performed per the operator's manual, by qualified personnel
  - A system is in place that addresses how specific RII are developed, controlled, and reviewed to ensure the continued airworthiness of aircraft
- A. Airworthiness Inspections. Section 121.135(b)(19) and similar provisions of part 135 and part 91, subpart K stipulate that each operator/program manager's manual must discuss airworthiness inspections, including instructions covering procedures, standards, responsibilities, and authority of inspection personnel. The methods and procedures

Vol. 2 64-3

established by the manual must be followed as prescribed by § 121.367 and § 135.427. Items not designated as RII will also be inspected according to the manual's instructions.

- B. RII. Sections 91.1427(b)(2), 121.369(b)(2), and 135.427(b)(2) discuss the designation of maintenance and alteration work that must be inspected.
- (1) The manual must contain a designation of the items of maintenance and alteration that must be inspected. These will include, at a minimum, those items that could result in failure, malfunction, or defect, endangering the safe operation of the aircraft if maintenance is not performed properly or if improper parts or materials are used. Each operator must evaluate its work program to identify RII. Such items may be identified with the abbreviation "RII," an asterisk, or any similar method.
- (2) In determining the work items that are to be categorized as RII, the operator or program manager should consider the importance of the following:
  - Installation, rigging, and adjustments of flight control
  - Installation and repair of major structural components
  - Installation of aircraft engines, propellers, and rotors
  - Overhaul, calibration, or rigging of components such as engines, propellers, transmissions, gearboxes, and navigation equipment
- 6. INSPECTION ORGANIZATION. Each operator/program manager must have an organization adequate to perform required inspections. The performance of required inspections must be organized so as to separate the required inspection functions from other maintenance, preventive maintenance, and alteration functions. Section 91.1423(b) requires that if the program manager maintains its aircraft under a CAMP, each organization with which the program manager arranges to perform the work must also have an adequate organization to perform the work.

- A. Personnel Considerations. The operator/applicant or program manager must maintain a current listing of persons qualified to inspect its RII. Where such maintenance is performed by other organizations, the operator must determine that the contractor maintains such a list. Each individual must be identified by name, occupational title, and the RII that individual is authorized to inspect.
- (1) To comply with these requirements, the operator/program manager's personnel roster (or the contractor's roster) may be used. This roster should include a method for positive identification of those who are trained, qualified, authorized, certificated, and current.
- (2) Authorized individuals may be informed by letter or by a list showing the extent of their responsibilities, authorities, and inspection limitations. If a list is used, it should be signed by each authorized individual to confirm that the authorized person is fully aware of any inspection limitations.
- B. Maintenance and Inspections. The separation of the operator's maintenance organization from the inspection organization applies to required inspection items.

#### 7. OUTSOURCING MAINTENANCE.

- A. Sections 121.367(a) and 135.425(a) require that all maintenance, preventive maintenance, or alterations performed by other persons be performed in accordance with the air carrier's manual. Air carriers must detail in their manuals the policies, procedures, instructions, and methods for the accomplishment of all outsourced maintenance. Outsourcing of maintenance can be accomplished at many different levels. From line maintenance and oncall maintenance to component/accessory repairs to the accomplishment of heavy maintenance checks and substantial maintenance, outsourcing of maintenance is an integral component of every air carrier's CAMP.
- *B.* To determine if the air carrier has the appropriate policies, procedures, instructions, and methods of performing outsourcing maintenance refer to Order 8300.10, Volume 2, Chapter 69, Evaluate Part 121/135 (10 Or More) Outsource Maintenance Arrangement.

64-4 Vol. 2

#### **SECTION 2. PROCEDURES**

### 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of parts 91, 121, and 135, as applicable
- Successful completion of the Airworthiness Inspector Indoctrination course(s), or equivalent
- *B. Coordination.* This task must be coordinated between Airworthiness ASIs, Operations ASIs, and regional specialists.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

#### A. References:

- Maintenance Review Board Document
- 14 CFR parts 43, 65, 91, and 145
- Appropriate current advisory circulars (AC), (e.g., AC 120-16, Air Carrier Maintenance Program)
- ATOS Elements: 1.3.1, 1.3.2

#### B. Forms:

• FAA Form 8400-8, Operations Specifications

#### C. Job Aids:

• JTA: 3.3.41

#### 3. PROCEDURES.

- A. Brief the Operator/Program Manager/Applicant. Provide the operator/program manager/applicant with the applicable ACs and advise him or her of the current policies and regulatory requirements.
- B. Review the Schedule of Events. If this task is performed as a part of an original certification, review the schedule of events to ensure that this task can be accomplished within the schedule.
- *C. Evaluate the Organization Documentation.* The CAMP must contain the following:

- (1) A complete description of the operator/program manager/applicant's organization as it relates to the program, including the duties and responsibilities of the relevant individuals.
- (2) A list of persons with whom the operator/program manager/applicant has arranged for the performance of any work, along with a general description of that work.
- (3) A proper separation of maintenance and inspection functions for the performance of required inspections.
- D. Evaluate the Inspection and Maintenance Programs. The CAMP must contain inspection and maintenance procedures for the performance of maintenance, preventive maintenance, and alterations. These procedures must, at a minimum, include the following:
- (1) The method of performing routine and non-routine maintenance, preventive maintenance, and alterations.
- (2) A list of designated items that must be inspected.
- (3) The method for performing required inspections.
- (4) A system that addresses how specific required inspections are developed, controlled, and reviewed to ensure the continued airworthiness of aircraft.
- (5) The method of designating personnel performing required inspections by occupational title, name, and authorization.
- (6) Procedures for the reinspection of work performed as a result of previous required inspection findings (buy-back procedures).
- (7) Procedures, standards, and limits necessary for required inspections, including identifying RII within work forms or job cards.
- (8) Procedures for the periodic inspection and calibration of precision tools, measuring devices, and test equipment.

Vol. 2 64-5

- (9) Procedures for maintaining records and control of the inspections and calibrations.
- (10) Procedures to ensure that all required inspections are performed.
- (11) Instructions to prevent any person who has performed any item of work from performing any required inspection of that work.
- (12)Instructions and procedures to prevent any decision of an inspector regarding any required inspection from being countermanded. Only supervisory personnel of the inspection unit or an administrative person with overall responsibility for both the required inspection and other maintenance and alteration functions can override an inspector's decision.
- (13) Procedures to ensure that required inspections, maintenance, and alterations that are left incomplete as a result of a work interruption are properly completed before the aircraft is returned to service.
- (14) Work forms, job cards, and detailed procedures for performing inspections and other maintenance.
- (15) The necessary policies, procedures, instructions, and methods for the performance of outsourcing maintenance (ref. vol. 2, ch. 69).
- E. Evaluate the Maintenance Records/System. The CAMP must contain a maintenance recordkeeping system. The operator/program manager/applicant must meet the requirements of § 91.1113, § 121.380, and § 135.439. In addition, the operator must have a system for the retention and retrieval of maintenance records to provide the following:
  - A description of the work performed
  - The name of the person performing the work and/or the name of the organization if other than the operator/program manager/applicant
  - The name of the person approving the work
  - Transfer maintenance records from outsource maintenance providers to the air carrier

*F. Evaluate Personnel.* The CAMP must contain the following:

- (1) Procedures to determine the qualifications of personnel, including management and supervisory personnel.
- (2) Procedures to ensure that only persons who currently are appropriately certificated, properly trained, authorized, and qualified perform any required inspections.
- (3) Instructions to ensure that those persons performing required inspections are under the control of the inspection unit.
- (4) Instructions to relieve any person performing maintenance for a period of at least 24 hours per a 7 day period, or the equivalent thereof, within any calendarmonth. (This is a part 121 requirement only.)
- *G. Evaluate the Structural Inspection Procedures.* This part of the CAMP must include the following:
  - Corrosion control procedures
  - A detailed inspection of areas where maintenance is being performed to detect cracks, distortion, and corrosion, to examine attachment of parts, and to determine the condition of the area
  - Maintenance Review Board/ manufacturer's routine structural inspection requirements

#### H. Analyze the Findings.

- (1) Evaluate all deficiencies to determine what, if any, corrective actions will be required.
- (2) If the CAMP has deficiencies, schedule a meeting with the operator/program manager/applicant to discuss needed program changes and deficiency resolutions.

#### 4. TASK OUTCOMES.

#### A. Complete PTRS.

- *B.* Complete the Task. Successful completion of this task will result in the following:
- (1) When all requirements for the program have been met, accept and authorize the use of the program by issuing OpSpecs/MSpecs in accordance with Volume 2,

64-6 Vol. 2

Chapter 84, Part 121/125/135 Operations Specifications, or part 91, subpart K §91.1015, Management specifications.

- (2) Providing the operator/program manager/applicant with the original CAMP, with instructions to provide a copy of the program to the certificate-holding district office (CHDO).
- *C. Document Task.* File all supporting paperwork in the operator/program manager/ applicant's office file.

**5. FUTURE ACTIVITIES.** Normal surveillance.

Vol. 2 64-7

[THIS PAGE INTENTIONALLY LEFT BLANK]

64-8 Vol. 2

## CHAPTER 70. EVALUATE PARTS 91 SUBPART K/121/135.411(a)(2) MAINTENANCE TRAINING PROGRAM/RECORD

#### **SECTION 1. BACKGROUND**

### 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3633

B. Avionics: 5633

- **2. OBJECTIVE.** This chapter provides guidance for evaluating and accepting an operator/applicant's or fractional program manager's (hereafter referred to as the program manager) maintenance/inspection training program.
- 3. GENERAL. Effective training is the basis for a successful maintenance/inspection program. Although many procedures for maintaining and inspecting aircraft may be similar, the equipment, procedures, and task documentation used may all be unique to the operator/program manager/applicant's specific programs.
  - A. Title 14 of the Code of Federal Regulations (14 CFR) part 91 (subpart K) and part 135 may require, and parts 121 and 145 do require, that maintenance/inspections be performed in accordance with the operator/applicant's or program manager's manual.
  - *B.* Maintenance/inspection training programs are the most efficient manner to inform personnel of the requirements of the operator/applicant's or program manager's program.
  - **4. COORDINATION REQUIREMENTS AND SCHEDULING.** Aviation safety inspectors (ASI) should encourage applicants to discuss pending maintenance/inspection training program development with the certification team before the program is submitted for final acceptance. It is especially important that programs be reviewed for conformity with appropriate regulatory requirements. This review can reduce the number of major changes an operator will have to make after a program has been printed and distributed.

- **5. SCHEDULING MAINTENANCE TRAINING PROGRAMS.** Delays in program acceptance results in delays in the certification process, or in the case of fractional ownership programs, delays in issuance of management specifications (MSpecs). To facilitate the evaluation of the training programs, the applicant should be encouraged to schedule a classroom training session in a timely manner.
- **6. CONTENT OF MAINTENANCE/INSPECTION TRAINING PROGRAMS.** The program manager's Continuous Airworthiness Maintenance Program (CAMP) or operator/applicant's training program should include company indoctrination and technical training (formal and on-the-job training (OJT)). The program should contain a list of tasks to be taught and a method for recording the training. Completion of the training must be entered in the individual's training record.
- A. Company Indoctrination. Each maintenance/inspection employee should receive instruction in the use of the operator/program manager/applicant's manuals, policies, procedures, and forms.
  - B. Maintenance/Inspection Technical Training.
- (1) Training may consist of a combination of formal (classroom) instruction and OJT. The operator/program manager/applicant may give training credit to individuals for experience gained while employed by other operators/program managers.
- (2) Procedures unique to the operator/program manager/applicant should be taught. Training records should indicate the amount of formal training, OJT, and experience each individual receives.
- (3) Technical training may be contracted to another operator, manufacturer, or in the case of a specialized process, to a person knowledgeable in that specialized process. The operator/program

Vol. 2 70-1

manager/applicant is responsible for the content and quality of such training.

- (4) The Federal Aviation Administration (FAA) does not establish a fixed amount of time for indoctrination or technical training courses, but the courses should use a minimum time proportional to the operator/program manager/applicant's complexity.
- C. Responsibilities for Persons Other than an Operator/Program Manager's Employees. Part 121 requires each certificate holder to be primarily responsible for having a training program and ensuring that the training received throughout the operator/program manager's system is of equal quality and effectiveness. This covers all persons such as the certificate holder's employees and contract personnel for emergency maintenance and servicing.
- (1) Part 91, § 91.1433; part 121, § 121.375; and part 135, § 135.433 are similar in that each certificate holder or person who performs maintenance shall have a training program. The training program ensures that each person, including inspection personnel, is fully informed about procedures, techniques, new equipment in use and is competent to perform the applicable duties.
- (2) Part 91, § 91.1429(a); part 121, § 121.371(a); and part 135, § 135.429(a) are similar in that no person may use any person to perform required inspections unless the person performing the inspections is appropriately certificated, properly trained, qualified, and authorized to do so.
  - NOTE: 14 CFR part 1 defines a "person" as an individual, firm, partnership, corporation, company, association, joint-stock association, or governmental unit.
- D. Category II/III Maintenance Personnel Training. Each applicant for Category II/III must establish an initial and recurrent training program. This program must be acceptable to the Administrator and cover all personnel performing quality control inspection and maintenance work on Category II/III airborne systems and equipment. Training records for such personnel are to be kept current and made available to the FAA for inspection.
- E. Recurrent Training. The operator/program manager/applicant's training program should ensure that deficiencies discovered through continuous

analysis and surveillance are corrected during recurrent training. Fractional ownership program manager's personnel who are responsible for maintenance are required to receive annual training. Additionally, recurrent training should include at least the following:

- Review, reinforcement, and upgrade of all training given in both indoctrination and technical subjects
- Input from maintenance bulletins and/or maintenance newsletters
- Critical tasks, such as run-up/taxi, Required Inspection Items (RII), and Non-destructive Inspection (NDI)
- F. Training Records. Training records must be retained by the operator/program manager/applicant to document that personnel are adequately trained. Training records should be maintained at a central location, but may be maintained at other locations provided these locations are listed in the operator/program manager/applicant's manual.
- G. Special Emphasis Training. Special maintenance/inspection training programs are required when new or different types of aircraft and/or equipment are introduced.
- H. Fractional **Ownership Training** Requirements. Fractional ownership programs require aircraft-specific technical training for those persons who are responsible for maintenance. This training is intended for persons within the fractional ownership program who oversee and/or schedule maintenance and inspections and are responsible for creating or amending the manager's inspection or maintenance program(s). The training, which is required both initially and annually (recurrent), ensures that those personnel are technically knowledgeable of the aircraft. This specific training requirement does not extend to the persons performing the maintenance. However, all maintenance personnel must still meet the requirements of the applicable regulations, such as 14 CFR parts 43, 65, and 145.
- I. Fractional Ownership CAMP. Program managers who maintain their aircraft in accordance with a CAMP have additional training requirements. Section 91.1433 requires that the program manager, or person performing maintenance for the program manager, have a training program. This program must

70-2 Vol. 2

ensure that each person, including inspection personnel, who determines the adequacy of work performed is fully informed about the procedures, techniques, and new equipment in use and is competent to perform the work. Section 91.1429 also requires that any person who performs required inspections be properly trained. This is in addition to their certification, authorization, and qualification requirements.

7. ACCEPTING THE MAINTENANCE/INSPECTION TRAINING PROGRAM. The task of acceptance differs from approval in that no specific procedure or vehicle is used to accept a training program. The program is approved by the general manager upon FAA acceptance. A list of effective pages will show acceptance dates of the maintenance/inspection training program.

Vol. 2 70-3

[THIS PAGE INTENTIONALLY LEFT BLANK]

70-4 Vol. 2

#### **SECTION 2. PROCEDURES**

### 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of parts 91 (subpart K), 121, and/or 135
- Successful completion of the Airworthiness Inspector Indoctrination course(s), or equivalent
- Familiarity with the type of operation being evaluated
- *B. Coordination.* This task requires coordination with maintenance, avionics, and regional specialists.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

#### A. References:

- Section 604 of Title 49 of the United States Code (49 U.S.C.)
- 14 CFR parts 65, 91 (subpart K), 121, 135, and 145
- Title 49 of the Code of Federal Regulations (49 CFR) part 173
- ATOS Element: 4.2.1
- B. Forms. None.
- C. Job Aids:
  - JTA: 3.3.20

#### 3. PROCEDURES.

- A. Review Operator/Program Manager File.
- B. Review Schedule of Events. If this task is performed as part of an original certification or issuance of MSpecs, review the Schedule of Events to ensure that this task can be accomplished in accordance with the schedule.
- C. Review Maintenance/RII Training Programs. The program should include the following elements in both the maintenance training program and the RII training program.

- (1) The name of the person responsible for the overall administration of the maintenance/RII training program.
- (2) The name(s) of the person(s) responsible for other processes within the maintenance/RII training program (e.g., recordkeeping, revisions to training programs, and security of the program).
- (3) Designated maintenance/RII training instructors.
- (4) A description of how instructors are determined to be qualified.
  - (5) Procedures used to authorize instructors.
- (6) A file on the instructors consisting of qualifications, authorizations, and other documents pertaining to instructor assignments.
- (7) A list describing what type of training is required for new employees or RII candidates (indoctrination, OJT, etc.).
- (8) Procedures for evaluating, crediting, and documenting a new employee's previous training.
- (9) Procedures for determining what additional training is required for a new employee.
- (10) A schedule for recurrent training, a description of recurrent training, and procedures for determining requirements for other training.
- (11) Recordkeeping procedures, including records of the following:
  - Training dates
  - Who performed the training (instructor should indicate by signing)
  - The number of hours of training performed
  - The content of the training performed
- (12) Criteria for determining the quality of the training program (training standards).
- (13) Evaluation of the need to revise training programs.

Vol. 2 70-5

- (14) A training syllabus that describes the following:
  - Content of each training course
  - Format of training (classroom, OJT)
  - Duration of training courses
  - Standards for grading students
  - Training aids
- (15) Criteria to determine acceptability of contract training, to include:
  - Qualifications of instructors
  - Criteria to establish appropriateness of reference material being taught
  - Reporting procedures to inform the operator/program manager of student progress
  - Criteria to determine adequacy of facilities
  - Criteria to evaluate contractor's training syllabus
- *D. Review RII Training*. The operator/program manager/applicant must provide RII original and recurrent training, including:
- (1) A statement that RII students are appropriately certificated, qualified, trained, authorized, and current as airframe and/or powerplant mechanics or appropriately-certificated repairmen;

# NOTE: Part 91, subpart K does not allow repairmen to be used for RII purposes.

- (2) A method for notifying the RII candidate of the successful completion of the course; and
- (3) A method for receiving confirmation by the candidate of acceptance of RII authorizations and responsibilities.
- E. Observe Operator/Program Manager/Applicant Performing Training. This observation is performed regardless of whether the operator/program manager performs the training or contracts with another company.

(1) Ensure that facilities are adequate, including classrooms, training aids, and reference materials.

- (2) Evaluate the instructor's presentation and knowledge.
- (3) Ensure that course content and instruction is in accordance with the training syllabus.
- (4) Ensure that training recordkeeping is performed in accordance with the maintenance/RII inspection program.
- F. Analyze Findings. Evaluate all deficiencies to determine what changes will be required.
  - G. Debrief the Operator/Program Manager/Applicant.
- (1) If deficiencies are discovered during the review, return the program to the operator/program manager/applicant with a letter describing the problem areas, if necessary. If this review is being performed as part of a certification, inform the operator/program manager/applicant that issuance of the certificate will be withheld until deficiencies are corrected.
- (2) Schedule a meeting with the operator/program manager/applicant to discuss the problem areas if it may be helpful in resolving deficiencies. Discuss how to resolve deficiencies.

#### 4. TASK OUTCOMES.

- A. Complete PTRS.
- *B.* Complete the Task. Successful completion of this task will result in the following:
- (1) A letter to the operator/program manager/applicant indicating acceptance of the program; and
- (2) The original accepted program sent to the operator/program manager/applicant along with instructions to provide a copy of the program to the certificate-holding district office.
- C. Document Task. File all supporting paperwork in the operator/program manager/applicant's file.

#### **5. FUTURE ACTIVITIES.** Normal surveillance.

70-6 Vol. 2

#### CHAPTER 76. CONDUCT PARTS 91/121/135 PROVING/VALIDATION TESTS

#### **SECTION 1. BACKGROUND**

### 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3318

B. Avionics: 5318

**2. OBJECTIVE.** This chapter provides guidance for conducting proving tests, as required by Title 14 of the Code of Federal Regulations (14 CFR) part 91, subpart K and § 91.1041; part 121, § 121.163; and part 135, § 135.145. This chapter also provides guidance for evaluating an operator/applicant's or fractional program manager's (hereafter referred to as the program manager) compliance through the use of validation tests per § 91.1041, part 121, subparts E and F, or § 135.145.

#### 3. GENERAL.

#### A. Definitions.

- (1) Proving Flights. A qualified operations inspector is an inspector who, in order of preference, is:
  - (a) Aircraft type-rated and current, or
  - (b) Aircraft type-rated and not current, or
- (c) An aviation safety inspector (ASI) (Operations), type-rated in an aircraft within the same group (group I or II) being used in the proving flight and in possession of a "Best Qualified" letter of authorization (LOA).
- (2) Proving Tests. Tests conducted by an operator/program manager/applicant to demonstrate the ability to operate according to proposed procedures and regulatory requirements for original certification or introduction of equipment new to the operator/program manager.
- (3) Provisionally-Certificated Aircraft. Aircraft in the process of receiving a type certificate or an amendment to an existing type certificate.

- (4) Validation Flights. A qualified Operations inspector is an inspector who, in order of preference, is:
  - (a) Aircraft type-rated and current; or
  - (b) Aircraft type-rated and not current; or
  - (c) Aircraft group qualified, or
- (d) An ASI in possession of a "Best Qualified" LOA.
- (5) Validation Tests. Tests conducted by an operator/program manager/applicant to demonstrate the ability to operate according to procedures and regulatory requirements for specific operational authorizations.
  - **NOTE:** For validation testing (with the Federal exception of Aviation Administration (FAA) navigation specialists conducting a navigation validation test), the qualified Operations inspector must be familiar with the testing being conducted. For extended twin engine operations (ETOPS) validation flights, the qualified Operations inspector should be typerated (not necessarily current) in the specific aircraft, or type-rated in another ETOPS-approved aircraft, and be thoroughly familiar with the ETOPS requirements.
- B. Test Differences. Proving and validation tests differ with respect to regulatory source and application. Both tests provide a method for evaluating an operator/program manager's demonstrated operational ability. Both the testing methods and the results of the tests must be acceptable to the Administrator.
- C. FAA Inspection Team Requirements. The Flight Standards District Office (FSDO) manager shall organize the inspection team and assign a principal inspector (PI) as team leader.

Vol. 2 76-1

- (1) The team leader will be responsible for the conduct, coordination, and evaluation of the test plan. In addition, the team leader will be the spokesperson for the Administrator on all matters pertaining to the test.
- (2) The inspection team should have the following personnel, as required:
  - An Operations ASI qualified on the equipment
  - Maintenance and Avionics ASIs trained on the equipment and experienced in either part 91, subpart K, 121, or 135 operations, as applicable
- (3) All members should be familiar with the pertinent parts of the operator/program manager's manual and program.
  - (4) For all in-flight scenarios conducted during proving flights, a qualified Operations inspector must be present in the aircraft. For flights involving repositioning of inspectors for proving or validation "ground" scenarios (i.e., flights that do not include in-flight scenarios), a qualified Operations inspector does not need to be onboard the aircraft, provided the flightcrew is type-rated, current, and has completed all training requirements, as applicable for the type of operation. Such flights are considered incidental to the proving/validation tests and considered advantageous to both the FAA and operator.
  - (5) If a qualified Operations inspector is not available within the certificate management office (CMO) or FSDO, the office manager will request assistance in locating a qualified Operations inspector from the Regional Flight Standards Division (RFSD). The RFSD will first try to locate a qualified operations inspector within its region, and, if necessary, look outside its region. The Flight Activity and Crew Tracking System (FACTS) database can be a useful tool in locating such inspectors. The RFSD may also request the assistance of the Flight Standards Inspector Resource Program (FSIRP) office in obtaining a qualified Operations inspector. If the FSIRP office determines that the FAA does not have any qualified Operations inspectors who are typerated and current or type-rated and non-current, then the FSIRP may issue a "Best Qualified" LOA for an Operations inspector, current on a similar type aircraft

within the same group, and valid for a period of time sufficient to complete the operator's proving test.

NOTE: All LOAs must be initiated by the RFSD, approved by the FSIRP office, and electronically forwarded to the inspector through the Air Carrier Operations Branch, AFS-220. This can be accomplished by electronically carbon copying AFS-220 when sending the LOA to the inspector.

- (6) For unique situations in which an operator must conduct proving flights in an aircraft with only one jump seat and no passenger seats (e.g., cargoconfigured aircraft), the qualified Operations inspector must conduct all in-flight scenarios. The principal operations inspector (POI) should thoroughly review the operator's proving test plan to determine that all FAA disciplines have the opportunity to conduct sufficient testing. Other forms of testing can be accomplished by table-top demonstrations as well as pre-flight and post-flight scenarios. Any other unique proving flight situations may require a waiver and such requests should be forwarded to the RFSD for concurrence and further forwarded to the Air Transportation Division, AFS-200, for approval.
- (7) All FAA participants conducting the proving test must review the carrier's operation, operations manual, and the proving test plan to report deficiencies in any of these areas. It is desirable to have the POI included as part of the in-flight proving test team; but on space-limited flights where the POI is not the qualified Operations inspector, the qualified Operations inspector should have seating priority in order to facilitate the in-flight scenarios.
- (8) Once the qualified Operations inspector has completed the in-flight scenarios associated with proving flights, the Avionics and Maintenance inspectors should have an opportunity to observe normal flight deck operations from the flight deck jump seat. When an Avionics or Maintenance inspector is occupying a flight deck jump seat, no inflight scenarios will be conducted. The additional inspector observations should be planned so additional flight segments are not required of the operator.
- **4. PROVING TESTS.** Proving tests are conducted to ensure that an operator/program manager's organization and maintenance program can support a proposed operation effectively and safely. The

76-2 Vol. 2

operator/program manager/applicant must demonstrate the ability to conduct line operation functions with a specific aircraft in compliance with regulations and safe operating practices.

- A. Part 121 Proving Tests. Part 121 requires aircraft proving tests when the following occurs:
  - Initial certification of an applicant
  - An operator submits a proposal to add to its operations specifications (OpSpecs) an aircraft type that the operator has not operated previously
  - An operator submits a proposal to use materially-altered aircraft
- B. Part 91, Subpart K and Part 135 Proving Tests. Part 91, subpart K, and part 135 require aircraft proving tests when the following occurs:
  - Initial certification or issuance of management specifications (MSpecs) to an applicant
  - An operator/program manager submits a proposal to add to its OpSpecs/MSpecs an aircraft for which two pilots are required by type certificate for operations under visual flight rules (VFR), if the operator/program manager has not previously proved such an aircraft in operations.
- C. Proving Test Plan. The operator/program manager/applicant must develop and submit a proving test plan at least 30 days prior to any in-flight demonstration the operator/program manager desires to have credited toward proving test requirements. This includes training or ferry flights. Any deviations to this plan must be coordinated with the certificate-holding district office (CHDO).
- D. FAA Planning Stage. During the FAA planning stage, the team leader will assign responsibility for different sections of the proving test report to specific members of the team.
- (1) Each team member's responsibility includes project participation until the final report is ready for submission.
- (2) Team leader responsibilities include the following:

- Notifying the region of proving test dates, times, and locations. The region shall notify other regions affected by the impending proving tests and any resulting scheduled operations proposed by the operator/program manager
- Assigning appropriate sections of the test plan to maintenance, avionics, and operations inspectors for their review and comment
- Coordinating with the office of aviation security, as necessary, to obtain security inspector assistance for evaluating specific areas such as hazardous materials and passenger screening

# NOTE: Figure 76-1 provides guidance to the team leader in the planning and coordination stage.

- E. Personnel Participation. Regulations limit the participants in the in-flight portion of the proving tests to those required by the operator to conduct the tests and those designated by the Administrator. The number of persons on board in excess of the crew and the FAA proving test team must be kept to a minimum. Personnel in this category will be limited to the following:
  - Operator/program manager/applicant's supervisory personnel
  - Designated FAA representatives from regional and/or Washington headquarters
  - Representatives of the aircraft/ engine/accessories manufacturer(s)
- F. Provisional Airworthiness Certificates. In rare situations, an operator/applicant may propose to use a provisionally-certificated aircraft during proving tests under part 121.
- (1) The issuance of a Provisional Airworthiness Certificate, per part 21, subpart I is the responsibility of the Manufacturing Inspection District Office.
- (2) To obtain FAA approval, the operator must show that no feature, characteristic, or condition of the aircraft would make it unsafe when operated in

Vol. 2 76-3

accordance with part 91, § 91.317 and part 121, § 121.207.

NOTE: Parts 135 and 91, subpart K do not permit the use of provisionally-certificated aircraft for proving tests.

5. VALIDATION TESTS. Validation tests provide the operator/program manager with an opportunity to demonstrate to the Administrator that specific line operations, such as two-engine, extended-range, long-range navigation, and Category II and III operations, can be conducted safety. Validation tests, like proving tests, are operator-oriented but are usually more limited in scope. Validation tests and proving tests may be conducted jointly.

### 6. PROVING AND VALIDATION TEST PROCESS.

- A. Phase I. During Phase I, the team leader must ensure that the operator/program manager/applicant is aware of the specific proving or validation test requirements and the requirements for submitting the plan to the Administrator.
- (1) Phase I of the proving test process begins when one of the following occurs:
  - An applicant for a certificate or the program manager establishes the Schedule of Events
  - An operator/program manager advises the CHDO of an intent to acquire a new aircraft type
- (2) For validation tests, this phase begins when one of the following occurs:
  - An operator/program manager proposes to operate over routes requiring a special navigation authorization
  - An operator/program manager acquires new equipment that requires special performance or operational authorization
- B. Phase II. Phase II begins when the operator/program manager/applicant submits the test plan to the FAA for evaluation. During this phase, the team leader must ensure the plan, as submitted, is

complete and the format is acceptable for a thorough review and analysis to be conducted.

- *C. Phase III.* Phase III consists of the inspectors thoroughly reviewing the submitted plan.
- (1) The review should ensure compliance with regulatory requirements and the logical sequencing of events.
- (2) During this phase, close coordination must be maintained between the Administrator and the operator/program manager/applicant. The operator/program manager/applicant should be advised by letter of the results of the review. This review should take place within 5 days of the plan's submittal.
- D. Phase IV. Phase IV is the demonstration phase.
- (1) For proving tests, the operator/program manager/applicant conducts both en route and non-en route segments of the test for FAA observation.
- (2) For validation tests, the operator conducts specific operations to accomplish one of the following:
  - · Collect verification data
  - Provide a flight/operation for FAA observation
- E. Phase V. After successfully completing a proving/validation test, the CHDO approves the OpSpecs/MSpecs and completes the appropriate test report.

#### 7. PROVING TEST REQUIREMENTS.

- A. Types of Flights Permitted. For proving tests to be acceptable, the operator/program manager/applicant must demonstrate the ability to operate according to the operating and maintenance regulatory requirements that would apply if the operator/program manager were fully certificated or already held OpSpecs/MSpecs and held the necessary authorizations. Only the following types of flights can be credited toward proving tests:
- (1) Representative en route flights conducted under the provisions of part 91, 121 or 135, and other applicable rules with FAA inspectors on board; and

76-4 Vol. 2

- (2) Training flights observed by an FAA Operations ASI, if the aircraft is maintained according to the proposed maintenance/inspection programs.
- B. Time Requirements for Part 121. The minimum time requirements for proving tests under part 121 are as follows:
- (1) Newly-Manufactured Aircraft. Section 121.163(a) requires a minimum 100 hours of proving tests to include 10 hours of night flight, in addition to the aircraft certification tests. This applies to new aircraft manufactured in the United States or any foreign-manufactured aircraft not previously operated by a U.S.-certificated operator.
- (2) Proving Tests for Kinds of Operations. Section 121.163(b) requires at least 50 hours of proving tests by a certificate holder for each kind of operation it intends to conduct.
- (3) Proving Tests for Materially-Altered Aircraft. Section 121.163 (c) requires a certificate holder to conduct at least 50 hours of proving tests for each kind of operation it intends to conduct in a materially-altered airplane. Examples of materially altering an aircraft design include the following:
  - Installation of engines that differ in type from those originally installed on the aircraft for type certification
  - Any design alterations that significantly affect flight characteristics, e.g., wing or fuselage extensions
- C. Time Requirements for Part 91, Subpart K and Part 135. Proving tests under part 91, subpart K and part 135 are required only when those operations are conducted with aircraft requiring two pilots by type certificate for operations under VFR, or when those operations are conducted with a turbojet-powered airplane if it has not previously proved the same or another turbojet-powered airplane.
- (1) At least 25 hours of proving tests must be flown when an operator/program manager has not previously operated an aircraft for which two pilots are required by type certificate for VFR operations, or when those operations are conducted with a turbojet-powered airplane if it has not previously proved the same or another turbojet-powered airplane.

(2) At least 25 hours of proving tests must be flown when an aircraft used by the operator/program manager has been significantly altered in design. Significant alterations in the design of an aircraft include the following:

- Installation of engines that differ in type from those originally installed on the aircraft for type certification
- Any design alteration that significantly affects flight characteristics, e.g., short takeoff and landing modifications
- D. Airport Operations. An operator/program manager must conduct a representative number of proving tests into airports that the operator/program manager plans to serve in approved OpSpecs scheduled/unscheduled or approved **MSpecs** operations. If an operator/program manager plans to provide service to airports in more than one area (domestic and overseas), the operator/program manager must conduct proving tests into representative number of those areas. Administrator will determine what constitutes a representative airport or area of en route operation.
- E. Carriage of Passengers/Cargo. The carriage of revenue passengers on a proving test is strictly prohibited. The carriage of mail, express, or other revenue cargo is permitted when the operator/applicant has the appropriate Department of Transportation (DOT) economic authority.
- *F. Deviations*. The only deviations authorized by regulations are to the required number of proving test flight hours.

#### G. Predemonstration Meetings.

- (1) The proving team shall conduct predemonstration test meetings to accomplish the following:
- (a) Provide members with assignments, schedules for flight times and locations, and inspection and reporting requirements.
- (b) Determine the means of testing the operator/program manager/applicant's ability to deal with simulated and/or actual operational contingencies within the limits of the proposed program. Scenarios must be clearly understood by and coordinated with each member of the team in terms of individual roles

Vol. 2 76-5

and responsibilities. The proving test team leader must ensure:

- That the operator/program manager is not encumbered with so many simulated situations that a realistic evaluation of the proposed operation is hindered
- That emergency or other simulated situations, when appropriate, are well-coordinated with other agencies such as Air Traffic Control or airport authorities, as required

#### NOTE: All simulated scenarios must be terminated immediately if an actual emergency occurs.

- (2) The following are examples of typical scenarios that may be used in evaluating the operator/program manager's capabilities:
  - (a) Diversion to alternative airports for reasons such as weather or maintenance. This would test the company's communications, maintenance, and other operational capabilities.
  - (b) Minimum Equipment List (MEL) or Configuration Deviation List (CDL) situations that test the operator/program manager/applicant's operations and maintenance procedures, e.g., a simulated inoperative generator.
  - (c) Problems that will demonstrate the operator/program manager/applicant's competency and knowledge of areas such as aircraft performance, airport analysis programs, and alternative company procedures, e.g., simulating an inoperative anti-skid or thrust reverser while operating on runways contaminated with ice, slush, or snow.
  - (d) Maintenance problems that will demonstrate:
    - The availability of spare parts, special tools and equipment, and sufficient competent, trained personnel, if applicable
    - The effectiveness of maintenance procedures

- The availability of contracted support agencies, if required, e.g., fueling, deicing, and non-routine maintenance
- (e) Problems that will cause the operator/program manager/applicant to use alternative weight and balance procedures, if the normal system is a computer-based system.
- (f) Problems that will demonstrate the operator/program manager/applicant's ability to function according to established company procedures and FAA regulations for security and hazardous cargo situations.
- (g) Operational situations that exercise dispatch, flight following, or flight locating centers to test communications, weather information dissemination, and other flight information distribution abilities.
- (h) Simulated aircraft emergencies, such as engine failure or landing gear retraction/extension problems.

#### NOTE: Under no circumstances shall an inspector require an actual engine shutdown.

- (i) Specific simulated emergencies, if applicable:
  - Incapacitated passengers in need of immediate medical assistance
  - Lavatory or cargo fires
  - Loss of pressurization
  - Unruly passenger who interferes with a crewmember

#### 8. VALIDATION TEST REQUIREMENTS.

- A. Validation tests shall be conducted for the following reasons:
  - When directed by the director of the Flight Standards Division, AFS-1, or the PI
  - When § 91.1041 or part 121 (subparts E and F) and § 135.145 require an operator/program manager to demonstrate that it can

76-6 Vol. 2

- satisfactorily conduct the operations for which it is seeking FAA authorization
- B. After the operator/program manager has successfully demonstrated the ability to meet all requirements, the FAA approves the specific authorizations. Parts 121 and 135 require these specific authorizations to be included in the OpSpecs. Part 91, subpart K requires these specific authorizations to be included in the MSpecs.
- (1) The requirements for validation tests are derived from different regulations than the requirements for proving tests. However, validation tests are often conducted in conjunction with proving tests.
- (2) The validation tests must be specifically designed and tailored to the individual situation(s) of the operator/program manager.
- C. Validation tests may consist of a single flight operation or a series of flight operations. As regulations do not specify a required number of hours or flights, this is determined by the Administrator. Depending on the type of validation test, it may be necessary for an inspector to observe each flight or require the operator/program manager to keep records of a series of flight operations for FAA evaluation.
- D. In certain situations, the FAA may grant an interim authorization, such as an authorization to conduct Category II operations with higher minimums. This interim authorization allows:
  - FAA observation and evaluation of the proposed line operation
  - Data collection by the operator for FAA evaluation
- *E.* Successful completion of all validation tests is required before a final authorization is granted.
- F. Operational situations that require a special navigation authorization and normally require validation tests include the following:
- (1) A situation in which an operator/program manager proposes to operate a specific aircraft for the first time into an area requiring the use of special navigation equipment and/or procedures. These situations can include the following:

 Operations in remote and extensive land areas with questionable or degraded surface or space-based navigation facilities

- Operations over extended over-water areas that do not have adequate surface or space-based navigation facilities
- Operations in extensive areas of magnetic unreliability
- **Operations** in North Atlantic Minimum Navigation Performance Specifications (NAT/MNPS) airspace (see the current editions of Advisory Circulars (AC) 91-49, General Aviation Procedures for Flight in North Atlantic Minimum Navigation Performance Specifications Airspace, AC 120-33. Operational and Approval of Airborne Long-Range Navigation Systems for Flight Within North Atlantic Minimum Performance **Navigation** Specifications Airspace, and the Minimum Navigation Performance Specifications Operations manual)
- Operations in North Pacific (NOPAC) airspace (see North Pacific (NOPAC) Operations Manual)
- Operations in Arctic Ocean and Antarctica airspace
- Low-level aircraft off-shore operations that do not have adequate surface or space-based navigation facilities
- (2) An operator/program manager who proposes to use the following special navigation equipment in a specific aircraft when that operator has not previously used the equipment in that aircraft:
  - Area navigation systems certified according to the current edition of AC 90-45, Approval of Area Navigation Systems for Use in the U.S. National Airspace System
  - Loran-C navigation systems (see the current edition of AC 20-121,

Vol. 2 76-7

Airworthiness Approval of Loran-C Navigation Systems for Use in the U.S. National Airspace System (NAS) and Alaska)

- OMEGA/VLF navigation systems (see the current edition of AC 20-101, Airworthiness Approval of Omega/VLF Navigation Systems for Use in the U.S. National Airspace System (NAS) and Alaska)
- Inertial navigation systems (see the current edition of AC 25-4, Inertial Navigation Systems (INS), and AC 121-13, Self-Contained Navigation Systems (Long Range))
- Doppler navigation systems
- Global positioning satellite navigational systems
- Any combination of the preceding systems
- G. The following situations require validation tests, and many require additional maintenance tasks, procedures and limitations (MEL and maintenance) for each type of aircraft to be used by an operator/program manager:
  - Extended-range operations with a twoengine airplane under part 121 over routes containing a point further than 1-hour flying time from an adequate airport (see the current editions of AC 120-42, Extended Range Operation with Two-Engine Airplanes (ETOPS), and Order 8300.10, Volume 2, Chapter 82,

Evaluate/Inspect Part 121 Extended-Range Operations with Two-Engine Aircraft)

- Unimproved runway operations
- H. The following situations require special equipment and special operational authorization and may require additional maintenance tasks or inspections:
  - Category II and III instrument approach and landing systems (see the current editions of AC 120-29, Criteria for Approval of Category I and Category II Weather Minima for Approach, and AC 120-28, Criteria for Approval of Category III Weather Minima for Takeoff, Landing, and Rollout)
  - Use of automatic landing systems for landing operations (see the current edition of AC 20-57, Automatic Landing Systems (ALS))
  - Use of manually flown flight control guidance systems approved for landing operations (heads-up or heads-down flight control systems)
  - Use of airborne radar approach systems (ARA) (see the current edition of AC 90-80, Approval of Offshore Standard Approach Procedures, Airborne Radar Approaches, and Helicopter En Route Descent Areas)
  - Use of area navigation systems for approach and landing operations (see AC 90-45)

76-8 Vol. 2

#### **SECTION 2. PROCEDURES**

### 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of part 91, 121, or 135, as applicable
- Successful completion of the Airworthiness Inspector Indoctrination course(s) or equivalent, and the Inspector Cockpit En Route Inspection course
- Have experience with parts 91, 121, and/or 135 operations
- Be familiar with the operator/program manager/applicant's maintenance program
- Have experience or training on the type of equipment being used
- *B. Coordination.* This task requires close coordination among Avionics, Maintenance, and Operations ASIs and with the regional office.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - 14 CFR parts 43, 91, 121, and 135
  - Order 8130.2, Airworthiness Certification of Aircraft and Related Products
  - Order 8300.10, Vol 2, Ch 82
  - Order 8300.10, Volume 2, Chapter 84, Part 121/125/135 Operations
  - 8300.10, Vol. 2, Ch. 86, Part 91 Subpart K, Management Specifications
  - 8300.10, Vol. 2, Ch. 227, Evaluate Applicant's Refueling Procedures and Facilities
  - 8300.19, Vol. 3, Ch. 2, Conduct Spot Inspection of Operator's/Fractional Ownership Program Manager's Aircraft

- AC 20-57
- AC 20-101
- AC 20-121
- AC 25-4
- AC 90-45
- AC 90-79, Recommended Practices and Procedures for the Use of Electronic Long-Range Navigation Equipment
- AC 90-80
- AC 91-16, Category II Operations— General Aviation Airplanes
- AC 91-49
- AC 120-28
- AC 120-29
- AC 120-31, Operational and Airworthiness Approval of Airborne Omega Radio Navigation Systems as a Means of Updating Self-Contained Navigation Systems
- AC 120-33
- AC 120-37, Operational and Airworthiness Approval of Airborne Omega Radio Navigation Systems as a Sole Means of Overwater Long Range Navigation
- AC 120-42
- AC 121-13
- North Atlantic Minimum Navigation Performance Specifications Airspace Operations Manual
- North Pacific (NOPAC) Operations Manual
- Operator's maintenance program
- Operator's submitted test plan

Vol. 2

- B. Forms. None.
- C. Job Aids:
  - Figure 76-1, Proving/Validation Test Job Aid
  - JTA: 3.3.14

#### 3. PROVING TEST PROCEDURES.

- A. Review the Operator/Program Manager/Applicant's Submitted Test Plan.
- (1) The plan must contain at least the following information:
  - The operator/program manager/applicant's point of contact
  - A detailed Schedule of Events including the dates, times, and airports to be used
  - The names and positions of all the operator/program manager/applicant's participants for the proposed test schedule
  - The names and affiliations of personnel, other than the operator/program manager/applicant's employees, whom the operator/program manager/applicant wants to participate in the test
  - Other information that the Administrator may require
- (2) After a complete review by all team members, the team leader will notify the operator/program manager/applicant of acceptance or required revisions.
- B. Conduct FAA Team Meetings. The team leader will provide all participants with the following:
  - Individual assignments and responsibilities
  - A detailed Schedule of Events
- (1) As a team, formulate and schedule a plan that will test the operator/program manager/applicant's capabilities and reactions.

(2) Ensure that the plan includes an inspection of the following:

- The operator/program manager/ applicant's aircraft (see vol. 3, ch. 2)
- Servicing facilities—fueling and deicing (see vol. 2, ch. 227)
- (3) Ensure that the plan includes surveillance of the operator/program manager/applicant's routine and non-routine maintenance procedures/performances, to confirm the following:
  - The availability of parts, special tools, and adequately trained personnel
  - The availability and effective utilization of company manuals (operations, maintenance, MEL/CDL)
  - The effectiveness of maintenance procedures
- (4) Ensure that the plan includes the use of simulated problems, such as:
  - Weather diversions
  - Equipment failures/malfunctions
  - In-flight/ground emergencies
- C. Conduct Meeting with Operator/Program Manager/Applicant. Introduce team members and discuss the procedures to be followed during the test.
- D. Conduct Proving Test. Accomplish the proving test flight per the formulated plan (see Figure 76-1). Advise the operator/program manager/applicant of any discrepancies on the day that they occur. When a serious deficiency occurs that may be cause for rescheduling or terminating the proposed flights, advise the operator/program manager/applicant immediately.

#### NOTE: All simulated scenarios must be terminated immediately if an actual emergency occurs.

E. Analyze Findings. As a team, compare and evaluate individual and group findings to determine if discrepancies and/or deficiencies exist.

76-10 Vol. 2

F. Conduct Debriefing. Conduct a meeting with the operator/program manager/applicant to discuss findings and necessary corrective actions. Notify the operator/program manager/applicant by letter of all deficiencies discussed.

#### 4. TASK OUTCOMES FOR PROVING TESTS.

- A. Complete PTRS.
- B. Approve OpSpecs Amendment. When all deficiencies are resolved, approve/amend the operator's OpSpec. (See vol. 2, ch. 84.)
- *C. Approve MSpecs Amendment.* When all deficiencies are resolved, approve/amend the program manager's MSpecs. (See vol. 2, ch. 86.)
  - D. Complete the Report.
- (1) The inspection team must complete a report that explains how the operator/program manager/applicant demonstrated compliance with the applicable subparts of the regulations. The report must include:
  - Records of all discussions and agreements made with the operator/program manager/applicant concerning actions taken to correct deficiencies
  - The basis for FAA determinations of satisfactory corrective action
- (2) The CHDO will forward one copy of the report within 30 days (through channels according to regional instruction) to the appropriate division.

### 5. FUTURE ACTIVITIES FOR PROVING TESTS. None.

#### 6. VALIDATION TEST PROCEDURES.

- A. Review the Operator/Program Manager's Submitted Test Plan.
- (1) The plan must contain at least the following information:
  - The operator's point of contact
  - A general Schedule of Events that may include flights, airports to be used, and dates

• Other information the Administrator may require

- (2) After a complete review, the operator/program manager will be notified of acceptance or required revisions.
- B. Conduct FAA Team Meetings (as required). The team leader will provide all participants with the following:
  - Individual assignments and responsibilities
  - A detailed Schedule of Events
- (1) Formulate and schedule a plan that will test the operator's capabilities and reactions.
- (2) Ensure that the plan includes an inspection of the following:
  - The operator/program manager's aircraft (see vol. 3, ch. 2)
  - Servicing facilities—fueling and deicing, if applicable (see vol. 2, ch. 227)
- (3) Ensure that the plan includes surveillance of the operator/program manager's routine and nonroutine maintenance procedures and performances, to ensure:
  - Availability of parts, special tools, and adequately trained personnel
  - Availability and effective utilization of company manuals (operations, maintenance, MEL/CDL)
  - Effectiveness of maintenance procedures
- (4) Ensure that the plan includes the use of simulated problems, if applicable, such as:
  - Weather diversions
  - Equipment failures/malfunctions
  - In-flight/ground emergencies

NOTE: All simulated scenarios must be immediately terminated if an actual emergency occurs.

Vol. 2 76-11

- C. Conduct Meeting with Operator/Program Manager. Introduce team member(s) and discuss the procedures to be followed during the test.
- D. Conduct Validation Flight(s). Accomplish validation test flight(s) per the formulated plan. Advise the operator as soon as possible of serious deficiencies that may be cause for rescheduling or terminating the proposed flights. FAA participation during these flights may not be required.
- E. Analyze Findings. Evaluate the findings to determine if discrepancies or deficiencies exist.
- F. Conduct Debriefing. Conduct a meeting with the operator/program manager to discuss findings and necessary corrective actions. The operator/program manager will be notified by letter of all deficiencies discussed.

### 7. TASK OUTCOMES FOR VALIDATION TESTS.

#### A. Complete PTRS.

*B.* Approve OpSpecs. When all deficiencies are resolved, approve/amend the operator's OpSpecs. (See vol. 2, ch. 84.)

*C.* Approve MSpecs. When all deficiencies are resolved, approve/amend the operator's MSpecs. (See vol. 2, ch. 86.)

#### D. Complete the Report.

- (1) The inspector must complete a report that includes:
  - An explanation of how the operator/ program manager demonstrated compliance with the corresponding subparts of the regulations
  - Records of all discussions and agreements with the operator/program manager concerning actions taken to correct deficiencies
  - The basis for FAA determinations of satisfactory corrective action
- (2) The CHDO will forward one copy of the report within 30 days (through channels according to regional instructions) to the appropriate division.

### 8. FUTURE ACTIVITIES FOR VALIDATION TESTS. None.

76-12 Vol. 2

#### FIGURE 76-1. PROVING/VALIDATION TEST JOB AID

NOTE: Figure 76-1 should be used as an aid in gathering information prior to the test flight. Check the applicable spaces and fill in any required information.

I.	OPERATOR/PROGRAM MANAGER/APPLICANT INFORMATION.			
	<i>A</i> .	14 CFR Part 121 Operator.		
		1. New applicant.		
		2. Existing operator.		
	В.	14 CFR Part 135 Operator.		
		1. New applicant.		
		2. Existing operator.		
	<i>C</i> .	14 CFR Part 91, Subpart K, Fractional Program Manager.		
		1. New applicant.		
		2. Existing manager.		
	D.	Type of Airworthiness Certificate.		
		1. Standard.		
		2. Provisional.		
II.	OPERATOR/PROGRAM MANAGER/APPLICANT'S FLIGHT PLAN INFORMATION			
	<i>A</i> .	Company Coordinator (name).		
	В.	Proving Test Schedule (attach itinerary).		
		1. Validation test included.		
		2. Non-en route segment (50 percent maxin	num).	
		• Ferry flight hours to be credited		
		• Training flight hours to be credited		
		3. En route segment (as least 50 percent of	total hours).	
		• Flight hours to be credited		
		• Representative airports (attach list)		
		Representative areas of operation (at	tach list)	

Vol. 2 76-13

#### FIGURE 76-1. (Continued)

<i>C</i> .	Regulatory Hours Required (check one of the four).			
	1.	Part 121 aircraft not previously proved.		
	2.	Part 121 aircraft previously proved.		
	3.	Part 135/91K aircraft.		
	4.	10 hours of night flight.		
D.	D. Requested Deviations.			
	1.	Total proposed reduced hours.		
	2.	Total approved reduced hours.		
	3.	Total non-en route hours.		
	4.	Total en route hours.		
	5.	Total night hours.		
E.	Involved Personnel.			
	1. Names and positions of flight crewmembers (attach list).			
	2.	. Names and titles of company nonflight crewmembers (attach list).		

3. Names and positions of other operator/applicant and participants (attach list).

4. Names, titles, and affiliation of noncompany participants, such as engine and aircraft representatives (attach list).

76-14 Vol. 2

#### CHAPTER 86. PART 91 SUBPART K, MANAGEMENT SPECIFICATIONS

#### SECTION 1. BACKGROUND

### 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3314, 3317

B. Avionics: 5314, 5317

- 2. OBJECTIVE. This chapter provides guidance for the issuance of automated management specifications (MSpecs) to fractional program managers (hereafter referred to as program managers) operating under Title 14 of the Code of Federal Regulations (14 CFR) part 91, subpart K. Unlike air carriers, program managers are not certificated and do not receive operations specifications (OpSpecs). Program managers are issued MSpecs, which perform the same function as air carrier OpSpecs. Specific paragraph guidance is also available in the Automated Operations Safety System (OPSS) guidance subsystem.
- **3. GENERAL.** MSpecs transform the general terms of applicable regulations into an understandable document tailored to the specific needs of an individual program manager. When approved, the provisions of MSpecs are as legally binding as the regulations themselves.

### 4. AVIATION SAFETY INSPECTOR (ASI) RESPONSIBILITIES.

- A. When working with a program manager/applicant in developing MSpecs, coordination among all of the involved ASIs is crucial. Coordination ensures the following:
- (1) That all ASIs are aware of pending changes to an existing program manager's operation.
- (2) That the program manager/applicant is not needlessly bothered by repetitious questions.
- (3) Reinforces the FAA's commitment to standardization for customer service.

- *B.* MSpecs are divided into six parts, each of which has an assigned letter designator and contains consecutively numbered standard paragraphs.
- (1) Part MA—General. Part MA paragraphs are the responsibility of both Airworthiness and Operations ASIs. Contents of these paragraphs must be carefully coordinated between Operations, Avionics, and Maintenance ASIs before approval. Only the assigned principal inspectors (PI) or assigned ASIs authorized by the unit supervisor to sign for them in their absence may approve MSpecs.
- (2) Part MB—En Route Authorizations, Limitations, and Procedures. Operations ASIs are primarily responsible for preparing and approving authorizations in Part MB. Coordination between Operations, Maintenance, and Avionics ASIs is essential to ensure that the aircraft equipment is properly installed and certified to perform the approved operations.
- (3) Part MC—Airplane Terminal Instrument Procedures and Airport Authorizations and Limitations. Part MC pertains to fixed-wing airplanes only. Operations ASIs are primarily responsible for preparing and approving the authorizations in Part MC. Coordination between Operations, Maintenance, and Avionics ASIs is essential.

NOTE: With Part MB and Part MC, ASIs should also ensure that the program manager has incorporated any needed maintenance requirements into the inspection or maintenance program(s) prior to certain authorizations.

- (4) Part MD—Aircraft Maintenance. Airworthiness ASIs are primarily responsible for preparing and approving the MSpecs in Part MD.
- (5) Part ME—Weight and Balance. Maintenance ASIs are primarily responsible for preparing and approving Part ME. The Maintenance ASIs must carefully coordinate the Part ME MSpecs authorization with Operations ASIs.

Vol. 2 86-1

(6) Part MH—Helicopter Terminal Instrument Procedures and Airport Authorizations and Limitations. Part MH MSpecs are the rotorcraft equivalent to the Part MC MSpecs for fixed-wing operations. Operations inspectors are primarily responsible for preparing and approving the MSpecs in Part MH.

#### 5. USING AUTOMATED MSPECS.

- A. MSpecs Generation. The system for generating automated MSpecs is designed to allow ASIs to collect and record the required information. MSpecs are generated using the same system that is used for creating OpSpecs for air carriers. Program managers are required to use the OPSS software for MSpecs. The current OPSS user's manual can be found online at http://www.opspecs.com.
- B. Additional MSpecs Information. See FAA Order 8400.10, Air Transportation Operations Inspector's Handbook, for the following information:
  - Manager-requested or FAA-initiated MSpecs changes
  - Draft MSpecs
  - Mandatory and nonmandatory MSpec changes
  - Printing automated MSpecs
  - Review, approval, and distribution of MSpecs
  - Manager's receipt of approved MSpecs
  - Amendment or cancellation of MSpecs
  - Automated features and symbology of automated MSpecs paragraphs

#### 6. NONSTANDARD PARAGRAPHS.

- A. Generating Nonstandard Paragraphs. There are two methods of generating nonstandard paragraphs: the addition of subparagraph text to a standard paragraph, and the issuance of an individually-developed nonstandard paragraph.
- (1) The ASI may need to add subparagraph text to a standard paragraph to address program manager/applicant situations that are unique or to satisfy a program manager/applicant's request.

(a) The provisions within the additional text must not be less restrictive than or contrary to the provisions in standard paragraphs developed by Washington headquarters.

- (b) If an added subparagraph is more restrictive than the standard, the ASI must have a justifiable reason since a more restrictive provision results in unique treatment and could adversely affect a certificate holder's competitive position.
- (c) Examples of situations that may justify adding additional text to a standard paragraph include the following:
  - A series of accident, incident, or enforcement actions
  - Manager-initiated inspection time interval increases without justification
  - Restrictions or procedures requested by the manager/applicant, to be specified in MSpecs
- (2) The ASI may request a nonstandard paragraph to be used in situations unique to a specific program manager. Nonstandard paragraphs are individually developed by Washington headquarters in the automated MSpecs program.
  - NOTE: A nonstandard paragraph should be considered for use only when the subject matter does not relate to any standard paragraph and it would be inappropriate to add the information as an extra subparagraph.
  - NOTE: Do not change or add anything to the language, format, or numbering of the standard MSpecs as issued by Headquarters. If the standard MSpec is changed in any way, this may invalidate Headquarters policy.
- B. Approval of Nonstandard Paragraphs: Program Manager-Requested MSpecs. Any nonstandard MSpec request must be submitted from the program manager to the principal maintenance inspector (PMI).
- (1) The PMI must evaluate and substantiate the information. If the PMI does not concur with the

86-2 Vol. 2

proposal, a letter denying the application for the nonstandard paragraph along with an explanation of the reasons for denial must be forwarded to the program manager.

- (2) If the PMI concurs, then prior to approval an evaluation must be made by the Aircraft Maintenance Division, AFS-300. A copy of each proposed nonstandard paragraph must be forwarded to AFS-300 under a letter of transmittal from the PMI through the appropriate regional airworthiness branch. The letter from the PMI must describe the circumstances and justification for issuance of the nonstandard paragraph. Reserved paragraph numbers are no longer applicable; therefore, do not attach a number to the MSpec paragraph proposal.
  - NOTE: To expedite the process, Headquarters' divisions may accept the completed package as attachments through e-mail as long as the hardcopy package is subsequently forwarded to the appropriate division. Prior to sending it electronically, contact the respective division to ensure that electronic processing is acceptable and to ensure proper coordination.
- (3) Headquarters approval is required for proposed nonstandard subparagraph text or nonstandard paragraphs. AFS-300 will evaluate each proposed nonstandard paragraph to determine the following:
  - Alignment with current national policy
  - Necessity of the proposed paragraph
  - Whether other program managers may be similarly affected, necessitating incorporation of the nonstandard paragraph into the automated program
- (4) AFS-300 will review the application, the MSpec, the proposed nonstandard supporting recommendations. information, and the Headquarters agrees with the recommendation, the PMI will be advised by a memorandum with a copy to the region. If the Headquarters division does not with the PMI recommendation, memorandum indicating nonconcurrence will include an explanation of the reasons. After the nonstandard

paragraph is authorized, Headquarters will assign an appropriate number and the PMI may issue the nonstandard MSpec.

**7. GENERAL MSPECS—PARTS MA, MB, MC, AND MH.** Parts MA, MB, MC, and MH of the MSpecs are discussed in Order 8400.10.

#### 8. MAINTENANCE MSPECS—PART MD.

- A. Required MSpecs/Information. Part 91 § 91.1015 requires that certain information be contained in the MSpecs.
- (1) Section 91.1015(a) requires a listing of the current fractional owners and types of aircraft, and registration markings and serial numbers. MSpec MD085 is intended to meet this requirement.
- (2) Section 91.1015(a)(4) requires that MSpecs include the authorization for an inspection program, including the aircraft types, registration markings, and serial numbers of aircraft that are operated under the program. MSpec MD073 is intended to fulfill this requirement.
- (3) Section 91.1015(a)(5) requires the inclusion of time limitations (or standards for determining time limitations) for overhauls, inspections, etc. MSpec MD089 and/or MSpecs MD101 through MD104 are intended to meet this requirement. At a minimum, MSpecs MD073 and MD085 must be issued. Also, MSpec MD089 and/or MSpecs MD101 through MD104 (as appropriate) must be listed.
- (4) All other available MSpecs are optional and are issued for managers as needed.
- B. MSpec MD072—Aircraft Maintenance—Continuous Airworthiness Maintenance Program (CAMP) Authorization. MSpec MD072 is issued to all managers who elect to use a CAMP. Table 1 will reference the aircraft by make, model, series, and the manual(s) or document(s) that encompass the basic required elements of a CAMP.
- C. MSpec MD073—Aircraft Inspection Program (AIP). MSpec MD073 identifies aircraft subject to an AIP under part 91, § 91.1109. Information must include type of aircraft, registration markings and serial numbers of each aircraft. No person may conduct any program flight using and aircraft not listed.

Vol. 2 86-3

- D. MSpec MD076—Short-Term Escalation Authorization. MSpec MD076 authorizes a program manager to use short-term escalation procedures with aircraft, powerplant, systems, or selected items. Inspectors will enter the appropriate data into the table using the select data function of the OPSS.
- E. MSpec MD084—Special Flight Permit with Continuous Authorization to Conduct Ferry Flights. MSpec MD084 authorizes a program manager whose aircraft are maintained under a CAMP to issue a special flight permit with continuing authorization to conduct ferry flights. This permit can only be issued under the guidelines set forth in part 21, § 21.197(c). Order 8300.10, Volume 2, Chapter 89, Special Flight Permit with Continuing Authorization to Conduct Ferry Flights, provides further guidance and information.
- F. MSpec MD085—Aircraft Listing. Program managers are required to list all aircraft. The aircraft must be listed in MSpec MD085.
- G. MSpec MD089—Maintenance Time Limitations Section. MSpec MD089 authorizes a program manager requiring a maintenance time limitations section to use a separate approved document(s) attached to MSpec MD089.
- (1) The referenced document(s) must be approved by the Administrator and must have procedures for affecting revisions and revision control that the principal airworthiness inspectors find acceptable.
- (2) For a change to the time limitations, the program manager must provide the actual data change to be included in either the MSpecs or on a referenced list.
- (3) The program manager can justify the change to the time limitations in a limited section. This supporting information reference must tie in all of the data supporting the change to the MSpecs by referencing the Federal Aviation Administration (FAA)-approved document. The supporting information reference allows up to 225 characters to be used in making this reference.
- H. MSpec MD092—Maintenance Program for Minimum (RVSM) Airspace. MSpec MD092 authorizes the program manager to use the airplanes that they list in this MSpec for operations in

designated Reduced Vertical Separation Minimum (RVSM) airspace.

- I. MSpec MD095—Minimum Equipment List (MEL) Authorization. MSpec MD095 authorizes a program manager conducting operations under part 91, subpart K to use an approved Minimum Equipment List (MEL). MSpec MD095 sets forth the conditions and limitations that the program manager must meet to be able to operate its aircraft under the terms of the MEL.
- J. MSpec MD101—Additional Maintenance Requirements—Aircraft Engine, Propeller, and Propeller Control (Governor). MSpec MD101 identifies the aircraft that are authorized to use the program manager's AIP and the additional maintenance requirements listed in the MSpec.
- K. MSpec MD102—Additional Maintenance Requirements—Rotorcraft. MSpec MD102 identifies rotorcraft that are authorized to use the program manager's approved maintenance program and the additional maintenance requirements listed in the MSpec.
- L. MSpec MD104—Additional Maintenance Requirements—Emergency Equipment. MSpec MD104 identifies each item of installed emergency equipment and its maintenance documents.

## 9. AMENDMENT OR CANCELLATION OF MSPECS.

- A. Effective Date. Except for emergency amendments, amendments to MSpecs become effective on the date the amendment is approved by the authorized ASI. At this time the ASI must date and stamp "superseded" on all versions of the old MSpecs.
- B. Amendments Not Acceptable to the Program Manager. When an amendment is necessary in the interest of safety and the program manager will not consent to the amendment, the ASI should work with the regional office to prepare a letter to the program manager regarding the appropriate action.
- C. Emergency Amendments. By the authority in part 91, § 91.1017, the Administrator may require immediate amendment to a program manager's MSpecs when such action is required to ensure safety. ASIs should exercise extreme caution when employing emergency amendment procedures.

86-4 Vol. 2

- D. Cancellation of MSpecs.
- (1) Program Manager-Initiated Cancellation of MSpecs. The program manager should advise the PI, in writing, of the particular MSpec for which cancellation is desired and the effective date of the cancellation.

(2) FAA-Initiated Cancellation of MSpecs. If an MSpec is no longer required, the PI must notify the program manager, in writing, to cancel the MSpec. The letter must clearly state that the MSpec is being canceled, the effective date of cancellation, and the reason for cancellation. Copies of the letter then should be forwarded to each FAA office holding copies of the program manager's MSpecs.

Vol. 2 86-5

[THIS PAGE INTENTIONALLY LEFT BLANK]

86-6 Vol. 2

#### **SECTION 2. PROCEDURES**

## 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of part 91, as applicable
- Experience with part 91, subpart K projects and management
- Completion of the Airworthiness Inspector Indoctrination course(s), or equivalent
- B. Coordination. This task requires close coordination between the principal operations inspectors (POI), principal avionics inspectors (PAI), and PMIs. Each specialty should be involved in the review process to ensure that all relevant issues are addressed.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - FAA Order 8000.49, Flight Standards Geographic Program
  - Order 8300.10, Volume 2, Chapter 89, Special Flight Permit with Continuing Authorization to Conduct Ferry Flights
  - Order 8400.10, Air Transportation Operations Inspector's Handbook

#### B. Forms:

- FAA Form 8400-8, Operations Specifications
- Vital Information Subsystem (VIS) worksheets
- C. Job Aids. None.

#### 3. PROCEDURES.

- A. Conduct Meeting with Program Manager/Applicant.
- (1) New Applicant. When an applicant applies for new MSpecs, the assigned team manager

should conduct a meeting with the applicant and all involved ASIs to acquire initial information for VIS. This meeting should be scheduled at the team manager's discretion and not necessarily as part of the initial meeting.

- (2) Program Manager Requiring an MSpecs Amendment. For an established program manager needing an amendment to MSpecs, review and update the MSpecs. Review the draft copy of the MSpecs.
- B. Review General MSpecs—Part MA. This review should be accomplished in coordination with the Operations ASI per the guidance in Order 8400.10.

#### C. Review Maintenance MSpecs—Part MD.

- (1) MSpec MD072—Aircraft Maintenance—Continuous Airworthiness Maintenance Program (CAMP) Authorization. Print MSpec MD072 for all program managers operating aircraft subject to a CAMP. The MSpec must contain the following:
- (a) Each of the aircraft authorized to be maintained in accordance with the CAMP by make, model, and series.
- (b) The documents that encompass the basic required elements of a CAMP. The program manager may have multiple manuals that encompass the CAMP. The program manager may elect to list all the manuals encompassing the CAMP or, if one manual references all the other manuals, then preferably only that particular manual will be listed.
- (c) The program manager's assigned number(s) of the CAMP document(s).
- (d) The CAMP document revision number.
  - (e) The CAMP document revision date.

## NOTE: Revisions to the CAMP do not require reissuance of this paragraph.

(2) MSpec MD073—Aircraft Inspection Program (AIP). Ensure that MSpec MD073 includes all aircraft maintained in accordance with the program manager's approved AIP that are not covered by a CAMP.

Vol. 2 86-7

- (3) MSpec MD076—Short-Term Escalation Authorization. Print MSpec MD076 for program managers authorized to use short-term escalation procedures. Table 1 must reference the aircraft by make, model, and series and the limitations (if applicable) placed on that particular make, model, and series. The limitations in Table 1 are primarily for airframe check and inspection intervals. Engines and their components as well as airframe components and appliances are generally not limited, except for the 10 percent not to exceed 500 hours time-in-service.
- (a) The limitation section of this table is used to restrict a particular make, model, and series task below the maximum allowable 10 percent (not to exceed 500 hours). An example would be if an aircraft A check has an interval of 200 hours  $(200 \times 10\% = 20 \text{ hours})$  but the program manager limited the A check short-term escalation to not exceed 10 hours.
- (b) The limitation section of this table can also be used to eliminate certain tasks from being eligible for short-term escalation. An example would be if the program manager was not permitted short-term escalations on a particular make, model, and series aircraft B check.
- (c) If the limitations section of this table is left blank, then the program manager is authorized to short-term escalate all items to the maximum interval described in their manual.
  - NOTE: If restrictions and eliminations are requested for engine, engine components, airframe components, and appliances, then they may also be listed in the limitations for that particular make, model, and series.
- (4) MSpec MD084—Special Flight Permit with Continuous Authorization to Conduct Ferry Flights. Ensure that MSpec MD084 appears if a program manager whose aircraft are maintained under a CAMP has been authorized to issue a special flight permit with continuing authorization to conduct ferry flights. This paragraph should not automatically be issued to a program manager based on the use of a CAMP.
- (5) MSpec MD085—Aircraft Listing. Ensure that program managers list all aircraft in the MSpecs. The aircraft listing must include at least the following information:

• Registration number

- Certificate number—this column is used if the aircraft is also listed in a certificate holder's OpSpecs (e.g., a program aircraft may also be operated under a part 135 air carrier—if so, then that certificate number is listed in this column)
- CFR—this refers to the regulation of the certificate holder listed in column 2
- Serial number
- Type of aircraft by make, model, and series (e.g., Cessna C-421, Piper PA-31, Boeing 737-700, etc.)
- (6) MSpec MD089—Maintenance Time Limitations Section. Ensure the following:
- (a) The referenced documents are approved by the Administrator.
- (b) Acceptable procedures are included for affecting and controlling revisions.
- (c) Each change to a time limitation includes the actual data change in the MSpecs or a referenced list.
- (d) The supporting information reference correlates all of the supporting data to the MSpecs by referencing the FAA-approved document.
- (7) MSpec MD092—Maintenance Program for Reduced Vertical Separation Minimum (RVSM) Airspace. Ensure the following:
- (a) Verify that the aircraft are in compliance with the appropriate airworthiness documents.
- (b) That approved maintenance programs are found to be satisfactory.
- (c) That a plan to participate in the verification/monitoring program is acceptable.
- (8) MSpec MD095—Minimum Equipment List (MEL) Authorization. Ensure that MSpec MD095

86-8 Vol. 2

sets forth the conditions and limitations that the program manager/applicant must meet.

- (9) MSpec MD101—Additional Maintenance Requirements—Aircraft Engine, Propeller, and Propeller Control (Governor). Ensure that all aircraft (other than rotorcraft) operated by the program manager are listed and the information is complete.
- (10) MSpec MD102—Additional Maintenance Requirements—Rotorcraft. Ensure that all rotorcraft operated by the program manager are listed and the information is complete.
- (11) MSpec MD104—Additional Maintenance Requirements—Emergency Equipment. Ensure that each item of installed emergency equipment is listed and the maintenance documents and limitations or provisions are correct.

#### 4. TASK OUTCOMES.

- A. Complete PTRS.
- *B. Complete the Task.* Completion of this task may result in the following:
- (1) Issuance of MSpecs, by Accomplishing the Following:
- (a) After approving the MSpecs, forward the original and copy of each MSpec paragraph, supplemental paragraph, and maintenance time limitations section to the program manager's representative authorized to receive MSpecs.
- (b) Instruct the program manager to do the following:
  - Retain the original
  - Indicate receipt on the copy
  - Return the copy to the district office
- (c) File all copies of the MSpecs, including the table of contents, with the FSDO.
  - File together those MSpecs that are currently in effect for the program manager
  - Keep superseded MSpecs and tables of contents in a separate file for at least 5 years

NOTE: Program managers will use the IOPSS for their MSpecs. When that system is in use, then paragraphs 4B(1)(a) and (b) above may not be applicable.

- (d) Except for emergency amendments, amendments to MSpecs become effective on the date the amendment is approved by the authorized ASI. At this time the ASI must date and stamp "superseded" on all versions of the old MSpecs.
- (2) Cancellation of MSpecs at the Program Manager's Request.
- (a) The program manager must advise the PI, in writing, of the desire to cancel MSpecs. The letter must state the particular MSpec for which cancellation is requested and the effective date of the cancellation.
- (b) Upon receipt of the cancellation request, stamp or mark "canceled" across the front of the applicable MSpec, and the cancellation date.
- (c) Advise the program manager and each FAA office holding copies of the MSpecs of the cancellation date. Canceled MSpecs must be retained for at least 5 years.
- (3) Cancellation of MSpecs at the FAA's Request. In cases where an MSpec is no longer required, notify the program manager, in writing, to cancel the MSpec. Ensure that the letter clearly specifies:
  - The MSpec being canceled
  - The effective date of cancellation
  - The reason for cancellation
- (4) Preparation of Amendments Not Acceptable to the Program Manager. When a program manager will not consent to an amendment that is necessary in the interest of safety, perform the following:
- (a) Prepare a description of the necessary amendment to the MSpecs and forward it to the responsible regional office.
- (b) The appropriate regional specialist must consult with the regional attorney regarding the

Vol. 2 86-9

action to be taken to require the program manager to amend the MSpecs.

- (c) The regional office must prepare a letter of transmittal, addressed to the program manager's highest authority regarding maintenance matters. The letter will state, "In accordance with the applicable provisions of the regulations (part 91, § 91.1017), the Administrator hereby amends the existing MSpecs in the following manner for the reasons indicated and the amendment will become effective 30 days from receipt."
- (d) The ASI must forward the letter of transmittal and the amended MSpecs to the program manager by certified mail (Return Mail Requested) to establish the date of receipt.
- (5) Emergency Amendments. Section 91.1017(e) authorizes the FSDO to require immediate amendment to a program manager's MSpecs when such action is necessary to ensure safety. When this action becomes necessary, perform the following:

- The ASI recommending such action must inform the PI of all pertinent facts
- The PI will notify appropriate regional office personnel
- When emergency amendment action is imminent, the regional office must telephone the manager of AFS-300 and provide full details
- If an emergency amendment is determined to be the proper course of action, the ASI recommending the action will be so advised and that ASI must notify the program manager in writing
- **5. FUTURE ACTIVITIES.** Conduct additional surveillance for the first 90 days after the approval of new MSpecs to ensure that operating practices are performed at an adequate level of safety.

86-10 Vol. 2

## CHAPTER 89. SPECIAL FLIGHT PERMIT WITH CONTINUING AUTHORIZATION TO CONDUCT FERRY FLIGHTS

#### **SECTION 1. BACKGROUND**

- 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.
  - A. Maintenance: 3404
  - B. Avionics: 5404
- **2. OBJECTIVE.** This chapter provides information and guidance for issuing or amending operations specifications (OpSpecs) or management specifications (MSpecs) for a special flight permit to conduct ferry flights with continuing authorization as provided in Title 14 of the Code of Federal Regulations (14 CFR) part 21, § 21.197(c).

# NOTE: MSpecs apply only to those operations conducted under 14 CFR part 91, subpart K.

- **3. GENERAL.** The purpose of the continuing authorization is to allot certain eligible operators, in accordance with documented procedures, to move, without delay, a damaged airplane, which is capable of safe flights to a base, where repairs can be made. A damaged aircraft is defined as an aircraft that has sustained physical damage, has inoperative/malfunctioning equipment, does not meet applicable airworthiness requirements or, in the case of international operations, does not meet the comprehensive and detailed airworthiness code as provided by Annex 8 to the Convention on International Civil Aviation Organization (ICAO).
- A. Issuance. The authorizing statute, § 21.197(c), does not automatically authorize the issuance of permits to all eligible operators or fractional program managers (hereafter referred to as the program manager). Therefore, an eligible operator's OpSpecs or eligible program manager's MSpecs will be used to authorize the permits and to ensure responsible use of the permit.

#### B. Eligibility.

(1) The special flight permit is issued only to operators/program managers subject to the following:

- Certificate-holders authorized to conduct operations under 14 CFR part 121
- Certificate-holders authorized to conduct operations under 14 CFR part 135 for those aircraft they operate and maintain under a continuous airworthiness maintenance program prescribed by § 135.411(a)(2) or 135.411(b)
- MSpec holder authorized to conduct operations under part 91, subpart K, for those aircraft they operate and maintain under a continuous airworthiness maintenance program prescribed by § 91.1411

## NOTE: Operators subject to part 135 § 135.411(a)(1) are not eligible.

- (2) Aircraft involved in an accident or incident may not be ferried prior to notifying the Federal Aviation Administration (FAA) accident coordinator.
- (3) An Airworthiness Directive (AD) may dictate that safety demands further limitations. The AD may limit ferry flights under § 21.197 to those specifically approved by the FAA. Part 39, § 39.23 states that a special flight permit may be issued to fly an aircraft to a repair facility to do the work required by the AD unless the AD states otherwise.

#### C. Manual Review.

- (1) The operator/program manager may consider certain conditions and limitations necessary to facilitate the inspection and operation of an aircraft. These conditions should be included in the operator/program manager's manual.
- (2) When reviewing manual materials, the following items should be considered:

Vol. 2 89-1

- (a) Technical data.
- (b) Operational equipment necessary for safe operation of the aircraft.
  - (c) Aircraft weight limits.
  - (d) Fuel distribution limits.
  - (e) Center of gravity limits.
  - (f) Aircraft maneuver limitations.
- (g) Flight equipment usage limitations, e.g., autopilot, etc.
  - (h) Airspeed limits.
  - (i) Meteorological limits, including:
    - Conditions to be avoided
    - Required inspections when these conditions are encountered
    - Weather minimums
- C. Authorization for Ferry Flights with One Engine Inoperative. Part 121/125/135.411(a)(2) certificate holders may conduct a ferry flight of a four-engine airplane or a turbine engine-powered airplane equipped with three engines, with one engine inoperative, to a base for the purpose of repairing that engine. It is important to understand that § 91.611 gives the authorization to conduct these types of ferry flights; therefore, these particular flights are not governed by § 21.197 nor is authorization by OpSpec D084 required as long as all applicable requirements of § 91.611 are met. The following restrictions will apply:
- (1) The particular airplane model must have had a test flight conducted with an engine inoperative in accordance with performance data contained in the applicable Aircraft Flight Manual (AFM).
- (2) The approved AFM must contain the performance data, in accordance with § 91.611.
- (3) The certificate holder's manual must contain operating procedures for the safe operation of the airplane, including the specific requirements listed in § 91.611.
- (4) The certificate holder may not depart an airport where the initial climb-out is in thickly-

populated areas or the weather conditions at the takeoff or destination airport are less than those required for visual flight rules (VFR) flight.

- (5) Only required flight crewmembers can be carried aboard during this ferry flight.
- (6) The required flight crewmembers must be thoroughly familiar with the certificate holder's operating procedures and the airplane approved AFM for one-engine inoperative ferry flights.

NOTE: Authorization for ferry fights with on engine inoperative is not given to part 91, subpart K operators.

- 4. APPLICATIONS INVOLVING FOREIGN AIR TRANSPORTATION. ICAO Annex 8, Airworthiness of Aircraft, Section II details the airworthiness requirements for all contracting states. This section basically states that all contracting states operating their aircraft over foreign (other contracting states) territory must be airworthy. Because aircraft operated under the provisions of ICAO must meet this requirement any time an aircraft is to be operated in an unairworthy condition (under the provision of a special flight permit) the certificate holder must have special permission from each foreign country it wishes to fly over. Because of this requirement the special flight permit with continuing authorization alone is not valid outside the United States. It must be accompanied by special permission from each foreign country in order to be valid.
- 5. ISSUANCE OF CONTINUOUS SPECIAL FLIGHT AUTHORIZATION TO CERTAIN CANADIAN AIR CARRIERS. The FAA developed a new policy on this subject to satisfy Transport Canada's request to allow certain Canadian air carriers continuous (blanket) special flight authorization in U.S. airspace. Managers from the Aircraft Certification Service's Production and Airworthiness Certification Division, AIR-200, and Flight Standards Service's Aircraft Maintenance Division, AFS-300, issued a letter to Transport Canada outlining the FAA's policy and procedures for applying for this authorization. The purpose of the FAA's continuous (blanket) special flight authorization is to allow the appropriate FAA official (defined below) to issue the authorization for an operation that will be conducted numerous times during a given period or for a number of aircraft engaged in the same type operation; e.g., ferry flights.

89-2 Vol. 2

- A. Part 91, § 91.715 pertains to foreign-registered aircraft that do not meet applicable airworthiness requirements.
- B. Canadian air carriers with valid, special purpose flight permits issued in accordance with the Canadian airworthiness manual, are the only applicants eligible for FAA continuous (blanket) special flight authorizations. These permits, issued by Transport Canada, allow Canadian air carriers to issue special flight authorizations for aircraft listed in their maintenance control manual that do not meet all airworthiness requirements, but are capable of safe operations.
- C. When a Canadian air carrier applies to the FAA for a continuous (blanket) special flight authorization, the application required by § 91.715 must be submitted, in writing, to the FAA's regional Flight Standards division manager where the Canadian air carrier is based. However, the regional Flight Standards division manager may delegate the authority to issue a continuous (blanket) special flight authorization to the FAA's Flight Standards District Office (FSDO) where the Canadian air carrier's principal maintenance inspector (PMI) is located.
- D. When Canadian air carriers are issued FAA continuous (blanket) special flight authorizations, they will be allowed to issue special flight authorizations in the United States. The following documents must be carried aboard Canadian aircraft when operated with a special flight authorization in the United States.
- (1) A copy of the FAA continuous (blanket) special flight authorization.
- (2) A copy of the Canadian air carrier's special purpose flight permit, issued by Transport Canada, and the appropriate section of its maintenance control manual.
- E. The Canadian air carrier should inform its FAA PMI within 72 hours of operating an aircraft with the FAA continuous (blanket) special flight authorization of the reason (including aircraft

malfunction), date, registration, flight route, and preparatory maintenance actions accomplished.

- **6. DISPLAY OF PERMIT.** The operator/program manager must display in the aircraft the current airworthiness certificate, including a special flight permit or authorization. The operator/program manager must carry the OpSpecs, MSpecs or portions of the certificate-holder's/program manager's manual containing those conditions and limitations imposed by the administrator, unless those conditions and limitations are listed on the Special Flight Permit Form used by the operator/program manager.
- **7. FACSIMILE** (FAX) TRANSMISSION OF SPECIAL FLIGHT PERMITS. At the request of the applicant, a special flight permit may be transmitted via fax equipment using the sample format of the telegraphic special flight permit described in the current edition of FAA Order 8130.2, Airworthiness Certification of Aircraft and Related Products.
- A. The permit must include any additional operating limitations that may be required and must be displayed in the aircraft in accordance with § 91.203 prior to conducting the special flight.
- B. Sometimes the time normally required for postal delivery of FAA Form 8130-7, Special Airworthiness Certificate may be too long. The transmission of a special flight permit via fax allows an aircraft to be moved when the flight cannot be delayed.
- C. Fax-transmitted special flight permits are to be used only for the following purposes:
  - Flying the aircraft to a base where repairs, alteration, or maintenance are to be performed or to a point of storage
  - Evacuating aircraft from areas of impending danger

NOTE: FAA Form 8130-7 must not be transmitted by fax.

Vol. 2 89-3

[THIS PAGE INTENTIONALLY LEFT BLANK]

89-4 Vol. 2

#### **SECTION 2. PROCEDURES**

## 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of 14 CFR parts 21, 39, 91, 121, and 135
- Successful completion of the Airworthiness Safety Inspectors Indoctrination course(s), or equivalent
- *B. Coordination.* This task requires coordination between the assigned principal inspectors.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

#### A. References:

- Part 21, §§ 21.197 and 21.199; part 39, § 39.3; part 91, §§ 91.203, 91.611, and 91.1115(c); part 121; and part 135, § 135.411(a)(2)
- International Civil Aviation Organization (ICAO) Annex 8
- ATOS Data Collection Tools (DCT): 1.1.3

#### B. Forms:

- FAA Form 8400-8, Operations Specifications
- Management Specifications (MSpecs)

#### C. Job Aids:

- Automated OpSpecs/MSpecs checklists and worksheets
- JTA: 3.3.167

#### 3. PROCEDURES.

A. Verify the Operator's/Program Manager's Application. Ensure that the operator/program manager has applied for an OpSpecs/MSpecs amendment with the district office in charge of inspecting its overall operation.

- B. Verify that the Aircraft is Capable of Safe Flight. The aircraft does not have to meet all airworthiness requirements.
- C. Review the Operator's/Program Manager's Manual. During the review, the reviewing inspector should keep the following in mind.
- (1) Although each air carrier/program manager's system is required to meet the same requirements, the system and procedures developed and used by each individual air carrier to meet those requirements may be quite different from one another, yet still comply with the regulations and FAA standards.
- (2) The air carrier/program manager's special flight permit procedures must address all special maintenance and/or temporary alterations accomplished in conjunction with the operation under the special flight permit, whether the maintenance or alteration was accomplished by authorized air carrier personnel or by authorized personnel outside of the air carrier's organization.
- (3) The procedures must clearly identify the particular person(s), by job title or descriptions, who are responsible for carrying out each particular function of the special flight permit system.
- (4) The air carrier's special flight permit procedures must not be contrary to the regulations, nor should the manual contain procedures that permit activity resulting in de facto exemptions to sections of 14 CFR.
- D. Procedures for Ferry Flights. Ensure the manual includes the following:
- (1) Provisions for conveying the authorization to ferry to the operating crew.
- (2) A system for recording each flight conducted under this authorization.
- (3) Procedures to determine that the proposed special flight complies with the 14 CFR and is not prohibited by any ADs.
- (4) Procedures to allow additional crewmembers and other authorized persons to be carried aboard the aircraft during ferry flights when

Vol. 2

the aircraft flight characteristics have not been appreciably changed or its operation in flight substantially affected. In these cases, the passenger carrying requirements of parts 121 and 135 are not abrogated by the special flight permit.

- (5) Procedures to ensure the display of the current airworthiness certificate and any special flight permit or authorization.
- (6) Procedures to ensure the review of the following items prior to releasing the ferry flight:
- (a) Technical data to which the aircraft must perform.
- (b) Operational equipment necessary for safe operation of the aircraft.
  - (c) Aircraft weight limits.
  - (d) Fuel distribution limits.
  - (e) Center of gravity limits.
  - (f) Aircraft maneuver limitations.
- (g) Equipment usage limitations, e.g., autopilot.
  - (h) Airspeed limits.
  - (i) Meteorological limits, including:
    - Conditions to be avoided
    - Inspections required should these conditions be encountered inadvertently
    - Weather minimums
- (7) Procedures for personnel to follow when determining the inspections and tests necessary to ensure the damaged aircraft is capable of safe flight.
  - NOTE: The air carrier/program manager's manual must contain procedures to ensure that the aircraft is not operated if an affirmative technical determination cannot be made that a particular aircraft is capable of safe operation, because of insufficient design, inspection, maintenance, or flight operation data.

(8) Procedures to ensure that special permission is granted from each foreign authority prior to authorizing a special flight permit over their foreign countries.

- (9) Procedures to ensure the PMI is notified prior to the movement of an aircraft that has been involved in an accident or incident.
- *E. One Engine-Inoperative Ferry Flights.* Ensure the following:
- (1) The certificate holder has a four-engine airplane or a turbine engine-powered airplane equipped with three engines.
- (2) The applicable airplane has been previously test-flown with one engine inoperative in accordance with its approved Aircraft Flight Manual (AFM). The approved AFM must contain the following data:
  - (a) Maximum weight.
- (b) Configuration of the inoperative propeller, if applicable.
- (c) Runway length for takeoff, including temperature accountability.
  - (d) Altitude range.
  - (e) Certificate limitations.
  - (f) Ranges of operational limits.
  - (g) Performance information.
  - (h) Operating procedures.
- (3) The certificate-holder's manual must include the following FAA-approved procedures:
- (a) Procedures to limit the operating weight on any ferry flight to the minimum necessary for the flight plus the necessary reserve fuel load.
- (b) A limitation that takeoffs must be made from dry runways unless, based on a showing of actual runway operating takeoff techniques on wet runways with one engine inoperative, takeoffs with full controllability from wet runways have been approved for the specific model aircraft and included in the approved AFM.

89-6 Vol. 2

- (c) Procedures for operations from airports in which the runways may require a takeoff or approach over populated areas.
- (d) Inspection procedures for determining the operating conditions of the operative engines.
- (e) A restriction that no person may takeoff from an airport in which the initial climb is over thickly-populated areas or weather conditions at the takeoff and destination airport are less than those required for VFR flight.
- (f) Procedures that ensure carrying only essential flight crewmembers aboard the airplane during the ferry flight.
- (g) Procedures that ensure flight crewmembers are thoroughly familiar with the operator/program manager's operating procedures and

the approved AFM for one engine-inoperative ferry flights.

F. Notification of Accident Coordinator. Notify the FAA accident coordinator prior to any authorization of an aircraft involved in an accident or incident.

#### 4. TASK OUTCOMES.

- A. Complete PTRS.
- B. Complete the Task. Successful completion of this task will result in issuance of OpSpec D084 or MSpec MD084.
- *C. Document Task.* File all supporting paperwork in the operator's/program manager's office file.
- **5. FUTURE ACTIVITIES.** Normal surveillance.

Vol. 2 89-7

[THIS PAGE INTENTIONALLY LEFT BLANK]

89-8 Vol. 2

### **VOLUME 3. TABLE OF CONTENTS**

	AIRCRAFT AND EQUIPMENT
CHAPTER 1. INT	RODUCTION TO AIRCRAFT AND EQUIPMENT
1.	General
Fig. 1-1.	
0	Exterior Inspection Guidelines
	Cabin En Route Inspection Reference Chart
	NDUCT SPOT INSPECTION OF OPERATOR'S/FRACTIONAL OWNERSHIP OGRAM MANAGER'S AIRCRAFT
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Initiation and Planning
5.	Maintenance Records
6.	Performing Spot Inspection
7.	Structural Spot Inspections
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	
3.	Procedures
4.	Task Outcomes
5.	Future Activities
CHAPTER 3. COPPRO	NDUCT RAMP INSPECTION OF OPERATOR'S/FRACTIONAL OWNERSHIP OGRAM MANAGER'S AIRCRAFT
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	Objective
3.	General
4.	Initiation and Planning
5.	Maintenance Records
6.	Deferred Maintenance
7.	Cabin Inspection
8.	
9.	Performing the Ramp Inspection
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	Procedures
4.	Task Outcomes
5	Future Activities

Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Initiation and Planning
9.	FAA Form 8430-13, Request for Access to Aircraft
11.	Performing the Cockpit En Route Inspection
13.	Cargo/Combination Configured Aircraft
15.	
17.	
19.	Crewmember Certificates
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 5. CO	NDUCT CABIN EN ROUTE INSPECTION
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Cabin En Route Inspection Areas
9.	Initiation and Planning
	FAA Form 8430-13, Request for Access to Aircraft
	Performing the Cabin En Route Inspection
15.	Deferred Maintenance
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 6. GRO	OUND OPERATOR AIRCRAFT
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	·
7.	Inspector Responsibility
Section 2.	Procedures
	Prerequisites and Coordination Requirements
	References, Forms, and Job Aids

5.	Procedures
7.	Task Outcomes
9.	
Fig. 6-1.	Aircraft Grounding
CHAPTER 7. INS	PECT AIRCRAFT USED FOR AIR AMBULANCE
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 8. CO	NDUCT A DETAILED PROCESS/TASK INSPECTION
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	3
7.	Inspector Responsibilities
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 9. CO	NDUCT RAMP INSPECTION ON CARGO LOADING
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Initiation and Planning
9.	Maintenance Records
11.	
13.	· · · · · · · · · · · · · · · · · · ·
15.	Inspection Results
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes

9.	Future Activities
CHAPTER 10. CC	ONDUCTING RECORDS REVIEWS AND AIRCRAFT INSPECTIONS ANDATED BY THE AGING AIRCRAFT RULES
Section 1.	Background
1.	
	Objective
	General
7.	Initial Notification and Planning
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Maintenance Records Review
7.	Aircraft Inspections
9.	Aging Airplane Records Review and Inspection Reporting Requirements
11.	1 4511 0 440 0 1110 5
13.	Future Activities
CHAPTER 11 TH	RU 16 RESERVED
	PART 65 AIRMEN OTHER THAN FLIGHT CREWMEMBERS
CHAPTER 17. MC RE	ONITOR CERTIFICATED AIRFRAME AND/OR POWERPLANT MECHANIC, EPAIRMAN, PARACHUTE RIGGER, AND INSPECTION AUTHORIZATION HO
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	•
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 18. CO	ONDUCT A REEXAMINATION TEST OF A MECHANIC OR AN INSPECTION UTHORIZATION UNDER TITLE 49 OF THE UNITED STATES CODE
Section 1.	Background
	PTRS Activity Codes
	Objective
	General
7.	Basis for Reexamination Test
9.	Special Considerations
	Reexamination for a Mechanic Certificate
	Reexamination for an Inspection Authorization
15.	Reexamination Results
Section 2.	Procedures

1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes.
9. Eig 19 1	
	Letter of Notification of Reexamination  Letter of Results
CHAPTER 19. IN	SPECT A COMPUTER TESTING CENTER
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Inspection and Surveillance
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	•
5.	Procedures
7.	Task Outcomes
9.	Future Activities
	URVEILLANCE OF LIGHT-SPORT REPAIRMAN TRAINING FACILITIES
Section 1.	
1.	
3.	<b>3</b>
5. 7.	General
, ,	
Section 2.	
1. 3.	Prerequisites and Coordination Requirements
5. 5	Procedures
7.	Task Outcomes.
• •	Future Activities.
	RU 24 RESERVED
	PART 91 OPERATORS
CHAPTER 25 MG	ONITOR AN AIR SHOW/AIR RACE
	Background
	PTRS Activity Codes
3.	3
	General
	Military Aircraft
9.	Interoffice Coordination
Section 2.	Procedures

8300.10 CHG 24

1.	1 · · · · · · · · · · · · · · · · · · ·
3.	,,
5. 7.	
7. 9.	
	ONITOR PART 91, AND APPROVE/MONITOR PART 91 SUBPART K OWNER'S SPECTION PROGRAM
Section 1.	Background
1. 2.	
3.	
4.	Computerized Recordkeeping and Alerting Programs
Section 2.	Procedures
1.	1
2.	
3. 4.	
5.	
CHAPTER 27. IN	SPECT PART 91 MAINTENANCE RECORDS
Section 1.	Background
1.	
3. 5.	3
Section 2.	
1. 3.	1
5. 5.	
7.	Task Outcomes
9.	Future Activities
CHAPTER 28 TH	HRU 35 RESERVED
	PART 121/135
CHAPTER 36. M	ONITOR CONTINUOUS AIRWORTHINESS MAINTENANCE PROGRAM/REVIS
Section 1.	Background
1.	
3. 5.	3
5. 7.	
	Procedures
1.	
3.	
5.	Procedures

7.	Task Outcomes
9.	Future Activities
CHAPTER 37. M	ONITOR CONTINUING ANALYSIS AND SURVEILLANCE PROGRAM/REVISIO
Section 1.	Background
1.	PTRS Activity Codes
3.	•
5.	General
7.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	
7.	
9.	Future Activities
CHAPTER 38. IN	NSPECT APPROVED RELIABILITY PROGRAM
Section 1	Background
1.	··· · · · · · · · · · · · · · · · ·
3. 5.	3
7.	
	•
Section 2.	
_	Prerequisites and Coordination Requirements
3. 5.	,,,
7. 9.	
9.	ruture Activities
CHAPTER 39. IN	NSPECT FAR PART 135 (9 OR LESS) AIR CARRIER
Section 1.	Background
1.	PTRS Activity Codes
3.	•
5.	3
7.	Approved Aircraft Inspection Program
9.	Additional Maintenance Requirements (FAR § 135.421)
11.	. Maintenance Program Approval for Carry-on Oxygen Equipment Used for Medical Purposes
13	Revising Time Limitations
	FAR Part 135, On Demand Air Taxi Exemptions Allowing Pilots to Remove and
	Replace Seats
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures

7.	Task Outcomes
9.	Future Activities
CHAPTER 40. IN	ISPECT FAR PART 121/135 CONTRACTUAL RELIABILITY PROGRAM
Section 1.	Background
1.	PTRS Activity Codes
	Objective
5.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	
7.	
, . 9.	
	SPECT SECTION 135.411(a)(1) OPERATOR'S MAINTENANCE RECORDS
Section 1.	8
1.	<b>,</b>
3.	,
5.	
7.	
9.	J &
11.	$oldsymbol{arepsilon}$
13.	1 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
15.	Life-Limited Parts
17.	11000100 01 0 1011001
19.	
21.	
23.	· · · · · · · · · · · · · · · · · · ·
25.	Repair Station Records of Work Performed on Operator's Aircraft
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 42. IN	ISPECT PART 121/135 (TEN OR MORE) AND PART 129 OPERATOR'S IAINTENANCE RECORDS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	
7.	
9.	•
	Procedures
section /	F100C001C8

	Prerequisites and Coordination Requirements
	3. References, Forms, and Job Aids
	5. Procedures
	7. Task Outcomes
	9. Future Activities
CHAPTER 43.	MONITOR FAR PART 121 EXTENDED-RANGE OPERATIONS WITH TWO-ENGINE AIRCRAFT (ETOPS)
Section	1. Background
	1. PTRS Activity Codes
	3. Objective
	5. General
Cantina	
Section	
	1. Prerequisites and Coordination Requirements
	3. References, Forms, and Job Aids
	5. Procedures
	7. Task Outcomes
	9. Future Activities
CHAPTER 44.	EVALUATE A PART 121/135.411(a)(2) OPERATOR AIRCRAFT STORAGE PROG
Section	1. Background
	1. Program Tracking and Reporting Subsystem (PTRS) Activity Codes and Air
	Transportation Oversight System (ATOS) Reporting Element
	2. Objective
	3. Background
	4. Definitions.
	5. General
	6. Air Carrier Aircraft Storage Programs
	7. Aircraft OpSpecs Listing
	8. Stored Air Carrier Aircraft Scheduled Maintenance Requirements
	9. Stored Air Carrier Aircraft Airworthiness Certificates
	10. Utilization of Parts from Aircraft in Storage
	11. Aircraft Movement while in Storage Status
	12. Return to Service Following Storage
	13. OpSpec D106, Aircraft in Long-Term Maintenance or Storage
Section	2. Procedures
	Prerequisites and Coordination Requirements
	2. References, Forms, and Job Aids
	3. Procedures.
	4. Task Outcomes.
	5. Future Activities.
CHAPTER 45.	SURVEILLANCE OF 121/135 OPERATORS PARTICIPATING IN "COORDINATING
	AGENCIES FOR SUPPLIER'S EVALUATION" (C.A.S.E.)
Section	1. Background
	1. PTRS Activity Codes
	1. 1 11. 11. 11. 11. 11. 11. 11. 11. 11

Page

#### **VOLUME 3. TABLE OF CONTENTS—Continued**

3.	Objective
5. 7.	General
	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 46 TH	RU 59 RESERVED
	FAR PART 125 OPERATORS
CHAPTER 60. M	ONITOR FAR PART 125 AIRPLANE INSPECTION PROGRAM
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
7.	Maintenance Requirements
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 61. IN	SPECT FAR PART 125 OPERATOR'S MAINTENANCE RECORDS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
7.	Record Requirements
9.	Repair Station Records of Work Performed on Operator's Airplane
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities

#### CHAPTER 62 THRU 74 RESERVED

PART 129 OPERATIONS: FOREIGN OPERATORS OF U.S.-REGISTERED AIRCRAFT ENGAGED IN COMMON CARRIAGE

CHAPTER 75. MO OI	ONITOR MAINTENANCE PROGRAM FOR U.SREGISTERED AIRCRAFT PERATED BY A FOREIGN OPERATOR
Section 1.	Background
1.	
3.	
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	
7.	Task Outcomes
9.	Future Activities
	PART 133 EXTERNAL-LOAD OPERATORS
	PART 137 AGRICULTURAL OPERATORS
CHAPTER 76 TH	RU 81 RESERVED
	PART 145 REPAIR STATION
CHAPTER 82. IN	SPECT A REPAIR STATION'S CERTIFICATE REQUIREMENTS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 83. IN	SPECT A REPAIR STATION'S RECORD SYSTEM
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, Job Aids
5.	Procedures
7.	Task Outcomes
Q	Future Activities

Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
HAPTER 85. IN	SPECT A REPAIR STATION'S HOUSING AND FACILITIES
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
IAPTER 86. IN	SPECT A REPAIR STATION'S TOOLS AND EQUIPMENT
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
Section 2	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
IAPTER 87. IN	SPECT A REPAIR STATION'S TECHNICAL DATA
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	General
Section 2.F	Procedures
1	Prerequisites and Coordination Requirements

	5	Deconductor
	5. 7.	Procedures
	9.	Future Activities
CHAPTER 88.	INS	SPECT A REPAIR STATION'S QUALITY CONTROL SYSTEM
Section	n 1.	Background
	1. 3. 5.	3
Section	-	Procedures
	1. 3. 5.	Prerequisites and Coordination Requirements
	9.	Future Activities
CHAPTER 89.	INS	SPECT A REPAIR STATION'S PARTS AND MATERIAL PROGRAM
Section		Background
	1. 3. 5.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes  Objective
Section	n 2.	Procedures
	1. 3. 5. 7. 9.	Prerequisites and Coordination Requirements  References, Forms, and Job Aids  Procedures  Task Outcomes  Future Activities
CHAPTER 90.	INS	SPECT A REPAIR STATION'S PERSONNEL
Section	n 1.	Background
		Program Tracking and Reporting Subsystem (PTRS) Activity Codes
Section	n 2.	Procedures
	1. 3. 5. 7. 9.	Prerequisites and Coordination Requirements.  References, Forms, Job Aids  Procedures.  Task Outcomes.  Future Activities.
		PART 141 PILOTS SCHOOLS
CHAPTER 91.	INS	SPECT PART 141 PILOT SCHOOL AIRCRAFT
Section	n 1.	Background
	1.	PTRS Activity Codes

5.	
Section 2.	
1.	1
3. 5.	,,,
3. 7.	
9.	
	PART 145 REPAIR STATION
CHAPTER 92. IN	ISPECT A REPAIR STATION'S TRAINING PROGRAM
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	<b>J</b>
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	· · · · · · · · · · · · · · · · · · ·
5.	1 10 <b>0 0 0</b>
7. 9.	1 4001 0 400 0 111 0 0
Section 1.	SPECT A REPAIR STATION'S MAINTENANCE PROCESS  Background
5.	General
Section 2.	Procedures
	Prerequisites and Coordination Requirements
	References, Forms, and Job Aids
5.	11000010
7. 9.	
<i>)</i> .	Tuttie Tetryttes
	ISPECT A REPAIR STATION AND ITS AUTHORIZATION FOR WORK WAY FROM ITS FIXED LOCATION
Section 1	Background
Beetion 1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
1.	
1. 3.	Objective
1. 3.	Objective
1. 3.	Objective
1. 3. 5.	Objective
1. 3. 5. Section 2. 1. 3.	Objective

	7.	Task Outcomes
	9.	Future Activities
CHAPTER 95.	INS	SPECT A REPAIR STATION'S CONTRACT MAINTENANCE PROGRAM
Section	ı 1.	Background
	1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3.	Objective
	5.	General
Section	ı 2.	Procedures
	_	Prerequisites and Coordination Requirements
	3.	References, Forms, and Job Aids
	5. 7.	Procedures
	7. 9.	Future Activities.
	FO	SPECT A REPAIR STATION FOR MAINTENANCE/ALTERATIONS PERFORMED OR PARTS 121, 125, 129, AND 135 CERTIFICATE HOLDERS
secuoi	_	Background
	1. 3.	
	5.	General
Section	ı 2.	Procedures
	1.	Prerequisites and Coordination Requirements
	3.	References, Forms, and Job Aids
	5.	Procedures
	7.	Task Outcomes
	9.	Future Activities
CHAPTER 97.	INS	SPECT PART 145 REPAIR STATION WITHIN THE UNITED STATES
Section	ı 1.	Background
	1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3.	Objective
	5.	
- ·	7.	Conducting the Inspection
Section	_	Procedures
	1.	Prerequisites and Coordination Requirements
	3. 5.	References, Forms, and Job Aids  Procedures
	3. 7.	Task Outcomes
	7. 9.	Future Activities.
CHAPTER 98.	IN!	SPECT PART 145 REPAIR STATION OUTSIDE THE UNITED STATES
Section		
Section		PTRS Activity Codes
	3.	Objective
		.1

4	5. General
Section 2	2. Procedures
	Prerequisites and Coordination Requirements
-	8. References, Forms, and Job Aids
	5. Procedures
	P. Future Activities
CHAPTED OO I	NUTERNIA TIONAL FIELD OFFICE PROCEDURES FOR CONDUCTING
	NTERNATIONAL FIELD OFFICE PROCEDURES FOR CONDUCTING SAMPLING INSPECTIONS, FAA INDEPENDENT INSPECTIONS, AND PARTICIPATING IN FOREIGN NATIONAL AVIATION AUTHORITY'S NTERNAL QUALITY AUDITS UNDER A BASA/MIP
Section 1	Background
1	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
	3. Objective and Explanation
_	5. General
	7. Background
Section 2	1 0 1
	Prerequisites and Coordination Requirements      References, Forms, and Job Aids
	5. FAA Surveillance Responsibilities and Procedures of Repair Stations Under
•	a BASA/MIP
	7. Briefing the NAA Office and Final Report/Enforcement
Ç	P. Task Outcomes Sampling Inspections
Section 3	3. FAA Independent Inspections
]	l. General
-	3. Procedures
	5. Task Outcomes Independent Inspection
Section 4	1. FAA Participation as Observers on NAA Internal Audits (or in the Case of EASA,
3	MAST Visits)
CHAPTER 100	ΓHRU 104 RESERVED
FA	AR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOLS
CHAPTER 105.	INSPECT FAR PART 147 AVIATION MAINTENANCE TECHNICIAN SCHOOL
Section 1	Background
]	PTRS Activity Codes
	3. Objective
	5. General
7	7. Surveillance Objectives
Section 2	2. Procedures
	Prerequisites and Coordination Requirements
3	3. References, Forms, and Job Aids

VC	T	JI	ME	3.	TA	(B	LE	OF	CON	<b>ITE</b>	NT	<b>'S</b> —	Con	tinue	'n

5. 7. 9.	Procedures Task Outcomes Future Activities
CHAPTER 106 TI	HRU 113 RESERVED
	PART 183 REPRESENTATIVES OF THE ADMINISTRATION
	MONITOR DESIGNATED MECHANIC EXAMINER AND/OR DESIGNATED ARACHUTE RIGGER EXAMINER
1. 3.	
Section 2.  1. 3. 5. 7. 9.	Prerequisites and Coordination Requirements  References, Forms, and Job Aids  Procedures  Task Outcomes
CHAPTER 115. M	MONITOR DESIGNATED AIRWORTHINESS REPRESENTATIVE
Section 1. 1. 3. 5. 7.	PTRS Activity Codes Objective General
	Procedures  Prerequisites and Coordination Requirements  References, Forms, and Job Aids  Procedures  Task Outcomes  Future Activities
CHAPTER 116 TI	HRU 123 RESERVED
	GENERAL FUNCTIONS
CHAPTER 124. IS	SSUE AIRCRAFT CONDITION NOTICE
Section 1. 1. 3. 5.	PTRS Activity Codes Objective
Section 2.	Procedures

1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 125. E	VALUATION OF AIR CARRIER'S MANAGEMENT OF SIGNIFICANT CHANGE
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes and Air
	Transportation Oversight System (ATOS) Reporting
2.	Objective
3.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	
3.	Organizational Assessment
4.	
5.	
6.	Task Outcomes
7.	Future Activities
Fig. 125-1	. Oversight of Change Management—Process Map
	2. Financial Condition Assessment Decision Aid
S L	MONITORING PART 145 REPAIR STATIONS THAT ARE UBSTANTIAL MAINTENANCE PROVIDERS, BEFORE, DURING, AND AFTER ABOR STRIKE DISPUTE, STRIKE, OR BANKRUPTCY
	Background
	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	CHDO Responsibilities and Procedures
7.	Regional Responsibilities and Procedures
9.	
_	. Monthly Surveillance Report Checklist
Fig. 126-2	2. Risk Indicators
CHAPTER 127. W	VITHDRAWN—CHANGE 16
CHAPTER 128. P	ROCESS SERVICE DIFFICULTY REPORT
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	Objective
5.	General

Section 2. Procedures	
Prerequisites and Coordination Requirements	
3. References, Forms, and Job Aids	
5. Procedures	
7. Task Outcomes	
9. Future Activities	•••••
CHAPTER 129. PROCESS MALFUNCTION OR DEFECT REPORT	
Section 1. Background	
1. Program Tracking and Reporting Subsystem (PTRS) Activity Codes	
3. Objective	
5. General	
Section 2. Procedures	
Prerequisites and Coordination Requirements	
3. References, Forms, and Job Aids	
5. Procedures	
7. Task Outcomes	
9. Future Activities	•••••
CHAPTER 130. REVIEW OPERATOR'S MECHANICAL INTERRUPTION SUMMARY REF	PORT
Section 1. Background	
1. PTRS Activity Codes	
3. Objective	
5. General	
Section 2. Procedures	
Prerequisites and Coordination Requirements	
3. References, Forms, and Job Aids	
5. Procedures	
7. Task Outcomes	
9. Future Activities	
CHAPTER 131. INSPECT OPERATOR'S MAINTENANCE FACILITY	
Section 1. Background	
Program Tracking and Reporting Subsystem (PTRS) Activity Codes	
3. Objective	
5. General	
7. Preparing for the Inspection	
Section 2. Procedures	
Prerequisites and Coordination Requirements	
3. References, Forms, and Job Aids	
5. Procedures	
7. Task Outcomes	
9. Future Activities.	

CHAPTER 132. P	ERFORMANCE/EVALUATION/INSPECTION AND ASSESSMENT OF A PART AIR CARRIER'S OUTSOURCE MAINTENANCE SYSTEM
	Background
1.	
1.	Transportation Oversight System (ATOS) Reporting Elements
3.	Objective
5.	ÿ
7.	
9.	Performing the Task
Section 2.	Procedures
1.	
3.	
5.	
7.	Task Outcomes
9.	Future Activities
Fig. 132-1	. Description and Definitions for New PTRS Activity Numbers
CHAPTER 133. E	VALUATE/INSPECT A PART 125, 129, AND 135 AIR OPERATOR'S OUTSOURCE MAINTENANCE PROVIDERS FACILITY
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	3
7.	Initiations and Planning
9.	Performing the Task
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids.
5.	Procedures
7.	Task Outcomes
9.	Future Activities
Fig. 133-1	. Description and Definitions for New PTRS Activity Numbers
_	2. Outsource Maintenance Providers Facility
	CONDUCT A DETAILED AIR CARRIER IN-PROCESS/TASK NSPECTION/TEAM EVENT OF SUBSTANTIAL MAINTENANCE PROVIDERS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	·
7.	Scope
9.	Inspector Responsibilities
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	

7.	Task Outcomes
9.	Future Activities
CHAPTER 135. M	IONITOR OPERATOR'S REFUELING PROCEDURES
Section 1.	Background
1.	
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 136. A	PPROVAL OF PARACHUTE ALTERATIONS
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	3
7.	Parachute Packs/Containers
9.	Alteration of the Auxiliary Pack/Container
11.	Alteration of the Harness
13.	Alteration of the Main Parachute
15.	Data Approval by Aviation Safety Inspectors (ASI)
17.	
	Assembly of Major Parachute Components
Section 2.	Procedures
	Prerequisites and Coordination Requirements
3.	
5. 5	Procedures
7.	Task Outcomes.
9.	Future Activities.
CHAPTER 137 TI	HRU 139 RESERVED
	AVIONICS
	NSPECT FOREIGN NON-FEDERAL LOCATED GROUND NAVIGATIONAL AII
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	
3.	
	, , , , , , , , , , , , , , , , , , , ,

### **VOLUME 3. TABLE OF CONTENTS—Continued**

5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 141. I	NSPECT COMMUNICATIONS STATIONS
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	1 4011 0 400 0111 0
9.	Future Activities
CHAPTER 142. N	MONITOR FLIGHT DATA RECORDERS
Section 1.	Background
1.	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
3.	
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 143. N	MONITOR COCKPIT VOICE RECORDERS
Section 1.	Background
	Program Tracking and Reporting Subsystem (PTRS) Activity Codes
2.	
3.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
2.	References, Forms, and Job Aids
3.	
4.	
5.	Future Activities
CHAPTER 144. I	NSPECT AVIONICS TEST EQUIPMENT
Section 1.	Background
1.	
	Objective
	General

### **VOLUME 3. TABLE OF CONTENTS—Continued**

Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities
CHAPTER 145. II	NSPECT ALTIMETER SETTING SOURCES
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	General
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Tush Guedines
9.	Future Activities
CHAPTER 146. N	MONITOR APPROVED AVIONICS SOFTWARE CHANGES
Section 1.	Background
1.	PTRS Activity Codes
3.	Objective
5.	
Section 2.	Procedures
1.	Prerequisites and Coordination Requirements
3.	References, Forms, and Job Aids
5.	Procedures
7.	Task Outcomes
9.	Future Activities

#### CHAPTER 2. CONDUCT SPOT INSPECTION OF OPERATOR'S/ FRACTIONAL OWNERSHIP PROGRAM MANAGER'S AIRCRAFT

#### **SECTION 1. BACKGROUND**

## 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

#### A. Maintenance:

• Spot Inspection: 3628

• Structural Spot Inspection: 3647

#### B. Avionics:

Spot Inspection: 5628

**2. OBJECTIVE.** This chapter provides guidance for observing and analyzing in-progress maintenance operations for compliance with specific methods, techniques, and practices in the operator/fractional program manager's (hereafter referred to as the program manager) inspection and/or maintenance program.

#### 3. GENERAL.

- A. Definition. Work package—job task control units developed by the operator/program manager for performing maintenance/inspections. A typical work package may include the following:
  - Component change sheets
  - Inspection work cards
  - Non-routine work cards
  - Appropriate sections of the maintenance procedures manual
  - Engineering Orders (EO)
- B. Federal Aviation Administration (FAA) Inspection Personnel. It is important that Airworthiness aviation safety inspectors (ASI) are familiar with the type of aircraft to be inspected before performing the inspection. This can be accomplished through on-the-job training.

#### C. Coordination Requirements.

- (1) Airworthiness ASIs possess various degrees and types of expertise and experience. An ASI who needs additional information or guidance should coordinate with personnel experienced in that particular specialty.
- (2) Geographic units need to establish close coordination with the district office that has oversight responsibility for the operator/program manager. Coordination is required to:
- (a) Gain access to FAA office operator/program manager file information not available to the geographic unit.
- (b) Transmit all inspection results and/or recommendations to the district office that has oversight responsibility for the operator/program manager.
- (c) Receive any changes implemented by the district office that has oversight responsibility for the operator/program manager as a result of the geographic unit's recommendations.

#### 4. INITIATION AND PLANNING.

A. Initiation. Spot inspections can be scheduled as part of the work program, but may be initiated whenever a problem is noted, including when deficiencies are noted during other types of inspections.

#### B. Planning.

- (1) Spot Inspections Derived from the Planned Work Program.
- (a) The number of spot inspections in the work program depends on the type and number of the operator/program manager's aircraft. After determining the type of aircraft to be inspected, confirm the aircraft availability and scheduled

Vol. 3 2-1

maintenance functions with the operator/program manager's personnel.

- (b) If the maintenance to be observed is known, review the operator/program manager's operating or maintenance procedures manual to become more familiar with the maintenance task. Review the following:
  - Required Inspection Items (RII), if applicable
  - Forms used to document maintenance task
  - Latest manual revision and date
  - Special tools and equipment used to perform the maintenance task
  - Any other manual requirements relating to the maintenance task
- (c) For geographic units in which the maintenance procedures manuals are not in the office, review the applicable sections of the operator/program manager's maintenance manual at the facility prior to performing this task.
- (d) Examining previous inspection findings provides the ASI with background information regarding problem areas found during other spot inspections. This information can give an indication of how effective past corrective actions were in resolving previously identified problem areas.
- (e) The FAA provides information such as Airworthiness Directives (AD), Service Difficulty Report (SDR) Summaries, and PTRS entries. Review this information, when available, to become familiar with current service difficulty information. While performing the spot inspection, ensure that any conditions described in this information do not exist on the aircraft.
- (2) Spot Inspections Not Derived from the Planned Work Program. While performing other surveillance activities, many situations afford the opportunity to perform spot inspections. For example, if a discrepancy that requires maintenance is found during a ramp inspection, a spot inspection of that maintenance function could be performed.

**5. MAINTENANCE RECORDS.** During performance of the spot inspection, pay special attention to the following areas, as applicable:

- AD's current status, including the method of compliance
- Overhaul records, including documentation containing the overhaul details and replacement time
- Major repair/alteration classifications and the use of approved data
- Replacement time of life-limited parts

#### 6. PERFORMING SPOT INSPECTION.

#### A. Selecting a Maintenance Task.

- (1) Discuss with the maintenance supervisor what maintenance is currently being performed to determine what portions of that current maintenance/inspection should be observed.
- (2) Place special emphasis on observing maintenance tasks that involve RIIs. Problem areas to look at include:
  - Persons performing inspections outside of authorizations or limitations
  - RIIs not being properly identified or accomplished

#### B. Performance Standards.

- (1) Each operator has maintenance/inspection program for its individual maintenance operations. For maintenance to be performed on the operator's aircraft, corresponding provisions and procedures must be in the operator's maintenance manual. Program managers are required by Title 14 of the Code of Federal Regulations (14 CFR) part 91, § 91.1025(1) to have their inspection program and by § 91.1427 to have their Continuous Airworthiness Maintenance Program (CAMP) included in their operating manual.
- (2) Each operator/program manager should have special procedures in the manual to ensure that persons outside of the organization perform maintenance in accordance with the operator/program manager's maintenance manual.

2-2 Vol. 3

C. Discrepancies Noted During Surveillance. When deviations from accepted procedures are noted, bring to the attention of maintenance management that corrective action must be taken immediately. Discrepancies noted during the inspection may require followup at a later time.

#### 7. STRUCTURAL SPOT INSPECTIONS.

- A. In response to recent events, the FAA has determined that increased surveillance is needed for transport category aircraft undergoing C, D, or similar "heavy" inspections. This increased surveillance is due to the "aging" fleets of U.S. operators and reflects concern over structural fatigue and corrosion.
- B. During the observance of a heavy inspection, ASIs must pick an inspection area where maintenance has been started and where there could be possible fatigue or corrosion problems (especially an area that is not usually open to inspection, such as under the galley or lavatories).
- (1) If inspecting an area where maintenance is in progress, evaluate the following:
- (a) While performing their job functions, are personnel accomplishing their job tasks per the work package?

- (b) Does the Aging Aircraft/Corrosion Control Program provide the necessary guidance to evaluate and respond in a timely manner to structural fatigue and corrosion?
- (2) If inspecting an area where maintenance has already been accomplished, evaluate the following:
- (a) Are there any structural fatigue or corrosion problems evident?
- (b) If there are, were they identified by the person(s) responsible for that area?
- (c) If they were identified, was the corrective action initiated and completed?
- (3) Is an AD applicable to this problem? If there is an AD, what is the status of that AD?

NOTE: While inspecting these areas that are not normally accessible, look for evidence of major structural repairs. If a major repair was accomplished, review the approved data for that repair.

Vol. 3 2-3

[THIS PAGE INTENTIONALLY LEFT BLANK]

2-4 Vol. 3

#### **SECTION 2. PROCEDURES**

## 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of 14 CFR parts 91, 121, 125, 135, and 145, as applicable
- Successful completion of the Airworthiness Inspector Indoctrination course(s) or equivalent
- Previous experience working with an operator/program manager with similar types of aircraft

#### B. Coordination:

- (1) This task may require coordination between Avionics and Maintenance ASIs.
- (2) Geographic units must coordinate with the district office that has oversight responsibility for the operator/program manager to obtain knowledge of the operator/program manager's maintenance procedures and any other items of concern that may surface during routine inspections.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - 14 CFR parts 39, 43, and 91
  - FAA Order 8310.2, Maintenance— Review Case Handbook
  - Operator/program manager's maintenance procedures manual and inspection work packages
- B. Forms. None.
- C. Job Aids:
  - JTA: 2.3.1

#### 3. PROCEDURES.

A. Initiate Spot Inspection, as applicable.

- B. Select Appropriate Aircraft For Inspection. Determine the following from the operator/program manager's maintenance schedules:
  - Aircraft availability
  - Aircraft type
  - Type of maintenance being performed
- *C. Prepare for the Inspection.* Review the following:
- (1) Maintenance manual procedures for maintenance being performed (if available), or operating manual procedures for aircraft operated under part 91, subpart K.
- (2) Operations specifications (OpSpecs)/management specifications (MSpecs) time limitations, when applicable to the maintenance task.
  - (3) Previous inspection findings.
  - (4) Applicable maintenance alert bulletins.
  - (5) SDR Summary.
- (6) Any new regulation and/or AD requirements affecting the aircraft to be inspected.
  - D. Perform the Spot Inspection.
- (1) Identify yourself to the maintenance supervisor and discuss the nature of your inspection.
- (2) Discuss with the maintenance supervisor/person in charge the status of the selected maintenance task.
- (3) Select a particular maintenance task within the work package. If possible, include a maintenance task that has been designated by the operator/program manager as an RII.
- (a) Ensure that current maintenance procedures are available to the person(s) performing the work by accomplishing the following:
- 1. Asking maintenance personnel for the maintenance procedures used to accomplish the work.

- 2. Recording the date of the maintenance procedures being used to perform the maintenance task for future comparison with the maintenance manual master copy.
- (b) Ensure that the maintenance is performed according to established procedures by comparing actual performance to the operator/program manager's maintenance/inspection manual procedures.
- (c) Ensure that the proper tools are being used by accomplishing the following:
- 1. Observing that special tools referenced in the maintenance manual are being used.
- 2. Checking calibration due dates on precision tools, measuring devices, and testing equipment requiring calibration.
- (d) Ensure that the operator/program manager has the facilities to properly perform the maintenance task.
- (e) Ensure that systems being maintained are not exposed to environmental conditions that could contaminate or damage components.
- (f) Ensure that maintenance recording is accomplished according to the operator/program manager's recordkeeping system.
- (g) Note any maintenance task deficiencies and include any copies of the documents that revealed the deficiencies.
- (h) For those maintenance tasks involving RII functions, determine that the persons

observed performing these functions are appropriately certificated, authorized, and qualified.

*E. Analyze the Findings.* Evaluate inspection findings to determine if discrepancies exist. Discuss the results with the operator/program manager or appropriate personnel.

#### 4. TASK OUTCOMES.

- A. Complete PTRS. When closing out a structural spot inspection, include the following information in the PTRS entry:
  - The age of the aircraft
  - If the operator/program manager's inspection includes "aging aircraft" related activities

NOTE: Additionally, when appropriate, fill in the "National Use" block with the term "Aging" when aircraft are over 15 years old.

- The AD number, AD type, and inspection results, if an AD structural repair or modification was accomplished
- *B. Complete the Task.* Completion of this task can result in requested manual revisions.
- C. Document Task. File all supporting paperwork in the operator/program manager's office file
- **5. FUTURE ACTIVITIES.** Based on the analysis of inspection findings, plan increased surveillance of problem areas, as applicable.

2-6 Vol. 3

## CHAPTER 3. CONDUCT RAMP INSPECTION OF OPERATOR'S/FRACTIONAL OWNERSHIP PROGRAM MANAGER'S AIRCRAFT

#### **SECTION 1. BACKGROUND**

## 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3627

B. Avionics: 5627

**2. OBJECTIVE.** This chapter provides guidance for sampling the quality of maintenance and the degree of compliance with the operator/fractional program manager's (hereafter referred to as the program manager) maintenance procedures on inservice aircraft operated under Title 14 of the Code of Federal Regulations (14 CFR) part 91 (subpart K), and parts 121, 125, 129, § 129.14, 133, 135, 137, 141, or 142.

#### 3. GENERAL.

A. Inspector Training. It is important that aviation safety inspectors (ASI) become familiar with the type of aircraft to be inspected before performing the inspection. This can be accomplished by on-the-job training.

NOTE: Only ASIs who have received part 129 geographic inspector training or are permanently assigned to an International Field Office (IFO) may conduct foreign air carrier inspections.

#### B. Personnel Needed for Inspection.

(1) Due to the hub and spoke concept, many aircraft have less than 1 hour ground time. To ensure that the inspection is performed adequately, the Federal Aviation Administration (FAA) recommends that two inspectors perform this task in exterior and interior phases.

NOTE: ASIs don't have to give part 129 operators advance notice that a ramp inspection will be conducted. However, inspection activities must be timed so they do not delay or interfere with passenger boarding or deplaning or impede aircraft service or catering. The captain, his or her representative, or an appropriate airline representative should also be present.

(2) Due to the nature of fractional ownership operations, part 91, subpart K aircraft may have little or no ground time at any one location. As with ondemand air carriers, these aircraft may be dispatched at short notice. It is important to coordinate with flightcrews, maintenance crews, and, when possible, dispatch personnel. To ensure that the inspection is performed adequately, the FAA recommends that two inspectors perform this task in exterior and interior phases.

NOTE: En route inspections are not allowed in these aircraft when they are operated under part 91, subpart K.

#### C. Coordination.

- (1) Airworthiness and Operations ASIs possess various degrees and types of expertise and experience. An ASI who needs additional information or guidance on a given subject should coordinate with personnel experienced in that particular specialty.
- (2) Geographic units may need to coordinate with the certificate-holding district office (CHDO) for domestic operations and the IFO for part 129 operations, as they do not always have access to the program manager's or air carrier's maintenance procedures manual. In addition, when discrepancies are found, the geographic unit should communicate with the CHDO or the IFO.
- D. Use of FAA ASI Credentials to Access Aircraft and Secure Areas of U.S. Airports. Proper use of identification credentials, checkpoint procedures, and resolution of misunderstandings with airlines and other government agencies are crucial for the creation of an environment where ASIs can

Vol. 3 3-1

conduct effective inspections and surveillance. Both the FAA Flight Standards Service and the Transportation Security Administration (TSA) have reaffirmed the necessity of ASI access to Security Identification Display Areas (SIDA) and Airport Operations Areas (AOA). However, because of TSA's enhanced screening process and other airport security measures, ASIs must undergo extra steps when entering a SIDA. The current edition of FAA Order 8000.38, Aviation Safety Inspector Credential Program, provides guidance and policy for the use of FAA Form 110A, Aviation Safety Inspector's Credential. ASIs should reference this Order for specific guidance and policy on access to aircraft and secure areas of U.S. airports.

#### 4. INITIATION AND PLANNING.

- A. This task is scheduled as part of the work program or special emphasis request. Additional inspections are initiated by national, regional, or district office special requirements.
- B. The ramp inspection provides the ASI with an opportunity to ensure that the compliance dates and requirements of new Airworthiness Directives (AD) and regulatory revisions have been met. ADs, Service Difficulty Report (SDR) Summaries, Maintenance/Airworthiness Bulletins, and PTRS entries should be reviewed, when available. (This is also applicable to U.S.-registered aircraft operated by foreign operators under § 129.14).

#### 5. MAINTENANCE RECORDS.

- A. Regulations require maintenance to be recorded whenever it is performed prior to an approval for return to service. The operator/program manager's maintenance procedures manual should describe the procedures for ensuring that these recording requirements are met, including the specific instructions on when an airworthiness release or appropriate maintenance log entry is required.
- B. Operators/air carriers/program managers must either correct or defer all mechanical discrepancies entered in the maintenance log using the methods identified in their maintenance procedures manual. Some program managers may include these procedures in a separate maintenance procedures manual. Additionally, some fractional ownership program aircraft are also operated by part 121 or 135 operators. In such cases, maintenance procedures may be contained within the carriers' maintenance manual.

As a variety of manuals are used, the FAA advises reviewing the appropriate manuals before performing the inspection.

- C. Fractional ownership programs can select either an inspection program or a continuous maintenance program. Refer to the program manager's operating manual for the details of the program that they have selected. The inspection/maintenance program information will often be carried onboard the aircraft.
- D. The Minimum Equipment List (MEL) has certain procedures and conditions that operators/air carriers/program managers must meet prior to deferring the item(s).
- (1) These procedures are identified by "O," "M," and "O/M" and are normally contained in the operator/program manager's FAA-approved MEL. Sometimes the MEL references these procedures to another document.
- (2) When reviewing the records for MEL compliance, the ASI must determine what procedures are required for deferral and ensure that these procedures are accomplished.
- (3) The ASI must ensure that all applicable repetitive MEL procedures are accomplished for those items that are deferred and are continuing to be deferred through the station. These repetitive maintenance procedures must be signed off in the maintenance log as evidence that the procedures were accomplished.

#### 6. DEFERRED MAINTENANCE.

A. Minimum Equipment List—Deferred Maintenance. The operator/program manager's FAA-approved MEL allows the operator/program manager to continue a flight or series of flights with certain inoperative equipment. The continued operation must meet the requirements of the MEL deferral classification and the requirements for the equipment loss.

#### B. Other Deferred Maintenance.

(1) Operators/program managers frequently use a system to monitor items that have been inspected and found within serviceable limits. These items are still airworthy, yet warrant repair at a later time or when items no longer meet serviceable limits. This method of deferral may require repetitive inspections to ensure continuing airworthiness of the

3-2 Vol. 3

items. Examples of items that are commonly deferred in this manner are fuel leak classifications, dent limitations, and temporary (airworthy) repairs. Not all fractional ownership programs have this capability. Refer to the program manager's manual for this information.

- (2) Passenger convenience item (not safety/airworthiness related) deferrals should be handled in accordance with (IAW) the operator/program manager's program.
- C. Prompt Repairs. The maintenance program approved for an operator must provide for prompt and orderly repairs of inoperative items. Not all program managers have approved maintenance programs, but the ASI should confirm that inoperative items are repaired promptly.

#### 7. CABIN INSPECTION.

- A. This inspection should be conducted immediately, when possible, without disturbing the loading and unloading of passengers. The inspection can be performed when some passengers are onboard during through-flights, but ASIs must exercise good judgment by inspecting areas away from the passengers.
- B. Bring any discrepancy to the attention of the flightcrew or appropriate maintenance personnel immediately.

## 8. CARGO/PAX COMBINATION CONFIGURED AIRCRAFT.

- A. Structural Damage. Inspection results have disclosed instances of significant aircraft structural damage resulting from careless loading of cargo, such as:
  - Torn or punctured liners, indicating hidden damage to circumferential stringers, fuselage skin, and bulkheads
  - Damaged rollers, ball mats, etc., causing significant structural damage to the floors
  - Corrosion and structural damage caused by improper handling of some hazardous materials

NOTE: Observation of hazardous material handling is normally not a surveillance function of the ASI during

- a ramp inspection. However, if discrepancies are noted during the ramp inspection, the ASI should contact the appropriate TSA office. Additional guidance for cargo configured aircraft is in Order 8300.10, Volume 3, Chapter 9, Conduct Ramp Inspection on Cargo Loading.
- B. Cargo Containers, Pallets, and Netting. As part of their normal surveillance, principal inspectors (PI) should ensure that adequate procedures are in place in the operator's manual to ensure that cargo restraint equipment conform to proper standards and are in condition to perform their intended function.
- (1) If maintenance is required on any of the type certificate (TC) or Supplemental Type Certificate (STC) cargo containers or restraint devices, it must be accomplished IAW appropriate regulations.
- (2) Geographic inspectors performing air carrier surveillance should follow handbook guidance and report discrepancies in cargo handling/restraint devices through PTRS for followup action by the PI.

#### 9. PERFORMING THE RAMP INSPECTION.

- A. This inspection must be accomplished without interfering with the turnaround of the aircraft. The following list includes some of the activities that could cause a delay in the turnaround time if interfered with:
  - Boarding and deplaning of passengers
  - Servicing
  - Fueling
  - Maintenance
  - Baggage handling
  - Any other operator/program manager activity
- B. The ASI must immediately bring any discrepancies noted to the attention of appropriate personnel, to allow the operator/program manager the opportunity to take corrective action without interrupting the flight schedule. The ASI must verify that all corrective actions taken were IAW the requirements of the operator/program manager's maintenance procedures manual or program operating manual.

Vol. 3 3-3

[THIS PAGE INTENTIONALLY LEFT BLANK]

3-4 Vol. 3

#### **SECTION 2. PROCEDURES**

## 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of parts 91 (subpart K), 121, 125, 129 (§ 129.14), and 135, as applicable
- Successful completion of the Airworthiness Inspector Indoctrination course(s) or equivalent
- Experience working with similar type aircraft
- Knowledge of the program manager's operating manual, if applicable
- Completion of the fractional ownership transition course, if applicable
- Completion of the part 129 geographic inspector familiarity course

#### B. Coordination:

- This task may require coordination between Maintenance, Avionics, Cabin Safety, and Operations ASIs
- Geographic units should coordinate with the CHDO or the IFO

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - 14 CFR parts 21, 23, 25, 27, 29, 43, 45, 47, and 91
  - International Civil Aviation Organization (ICAO) annexes 6 and 8
  - Operator's maintenance procedures manual/ program manager's maintenance/operations procedures manual

#### B. Forms:

• FAA Form 110A, Aviation Safety Inspector's Credential

#### C. Job Aids:

- Order 8300.10, Volume 3, Chapter 1, Introduction to Aircraft and Equipment, Figure 1-1, Interior Inspection Guidelines
- 8300.10, Vol. 3, Ch. 1, Figure 1-2, Exterior Inspection Guidelines
- JTAs: 2.2.4, 2.2.5, 2.3.58

#### 3. PROCEDURES.

- A. Begin the Inspection. Begin the ramp inspection IAW the district office work program or other directives.
  - B. Prepare for the Inspection.
- (1) Coordinate with the operator/program manager's scheduling personnel or crew, select the aircraft to be inspected, and determine the type of equipment and ground time needed.
- (2) Determine recent problem areas that were identified for that type of aircraft, if any.
- (3) Determine if recent regulatory changes and AD requirements affect the aircraft to be inspected.
- C. Conduct the Exterior Inspection, as applicable. Perform this inspection IAW vol. 3, ch. 1, figure 1-2.
- D. Interview the Flightcrew. Introduce yourself and describe the purpose and scope of the inspection.
  - E. Inspect the Aircraft Maintenance Records.
- (1) Prior to departure of the aircraft, ensure that all open discrepancies from the previous flight are resolved IAW the operator/program manager's manual.
- (2) Review the maintenance records to determine if repetitive maintenance problems exist, which might indicate a trend.
- (3) Ensure that all MEL items are deferred IAW the provisions of the operator/program manager's FAA-approved MEL.

- (a) Review the operator/program manager's FAA-approved MEL to determine that conditions, procedures, and placarding requirements were accomplished to defer specific items correctly.
- (b) Note the date when an item was first deferred to determine if the maximum allowed length of deferral was exceeded. Accomplish this by examining maintenance record pages, the deferred maintenance list, or deferred maintenance placards or stickers.
- (4) Ensure that an airworthiness release, maintenance record entry, or appropriate approval for return to service was made after the completion of maintenance.
- (5) Ensure that the maintenance record contains the following for each discrepancy:
  - Description of the work performed or a reference to acceptable data
  - Date of completion of work
  - Name or other positive identification of the person approving the work
  - Name of the person performing work, if outside the organization
  - Signature, certificate number, and kind of certificate, if work has been performed satisfactorily
  - If emergency maintenance is performed by personnel who are not covered by a drug and alcohol misuse program, ensure that the reporting requirements of part 91, § 91.1047(d) are complied with
- F. Conduct the Interior Inspection, as applicable. Perform this inspection IAW vol. 3, ch. 1, figure 1-1.
- G. Debrief the Operator/Program Manager, Personnel, or Flightcrew. Inform the flightcrew or appropriate personnel that the inspection has been completed. Discuss the discrepancies brought to the operator/program manager's attention during the inspection.
- H. Examine the Maintenance Record Entries.

  Ensure that the operator/program manager has

recorded all discrepancies noted during this inspection. If time is available, monitor the operator/program manager's corrective actions.

I. Analyze Findings. Analyze each finding to determine if the discrepancies are the result of improper maintenance and/or missing or inadequate maintenance/inspection procedures.

#### 4. TASK OUTCOMES.

#### A. Complete PTRS.

- (1) For Part 129 Only. The data reporting requirements for completing a part 129 aircraft ramp inspection using surveillance activity codes 3627 and 5627 have been revised. Section IV of the PTRS Data Sheet indicates each area that should be examined in the performance of 3627/5627 inspections. Comments are required only for those areas with findings or discrepancies noted during the inspection.
- (a) For each discrepancy or finding, enter the appropriate primary area and key word on the Data Sheet.
- (b) Next, enter either a Potential (P) or Unsatisfactory (U) for discrepancies and findings.
- (c) In the PTRS comment field (section IV), enter the line item identification number shown on the Figure Sheet (1.1, 2.6, 3.4, etc.) and then enter a description of the discrepancy.
- (d) If a positive comment is needed in a particular area for clarification, enter it using the appropriate primary area and key word shown on the PTRS form, using the Information (I) opinion code. Only positive comments or comments provided for clarification purposes may use the (I) opinion code. All findings and discrepancies must use either the (P) or (U) opinion code.
- (2) Other Inspections. All other ramp inspections should be entered into PTRS IAW the PTRS Procedure Manual (PPM).
- *B. Complete the Task.* Completion of this task can result in the following:
- (1) Appropriate enforcement action when analyses of the findings disclose improper maintenance.

3-6 Vol. 3

- (2) Written notification to the operator/program manager of the necessary changes to the manual, when analyses of the findings disclose missing or inadequate maintenance/inspection procedures.
- (3) Communication with the CHDO/IFO by the geographic unit finding discrepancies.
- **5. FUTURE ACTIVITIES.** Based on inspection findings, determine if closer surveillance, additional enforcement, other job tasks, and/or additional coordination between the CHDO/IFO and geographic units are required to regain compliance.

Vol. 3 3-7

[THIS PAGE INTENTIONALLY LEFT BLANK]

3-8 Vol. 3

#### CHAPTER 26. MONITOR PART 91, AND APPROVE/MONITOR PART 91 SUBPART K OWNER'S INSPECTION PROGRAM

#### **SECTION 1. BACKGROUND**

## 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

A. Maintenance: 3425 through 3429

B. Avionics: 5425 through 5429

- **2. OBJECTIVE.** This chapter discusses the procedures to monitor aircraft and aircraft inspection programs under Title 14 of the Code of Federal Regulations (14 CFR) part 91, and Fractional Ownership Managers programs under 14 CFR part 91, subpart K.
- **3. INSPECTION PROGRAMS.** Several types of inspection programs are available to part 91, owner/operators and fractional program managers (hereafter referred to as program managers) operating under part 91, subpart K. However, unlike part 91, aircraft inspection programs, all part 91, subpart K inspection programs must be submitted to the district office that has oversight responsibility for the program manager for approval. This approval must be obtained regardless of any previous approval of the program.

NOTE: For aircraft operating under part 91, subpart K, an owner/program manager is required to establish a maintenance inspection program under the provisions of part 91, § 91.1109. The program manager will act on behalf of the fractional owners (collectively) for any authorizations or approvals concerning the program aircraft.

- A. Annual and 100-Hour Inspections. The annual and 100-hour inspections are identical in scope and detail. The only difference is in the performance and approval of the annual inspection, which must be accomplished by a person authorized under 14 CFR part 43, §§ 43.3 and 43.7, as provided in 14 CFR part 65.
- (1) Part 43, § 43.11 requires persons approving or disapproving equipment for return to

service after any required inspection to make an entry in the record of that equipment. An approved repair station documenting compliance with an annual inspection in the aircraft maintenance records meets the requirements of § 43.11.

- (a) An owner/program manager maintaining separate records for the airframe, powerplants, propellers, appliances, and components will make the entries for the 100-hour inspection in each record and make the entry for the annual inspection (part 91, only, not part 91, subpart K for annual inspections) in the aircraft maintenance record (reference part 91, § 91.417, and § 43.11).
- (b) An owner/operator shall ensure that maintenance personnel make appropriate entries in the records for the airframe, powerplants, propellers, appliances, and components. Owners/operators keeping the required records together in a single record will make the entry of the annual inspection in that record. The entries for 100-hour inspections and other maintenance also will be made in this record, as required by § 91.417.
- (2) Annual Inspections. Part 91, § 91.409(a) requires that any person who operates aircraft must ensure that the aircraft has been inspected according to the requirements of part 43.
- (a) Annual inspections are designed to provide a complete and comprehensive inspection of an aircraft. They are performed at least each 12 calendar months by persons authorized under § 43.3. The inspection determines the condition of the aircraft and the maintenance required to return the aircraft to an airworthy condition. Appendix D of part 43, defines the scope and detail of an annual inspection.
- (b) The owner/operator of an aircraft may have annual inspections at any interval that does not exceed the maximum of 12 calendar months between inspections, as specified by § 91.409(a)(1). For example, an aircraft inspected and approved upon any

Vol. 3 26-1

day of a calendar month will become due for inspection upon the last day of the same month, 12 months later.

- (c) Part 43, § 43.15 and Appendix D provide that all systems, components, and appliances shall be checked to ensure proper installation and satisfactory operation.
- 1. Before conducting surveillance of annual inspections performed by maintenance personnel, inspectors should become familiar with the manufacturer's recommended inspection procedures, special instructions, etc.
- 2. Inspectors also should know the acceptable degree of deterioration or defect permitted by the manufacturer, as set forth in the manufacturer's manuals or other data.
- (d) In all cases, persons authorized to perform inspections under §§ 43.3 and 43.7 must determine from records and physical inspection that the aircraft conforms to the contents of the following:
  - Aircraft Specification or type certificate data sheets (TCDS)
  - Supplemental Type Certificate (STC), if applicable
  - Airworthiness Directives (AD)
- (e) The above documents must be available to the maintenance personnel conducting an inspection. Applicability of an STC may be determined by reference to the aircraft maintenance records.
- (f) The inspection is not considered complete until the required recording procedures of §§ 43.11 and 91.417 are met.
- 1. Under the provisions of § 43.11, the agency or person approving or disapproving for return to service is responsible for recording the inspection in the maintenance records.
- 2. If the person conducting the inspection finds the aircraft to be unairworthy, appropriate entries must be made in the aircraft maintenance records. The owner/operator must be provided a list of discrepancies or unairworthy items.

3. The owner/operator must ensure that the maintenance records contain proper entries according to § 91.417. The owner/operator must have discrepancies found during the inspection repaired, as prescribed in part 43, before the aircraft is returned to service.

- (g) When conducting surveillance, airworthiness inspectors will review aircraft maintenance records to determine if the requirements of an annual inspection have been accomplished.
- (3) The 100-Hour Inspection. Appendix D of part 43 defines the scope and detail of a 100-hour inspection. One-hundred-hour inspections are required in addition to annual inspections under the following situations:
  - Aircraft are operated for carrying persons for compensation or hire
  - Aircraft are used for flight instruction for hire, if furnished by the flight instructor

NOTE: When a flight instructor is not included in the rental agreement, a 100-hour inspection is not required on an aircraft when it is rented out.

- B. Progressive Inspections. The progressive inspection must be a complete inspection of the aircraft, conducted in stages, with all stages to be completed in a period of 12 calendar months.
- (1) An owner/operator desiring to use a progressive inspection program must submit a written request to the Flight Standards District Office (FSDO) with jurisdiction over the area in which the applicant is located.
- (a) The owner/operator may develop a progressive inspection program tailored to fit the operation.
- (b) Progressive inspection programs developed by the manufacturer do not automatically fit the needs of each individual operator; inspectors should review them on a case-by-case basis.
- (c) The owner/operator's progressive inspection program may be more restrictive than the manufacturer's program, but it may not be less restrictive unless sufficient justification is presented to and accepted by the FAA.

26-2 Vol. 3

- (2) The inspector should not attempt to establish for the owner/operator arbitrary intervals for the inspection or overhaul of aircraft. Intervals should be based on the manufacturer's recommendations, field service experience, malfunction and defect history, and the type of operation in which the aircraft is engaged.
- (3) If the progressive inspection is discontinued, the owner or operator shall notify the local FAA FSDO in writing immediately. After the discontinuance, the first annual inspection is due within 12 calendar months after the complete inspection has been accomplished according to the progressive inspection program.
- C. Large Airplane (Over 12,500 lbs.) and Turbine Powered (Turbojet and Turbopropeller) Multiengine Airplane Inspection Programs. These aircraft must be inspected according to the requirements of an inspection program selected by the owner/operator. Section 91.409(f) outlines various options available to the owner/operator.
- (1) It may appear that some of the options specified in § 91.409(f)(1) through (3) do not involve the field inspector, as they refer to previously-approved and manufacturer-recommended programs. However, inspectors should recognize that these programs must be either currently recommended by the manufacturer or currently in use by 14 CFR part 121, 127, or 135 operators who are supplying the program. The intent of this requirement is to prevent the use of obsolete programs.
- (2) Reference to a manufacturerrecommended program has led to several misconceptions about what precisely constitutes such a program.
- (a) Section 91.409(f)(3) refers to "A current inspection program recommended by the manufacturer." No reference is made to the aircraft manufacturer specifically. Section 91.409(e), however, requires inspection of the airframe, engines, propellers, appliances, survival equipment, and emergency equipment.
- (b) Therefore, a complete manufacturer's recommended program consists of the program supplied by the airframe manufacturer and supplemented by the inspection programs provided by the manufacturers of the engines, propellers,

appliances, survival equipment, and emergency equipment installed on the aircraft.

NOTE: Because this program addresses inspections only, it does not include service bulletins, service letters, service instructions, and other maintenance documents, unless they require an inspection to be performed.

- D. Approved Aircraft Inspection Programs (AAIP) (§§ 91.409 and 91.415). Part 91, addresses the use of approved aircraft inspection programs in three sections. The following quotes from part 91, are cited because of frequent misinterpretation of the term "approved aircraft inspection program" by operators and FAA personnel alike.
- (1) Section 91.409(f) states that the owner/operator must select, identify, and use one of the inspection programs. Section 91.409(f)(2) presents as one of the options "an approved aircraft inspection program approved under § 135.419...and currently in use by a person holding an operating certificate issued under part 135."
- (2) Section 91.409(g) states "Each operator of an airplane...desiring to establish or change an approved inspection program under paragraph (f)(4) of this section must submit the program for approval to the local FAA Flight Standards district office having jurisdiction over the area in which the aircraft is based." The approved inspection program spoken to in this section is not to be confused with an AAIP as allowed in § 91.409(f)(2).
- (3) Section 91.415(a) states "Whenever the Administrator finds that revisions to an approved aircraft inspection program under § 91.409(f)(4) are necessary for the continued adequacy of the program, the owner or operator shall, after notification by the Administrator, make any changes in the program found to be necessary by the Administrator." The inspection program referenced in this section is not to be confused with an AAIP approved under the requirements of § 135.419.
  - NOTE: The inspector should ensure that the program includes inspection of all systems, including avionics and emergency equipment.
- E. Manufacturers' Inspection Programs. These programs may be included in the aircraft maintenance

Vol. 3 26-3

manuals or offered by the manufacturer separately. Typically, they are designed to provide the owner/operator with a degree of scheduling flexibility and a minimum of downtime. Inspectors should carefully review these programs as they may not cover items such as avionics, emergency equipment, or equipment installed by a person other than the manufacturer.

**4. COMPUTERIZED RECORDKEEPING AND ALERTING PROGRAMS.** Computer companies have made available software designed to function as maintenance tracking programs. See Advisory Circular (AC) 120-78, Acceptance and Use of Electronic Signatures, Electronic Recordkeeping Systems, and Electronic Manuals, for guidance on this subject.

26-4 Vol. 3

#### **SECTION 2. PROCEDURES**

#### 1. PREREQUISITES AND COORDINATION.

- A. Prerequisites. This task requires knowledge of parts 43, 65, 91, and § 135.419.
- *B. Coordination.* This task requires coordination between maintenance and avionics inspectors.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - Title 14 CFR parts 39 and 91
  - AC 39-7, Airworthiness Directives
  - AC 43-9, Maintenance Records
  - AC 43.9-1, Instructions for Completion of FAA Form 337 (OMB No. 2120-0020), Major Repair and Alteration (Airframe, Powerplant, Propeller, or Appliance)
  - AC 43-16, General Aviation Maintenance Alerts (found at http://www.faa.gov/aircraft/safety/alerts/ aviation\_maintenance/)
  - AC 91-38, Large and Turbine-Powered Multiengine Airplanes, Part 91, Subpart D
  - AC 120-78, Acceptance and use of Electronic Signatures, Electronic Recordkeeping Systems, and Electronic Manuals
- B. Forms. None.
- C. Job Aids. None.

#### 3. PROCEDURES.

- A. Review and Accept a Progressive Inspection Program.
- (1) Advise the owner/operator desiring a progressive inspection program to submit a letter of intent and a copy of the program, as required by § 91.409.
  - NOTE: The inspector should carefully review § 91.409(d) prior to analysis of the program.

- (2) Upon receipt of the letter of intent and the program, ensure the following:
- (a) The program includes the entire aircraft and its components.
- (b) The program will provide a complete inspection of the aircraft within 12 calendar months. Inspection intervals should be based on the manufacturer's recommendations, field service experience, malfunction or defect history, and the type of operation in which the aircraft is engaged.
- (c) The scope of the inspection equals that of an annual-type inspection.
- (d) The progressive inspection schedule ensures that the aircraft at all times will be airworthy and will conform to all applicable FAA aircraft specifications, TCDS, ADs, and other approved data.
- (e) The program includes procedures for the immediate, written notification of the local FAA FSDO upon the discontinuance of the progressive program and the assumption of an annual inspection program.
  - (3) Analyze results of the review.
- (4) Notify the operator in writing of any deficiencies found in the program.
- (a) Request that the operator inform the FAA of plans for resolving deficient items.
- (b) Once deficiencies have been corrected to meet the requirements of § 91.409, notify the operator in writing that the program has been accepted.
- (5) Establish and maintain an operator file according to agency orders. The file should include a copy of the program and all related correspondence.
- B. Approve an Inspection Program Under  $\S 91.409(f)(4)$ .
- (1) Advise the operator of a large airplane, multi-engine turbojet or turbopropeller-powered airplane desiring an approved inspection program to submit the program for approval to the appropriate FSDO.

Vol. 3 26-5

- (2) Ensure the program is in writing and details the following:
  - Instructions and procedures for conducting inspections, including necessary tests and checks
  - Inspection intervals, expressed in terms of time in service, calendar time, number of system operations, or any combination of these
  - The parts and areas that must be inspected
- (3) Compare the submitted program with the manufacturer's recommended program. Ensure that the applicant completely justifies all deletions of items and inspection period escalations. Where there is no manufacturer's recommended program, use a time-tested program for comparison purposes.
- (4) Ensure that the program developed by the applicant provides a level of safety equivalent to or greater than that provided by the inspection options of  $\S 91.409(f)(1)$  through (3).
- (5) Indicate approval on the cover page of the inspection program. Include the date of approval, the inspector's signature, and the office name, number, and location. Stamp the list of effective pages with the district office stamp, date, and the signature of the inspector.
- C. Approve an Inspection Program for Use by Fractional Ownership Program Operated Under Part 91, Subpart K.
- (1) Each program manager who operates aircraft under part 91, subpart K must submit the inspection program Continuous or Aircraft Maintenance Program (CAMP) to the cognizant FSDO for approval. (See FAA Order 8300.10, Chapter 64. Volume 2. Evaluate Continuous Airworthiness Maintenance Program Revision.) The program must be derived from one of the following:
- (a) An inspection program currently recommended by the manufacturer;
- (b) An inspection program that is part of a CAMP currently in use by a person holding an air carrier or operating certificate issued under 14 CFR part 119 and operating that make and model aircraft under part 121 or 135;

(c) An aircraft inspection program approved under § 135.419 and currently in use under part 135 by a person holding a certificate issued under part 119; or

(d) An aircraft inspection program approved under part 125, § 125.247 and currently in use under part 125 by a person holding a certificate under part 125.

NOTE: The Administrator may require revision of the inspection program approved under part 91, subpart K in accordance with the provisions of § 91.415.

- (2) Ensure that the inspection program is in writing, is included in the program manager's manual, and details the following:
  - Instructions and procedures for conducting inspections, including necessary tests and checks
  - Inspection intervals, expressed in terms of time in service, calendar time, number of system operations, or any combination of these
  - The parts and areas that must be inspected
- (3) Compare the submitted program with the manufacturer's recommended program. Ensure that the applicant completely justifies all deletions of items and inspection period escalations. Where there is no manufacturer's recommended program, use a time-tested program for comparison purposes.
- (4) Ensure that the name and address of the person responsible for scheduling the inspections is contained in the program.
- (5) Indicate approval on the cover page of the inspection program. Include the date of approval, the inspector's signature, and the office name, number, and location. Stamp the list of effective pages with the district office stamp, date, and the name of the inspector. It is not necessary to stamp every page of the program, only the cover page and the list of effective pages.
- D. Review Maintenance Records. Ensure that persons approving and disapproving equipment for return to service after any required inspection have

26-6 Vol. 3

entered the inspection in the record of that equipment. Verify that when an owner/program manager maintains a single record, the entry for required inspections is made in that record. Ensure that if the owner/program manager maintains separate records for the airframe, engines, powerplants, propellers, appliances, and components, the entry for required inspections is made in each.

- (1) Annual/100-Hour Inspection. Review records to ensure compliance with the requirements of §§ 43.11 and 91.417. Determine that appropriate entries have been made to meet the regulatory requirements.
- (2) Progressive Inspection. Ensure that records indicate the following:
  - Completion of an annual inspection within the past 30 days prior to the start of inspections under a progressive inspection program
  - Compliance with inspection intervals prescribed in the progressive program
  - Completion of the inspection cycle within 12 calendar months
- (3) Large Airplane (Over 12,500 lbs.) and Turbine-Powered (Turbojet and Turbopropeller) Multiengine Airplane Inspection Programs. Ensure the maintenance records indicate that the

owner/operator has identified and is using a selected program according to § 91.409(f). For any inspection program with a computerized recordkeeping and alerting system, refer to AC 120-78 for guidance on approval of such systems.

E. Conduct Surveillance of the Aircraft. Examine the aircraft to determine, to the extent possible, that it is in condition for safe operation. Ensure that the inspection is accomplished either in the presence of or with specific approval from the owner/operator. FAA Order 8300.10 Volume 2, Chapter 36, Evaluate/Inspect Part 91 Operator's Aircraft and Part 91 Subpart K, Fractional Ownership Program Manager's Aircraft, provides guidance on the inspection/evaluation of part 91 aircraft.

#### 4. TASK OUTCOMES.

- A. Complete PTRS.
- B. Complete the Task. Successful completion of the task will result in acceptance and/or approval of the inspection programs.
- **5. FUTURE ACTIVITIES.** Carefully monitor inspection systems for compliance with appropriate CFRs and for continued airworthiness of subject aircraft. Determine whether maintenance practices are performed at an adequate level of safety. Direct particular attention to any areas where trends indicate a faulty inspection system or inadequate maintenance. Take immediate action to correct any deficiencies.

Vol. 3 26-7

[THIS PAGE INTENTIONALLY LEFT BLANK]

26-8 Vol. 3

#### **CHAPTER 143. MONITOR COCKPIT VOICE RECORDERS**

#### SECTION 1. BACKGROUND

## 1. PROGRAM TRACKING AND REPORTING SUBSYSTEM (PTRS) ACTIVITY CODES.

#### A. Maintenance:

Ramp Inspection: 3627

• Spot Inspection: 3628

• Cockpit En Route Inspection: 3629

#### B. Avionics:

Ramp Inspection: 5627

Spot Inspection: 5628

Cockpit En Route Inspection: 5629

**2. OBJECTIVE.** This chapter provides guidance in monitoring cockpit voice recorders (CVR) during spot, ramp, and cockpit en route inspections.

NOTE: En route inspections are not allowed on aircraft operated on fractional ownership flights.

**3. GENERAL.** Title 14 of the Code of Federal Regulations (14 CFR) requires that certain aircraft be equipped with a CVR that meets approved design and installation criteria. The regulations also stipulate that the data obtained from the CVR cannot be used in any civil penalty or certificate action.

NOTE: This does not negate the aviation safety inspector's (ASI) authority and responsibility to monitor the CVR during the performance of airworthiness surveillance functions.

A. Requirements of CVR Maintenance Procedures. The Avionics ASI is responsible for determining that the maintenance procedures ensure that tests are conducted according to procedures provided by the CVR manufacturer and should

include, at a minimum, listening to the recorded signals on each channel to verify that the audio is being recorded properly, is intelligible, and is free from electrical noise or other interference. For program managers, the tests should be part of their inspection or maintenance program.

- B. Monitoring the CVR. There are no restrictions in the regulations that prevent periodic monitoring of the CVR as a method of surveillance.
- (1) ASIs are cautioned against monitoring CVR tapes for any purpose other than determining the quality of the recording.
- (2) Monitoring should be done only to the extent necessary to determine that the quality of reproduction and maintenance of the CVR is adequate.
- C. Acoustic Underwater Locator Beacon Maintenance.
- (1) To ensure the timely activation of underwater acoustic beacons associated with CVRs, Avionics ASIs should evaluate their certificate holder's or fractional ownership manager's (hereafter referred to as the program manager) maintenance and inspection programs to ensure that procedures for testing beacons, conducted concurrently with battery replacement, provide for functionally testing the beacons before replacing the old battery.
- (2) Operator's and program manager's maintenance or inspection programs should also be evaluated to ensure that operational testing is being accomplished, consistent with the recorder or beacon manufacturer's recommended procedures, at specified intervals and, when possible, in conjunction with a numbered or phase inspection (e.g., "A," "B," or "C" check).
- (3) These requirements must be reflected on work cards or other inspection cards to ensure systemwide compliance.

Vol. 3

[THIS PAGE INTENTIONALLY LEFT BLANK]

143-2 Vol. 3

#### **SECTION 2. PROCEDURES**

## 1. PREREQUISITES AND COORDINATION REQUIREMENTS.

#### A. Prerequisites:

- Knowledge of the regulatory requirements of 14 CFR parts 91, 121, 125, and 135, as applicable
- Experience with the equipment being inspected
- Successful completion of the Airworthiness Inspector Indoctrination course(s) or equivalent
- *B. Coordination.* This task requires coordination with the operator or program manager.

#### 2. REFERENCES, FORMS, AND JOB AIDS.

- A. References (current editions):
  - Order 8300.10, Volume 3, Chapter 2, Conduct Spot Inspection of Operator's/Fractional Ownership Program Manager's Aircraft
  - 8300.10, Vol. 3, Ch. 3, Conduct Ramp Inspection of Operator's/Fractional Ownership Program Manager's Aircraft
  - 8300.10, Vol. 3, Ch. 4, Conduct Cockpit En Route Inspection

#### B. Forms:

 FAA Form 8430-13, Request for Access to Aircraft

#### C. Job Aids:

• JTAs: 2.2.4, 2.3.1, 2.3.4

#### 3. PROCEDURES.

- A. Initiate the Inspection. Reference vol. 3, ch. 2, 3, or 4, as applicable.
  - B. Monitor the CVR.

(1) If this task is being done as part of an en route inspection, obtain permission from the pilot-in-command before plugging into the CVR system.

## NOTE: Be aware that not all phone jacks on CVR cockpit monitors are wired for operation.

- (2) If this task is being done as part of a spot or ramp inspection, accomplish the following:
- (a) Coordinate with the maintenance supervisor before conducting the inspection; and
- (b) Monitor the in-progress maintenance to ensure that the CVR is being evaluated for performance of its intended function. Check all channels to ensure that the audio is being recorded properly, is intelligible, and is free from electrical noise or other interference.
- (3) Monitor the cockpit area microphone to ensure that it satisfactorily picks up all cockpit audio.

# NOTE: Be aware that the quality of reproduction of some CVRs can be affected by ground operation of auxiliary power units and ground power units.

- (4) Review the certificate holder's or program manager's maintenance procedures for acoustic underwater locator beacons to ensure that the manufacturer's recommendations are closely followed, including the procedures for the battery check.
- *C.* Analyze Results. Refer to vol. 3, chs. 2, 3, or 4, as applicable.

#### 4. TASK OUTCOMES.

- A. Complete PTRS.
- B. Complete Tasks. Refer to vol. 3, chs. 2, 3, or 4, as applicable.
- **5. FUTURE ACTIVITIES.** Followup activities, as required.

Vol. 3 143-3

[THIS PAGE INTENTIONALLY LEFT BLANK]

143-4 Vol. 3

#### APPENDIX 1. ACRONYMS AND ABBREVIATIONS

This appendix contains many acronyms and abbreviations for both old as well as new Airworthiness terms that are used throughout this Handbook. Inspectors can refer to the following alphabetical listing of frequently used acronyms and abbreviations and their meanings when using this Handbook.

**14 CFR** Title 14 of the Code of Federal Regulations

**49 CFR** Title 49 of the Code of Federal Regulations

49 U.S.C. Title 49 of the United States Code

A/FD Airport/Facility Directory

**A&P** Airframe and Powerplant

**AAD** Automatic Activation Device

**AAIP** Approved Aircraft Inspection Program

**AC** Advisory Circular

ACARS Aircraft Communication Addressing and

Reporting System

**ACAT** Air Carrier Assessment Tool

**ACCSS** air carrier cabin safety specialists

**ACE** aerobatic competency evaluator

ACO Aircraft Certification Office

**ACR** airman certification representative

**AD** Airworthiness Directives

**ADA** Airline Deregulation Act

**ADF** automatic direction finding

**AEE** Office of Environment and Energy

**AEG** Aircraft Evaluation Groups

**AEM** Area Equivalent Method

**AES** Automated Exemption System

**AFM** Aircraft Flight Manual/Airplane Flight

Manual

**AFSC** Air Force Specialty Codes

**AFSS** automated flight service station

**AFTN** aeronautical fix telecommunication network

**AH** alert height

**AGL** above ground level

AIDS Accident Incident Data System

**AIP** Aircraft Inspection Program

Air Oper Air Operator Vital Information

VIS Subsystem

**AIP** Airplane Inspection Program

**ALS** Advance Life Support

**AMA** Aviation Mechanic Airframe

**AMC** acceptable means of compliance

**AME** Aviation Medical Examiner

**AMG** Aviation Mechanic General

AMM Aircraft Maintenance Manual

**AMO** Approved Maintenance Organization

AMP Aviation Mechanic Powerplant

**AMT** Aviation Maintenance Technician

**AMTS** Aviation Maintenance Technician School

**ANM** Seattle Aircraft Evaluation Group

**AOA** Airport Operations Area

**AOC** Air Operator Certificate

**AOD** Automatic Opening Device

**AOG** Aircraft on the Ground

**APP** Accident Prevention Program

**APPM** Accident Prevention Program Manager

APU Auxiliary Power Unit

**AR** Authorized Representative

**ARA** Airborne Radar Approach

**ARFF** Aircraft Rescue and Fire Fighting Equipment

ARINC Aeronautical Radio, Inc.

**ASAP** Aviation Safety Action Program

**ASAS** Aviation Safety Analysis System

**ASI** aviation safety inspector

**ASR** Airport Surveillance Radar

**AST** aviation safety technician

**ASTM** American Society for Testing and Materials

**ASW** Southwest Aircraft Evaluation

**ATCS** Alternate Testing Center Supervisor

**AT** Air Traffic

Appendix 1

**ATA** Air Transport Association

ATC air traffic control

**ATE** Automatic Test Equipment

**ATOS** Air Transportation Oversight System

**ATP** airline transport pilot

**ATPE** airline transport pilot examiner

**AVGAS** Aviation Gasoline

**BA** Bilateral Agreement

**BASA** Bilateral Aviation Safety Agreement

**BFA** Balloon Federation of America

**BITE** Built-In Test Equipment

**BLS** Basic Life Support

**BOW** basic operating weight

**CAA** Civil Airworthiness Authority

**CAB** Civil Aviation Board

CAIS Comprehensive Airmen Information

Subsystem

**CAM** Civil Aeronautics Manual

**CAMI** Civil Aero Medical Institute

**CAMP** Continuous Airworthiness Maintenance

**Program** 

**CAN** Center Area NOTAM

**CAR** Civil Air Regulations

**CASE** Coordinating Agencies for Supplier's

Evaluation

**CASFO** Civil Aviation Security Field Office

CASP Continuous Analysis and Surveillance

Program

**CASS** Continuing Analysis and Surveillance System

**CATS** Computer Assisted Testing Services

**CBI** computer-based instruction

**CDL** Configuration Deviation List

**CE** commercial pilot examiner

**CFI** certificated flight instructor

**CFR** Code of Federal Regulations

CFRS certificated foreign repair station

**CG** center of gravity

**CHDO** certificate-holding district office

**CIRE** commercial and instrument rating examiner

CL capabilities list

**CM** Condition Monitoring

**CMO** certificate management office

**CMP** Configuration Maintenance Procedures

**CMU** Communication Management Unit

**CMR** Certification Maintenance Requirements

**CMT** Certificate Management Team

**COA** certificate of authority

**COB** close of business

**COMAT** company material

ConDOR Constructed Dynamic Observation

Reports

**Conus** continental United States

**CPCP** Corrosion Prevention and Control Programs

**CPL** commercial pilot license

**CPM** certification project manager

**CRS** certificated repair stations

**CRW** canopy relative work

**CSP** Comprehensive Surveillance Plan

**CTA** control areas

**CTC** computer testing center

**CTD** computer testing designee

**CTM** Computer Testing Manager

**CVR** cockpit voice recorder

**DAR** Designated Airworthiness Representative

**DAS** Designated Alteration Station

**DBA** Other Business Names

d.b.a. doing business as

**DCT** Data Collection Tool

**DDG** Dispatch Deviation Guide

**DER** Designated Engineering Representative

**DFDAU** digital flight data acquisition unit

DH decision height

**DME** Designated Mechanic Examiners

**DME** distance measuring equipment

**DNL** Decibel Noise Level

**DOD** Department of Defense

**DOT** Department of Transportation

**DPE** designated pilot examiner

**DPRE** Designated Parachute Rigger Examiners

**DS** discard

**EA** Environmental Assessment

**EA/EO** Engineering Change Authorization/Order

**EAA** Experimental Aircraft Association

**EASA** European Aviation Safety Agency

**EFIS** electronic flight instrument systems

**EIR** Enforcement Investigation Report

**EIS** Enforcement Information System

**EIS** Environmental Impact Statement

**ELSA** Experimental Light-Sport Aircraft

**ELT** Emergency Locator Transmitter

EMI electromagnetic interference

**EP** Evaluation Panel

**EPI** Element Performance Inspections

**ERC** Event Review Committee

ETOPS Extended-Range Operation With Two-

Engine Airplanes

E.U. European Union

**EWCG** empty-weight center of gravity

**EVAS** Emergency Vision Assurance Systems

FAA Federal Aviation Administration

**FA Act** Federal Aviation Act of 1958

**FACTS** Flight Activity and Crew Tracking System

**FADEC** Full Authority Digital Engine Control

FAR Federal Aviation Regulations

**FCAA** Foreign Civil Aviation Authority

**FCC** Federal Communications Commission

FD flight director

FDC flight data center

FDR Flight Data Recorder

FIE flight instructor examiner

**FIR** flight information regions

**FIRC** flight instructor refresher clinic

**FL** flight level

**FLIR** Forward Looking Infrared

FM flight manual

**FMCS** flight management computer systems

FMS flight management system

FOEB Flight Operation Evaluation Board

FOI fundamentals of instructing

FOIA Freedom of Information Act

**FONSI** finding of no significant impact

FOPB Flight Operation Policy Board

FSAIC Flight Standards Safety Analysis

**Information Center** 

**FSAS** Flight Standards Automation System

FSIRP Flight Standards Inspector Resource

Program

FSB Flight Standardization Board

**FSDO** Flight Standards District Office

**FSS** flight service station

**FTD** flight training device

**GM** General Manuals

**GOM** General Operations Manual

**GPS** global positioning system

**GPWS** ground proximity warning systems

**GSE** ground support equipment

**GSGC** Ground School Graduation Certificate

**GTD** ground training device

**HAZMAT** hazardous material

**HEL** helicopter

**HEMES** Helicopter Hospital Emergency Medical

Evacuation

**HF** high frequency

**HIRF** High Intensity Radiated Fields

**HT** Hard-Time

**HUD** heads-up display

**HUMS** Health Usage Monitoring Systems

**IA** Inspection Authorization

IACRA Integrated Airman Certification and/or

Rating Application

Appendix 1

IAP instrument approach procedures

IASA International Aviation Safety Assessments

IAW in accordance with

ICA instructions for continued airworthiness

ICAO International Civil Aviation Organization

**ICAS** International Council of Air Shows

**ICS** Intercom Systems

**IEC** International Electrotechnical Commission

**IEM** Interpretive Explanatory Material

**IFO** International Field Office

**IFP** Instrument Foreign Pilot

**IFR** instrument flight rules

**IFU** International Field Unit

IFSD in-flight shut down

**IG** Interim Guidance

**IGA** international general aviation

**IIC** inspector-in-charge

**ILS** instrument landing system

**IMC** instrument meteorological conditions

**IN/FC** Inspection/Functional check

INM Integrated Noise Model

**INS** inertial navigation system

**IP** implementation procedures

**IT** information technology

**IPM** Inspection Procedures Manual

**IRA** Instrument Rating Airplane

**IRS** inertial reference systems

**ISC** Industry Steering Committee

**ISIS** Integrated Safety Information Subsystem

**ISO** International Organization for Standards

**ISS** inertial sensor system

**JAA** Joint Aviation Authorities

JAD Job Aid Disc

JAR Joint Aviation Requirement

JTA Job Task Analysis

JTI job task items

**LAHSO** land-and-hold-short operations

LIBRA Logical Information Based on Reliability

**LLC** limited liability corporation

**LLM** lower landing minimums

LOA letter of authorization

LOI Letter of Investigation

**LORAN** long-range navigation

**LOX** liquid oxygen

**LRN** long-range navigation

**LRNS** long-range navigation system

**LRU** Line Replaceable Units

LU/SV Lubrication/Servicing

MAST Maintenance Airworthiness Standardization

Team

MC/FPE military competency/foreign pilot

examiner

**MEL** minimum equipment list

**MEL** Multiengine Land

MES Multiengine Sea

**MIDO** Manufacturing Inspection District Offices

**MIP** maintenance implementation procedures

MIS Mechanical Interruption Summary Reports

**MISR** Mechanical Interruption Summary Reports

MIST Maintenance International Standardization

Team

**MLS** microwave landing system

MME maintenance management exposition

**MMEL** Master Minimum Equipment List

**MMF** Manufacturer Maintenance Facility

MNPS minimum navigation performance

specification

MOE maintenance organization exposition

**MOS** Military Occupational Specialty

**MOU** memorandum of understanding

MRA Mutual Recognition Agreement

MRB Maintenance Review Board

MRB Material Review Board

MRR Mechanical Reliability Reports

MSG Maintenance Steering Group

**MSL** mean sea level

**MSpecs** management specifications

MTBF mean time between failure

MTE measuring tools and equipment

MWE Model Work Environment

**NAA** National Aviation Authority

**NAO** Noise Abatement Officer

**NARIS** National Aircraft Registry Information Subsystem

NAS National Airspace System

**NASIP** National Aviation Safety Inspection Program

**NAT** North Atlantic

**NAT/MNPS** North Atlantic Minimum Navigation Performance Specifications

**NAVAID** Navigational Aid

**NEPA** National Environmental Policy Act of 1969

**NDB** nondirectional beacon

**NDI** Non-destructive Inspection

**NDT** Nondestructive Testing

**NDPER** National Designated Pilot Examiner Registry

**NEB** National Examiner Board

**NFDC** National Flight Data Center

**NFPA** National Fire Protection Association

**NIST** National Institute of Standards and Technology

NM nautical miles

NOPAC North Pacific

**NOTAM** Notice to Airmen

**NPG** National Work Program Guidelines

NTSB National Transportation Safety Board

**NVLAP** National Voluntary Laboratory Accreditation Program

**OASIS** Operational and Supportability Implementation System

**OC** On-Condition

**OCA** oceanic control areas

**ODAR** Organizational Designated Airworthiness Representative

**OEM** Original Equipment Manufacturer

**OJT** on-the-job training

**OMP** outsource maintenance provider

**OMT** Organization Management Team

**OpSpecs** operations specifications

**OPSS** Automated Operations Specifications Subsystem

**OP/VC** Operational/Visual check

**ORA** Operations Research Analyst

**OSMF** outsource maintenance organization/facility

**OST** Office of the Secretary of Transportation

**OTAC** Outside-the-Aircraft Check

PAI principal avionics inspector

**PAR** Precision Approach Radar

**PASI** Preapplication Statement of Intent

**PC** Production Certificate

**PCA** Positive Control Area

**PCA** primary category aircraft

**PE** private pilot examiner

**PI** principal inspector

**PIC** pilot-in-command

**PMA** Parts Manufacturer Approval

**PMI** principal maintenance inspector

**POH** pilot's operating handbook

**POI** principal operations inspector

**PPE** proficiency pilot examiner

**PPH** Policy Procedures Handbook

**PPM** PTRS Procedures Manual

**PSRAB** Propulsion System Reliability Assessment Board

**PTRS** Program Tracking and Reporting Subsystem

**PTS** practical test standards

**QA** quality assurance

QC quality control

**QCM** Quality Control Manual

Appendix 1

**QMS** Quality Monitoring System

**QUR** Quarterly Utilization Report

**RAIM** receiver autonomous integrity monitoring

**RFM** Rotorcraft Flight Manual

**RFSD** Regional Flight Standards Division

**RII** Required Inspection Items

**RNAV** Area Navigation

**ROC** Regional Operations Center

**RPM** revolutions per minute

**RS** restoration

**RSAM** repair station analytical model

**RSAT** Repair Station Analysis

**RSM** Repair Station Manual

**RSPA** Research and Special Projects Administration

**RSPM** Regional Safety Program Manager

**RT** remedial training

**RTCA** Radio Technical Commission of Aeronautics

RVR runway visual range

**RVSM** Reduced Vertical Separation Minimum

**RWBC** Regional Whistleblower Coordinators

**SA** selective availability

**SAE** Society of Automotive Engineers

**SAI** Safety Attribute Inspections

**SAT** System Analysis Team

**SB** Service Bulletin

**SDR** Service Difficulty Report

**SEAT** Surveillance and Evaluation Assessment Tool

**SEL** Single-Engine Land

**SEP** Surveillance and Evaluation Program

**SES** Single-Engine Sea

**SFAR** Special Federal Aviation Regulations

SIC second-in-command

**SIDA** Security Identification Display Area

**SIGMET**/ Significant Meteorological Information

**AIRMET** Airmen's Meteorological Information

**SIP** simulator implementation procedures

**SL** Service Letter

**SLSA** Special Light-Sport Category Aircraft

**SMP** substantial maintenance provider

**SODA** Statement of Demonstrated Ability

**SOI** Statement of Intent

SOIR simultaneous operations on intersecting

runways (replaced by LAHSO)

**SOP** standard operating procedure

**SPAS** Safety Performance Analysis System

**SPG** Special Planning Group

**SRM** Structural Repair Manuals

**SRR** Specific Regulatory Requirements

**SSID** Supplemental Structural Inspection Document

**SSN** Social Security Number

**STC** Supplemental Type Certificate

**SUP** suspected unapproved parts

**TAF** terminal weather forecasts

**TALTAR** Tactical Landing Approach Radar

**TAWS** Terrain Awareness and Warning Systems

**TBO** time between overhauls

**TC** Transport Canada

**TC** type certificate

**TCA** Appliance Type Approval

TCAS Traffic Alert and Collision Avoidance

**Systems** 

**TCDS** type certificate data sheet

**TCS** Testing Center Supervisor

**TCE** training center evaluator

**TCO** training course outline

TGL temporary guidance leaflet

**TRSB** Time Reference Scanning Beam

TSA Transportation Security Administration

**TSO** Technical Standard Order

TSOA Technical Standard Order Authorization

**UHF** ultrahigh frequency

**ULD** unit load device

U.S.C. United States Code

**USNOF** United States NOTAM Office

**USPA** United States Parachute Association

**UV** ultraviolet

VFR visual flight rules

**VHF** very high frequency

VIS Vital Information Subsystem

**VLF** very low frequency

 $V_{\text{MC}}$  minimum controllable airspeed

**VMC** visual meteorological conditions

VOR VHF omni-directional radio range

**VOT** Very High frequency Omnirange test

 $V_{\text{REF}}$  approach speed

**WBPP** Whistleblower Protection Program

**WINDOWS** Segmented Inspections and Built-In Inspection Tolerances

## **COMPREHENSIVE INDEX**

SUBJECT	LOCATION

A

AAIP (see approved aircraft or airplane inspection program)	Vol. 2, Ch. 83, 105; Vol. 3, Ch. 60
Aborted takeoff	Vol. 2, Ch. 61-11, 77-2, 108-2
demonstration (see emergency evacuation/ditching procedures/demonstration	tions)Vol. 2, Ch. 77-2, 108-3
Access	Vol. 4, Ch. 5
aircraft	Vol. 3, Ch. 4-1, 4-4
airports	Vol. 3, Ch. 3-1; Vol. 4, Ch. 5-1
private	Vol. 4, Ch. 5-1
public	Vol. 4, Ch. 5-1
denial	Vol. 3, Ch. 4-4; Vol. 4, Ch. 5-1
Accident/incident investigations	Vol. 2, Ch. 210-1, 211, 212
agricultural aircraft	Vol. 2, Ch. 146-1, 211-3, 212-4
aircraft accident (definition)	Vol. 2, Ch. 210-1
aircraft incident (definition)	Vol. 2, Ch. 210-1
downgrading an accident to an incident	Vol. 2, Ch. 211-5
economic poison	Vol. 2, Ch. 146-1, 211-3
enforcement investigation	Vol. 2, Ch. 210-1, 210-2, 213-1, 213-4
foreign accidents	Vol. 2, Ch. 211-3
hazardous chemicals	
investigator-in-charge	Vol. 2, Ch. 211, 212
military accident investigation	Vol. 2, Ch. 211-2
pre-accident plan	Vol. 2, Ch. 211-1, 212-1
public use aircraft	
rotorcraft accident	Vol. 2, Ch. 211-4
serious injury (definition)	Vol. 2, Ch. 210-1
substantial damage (definition)	Vol. 2, Ch. 210-1
ultralight vehicle accidents	Vol. 2, Ch. 211-3
Accident Investigation Records Disposal	Vol. 2, Ch. 211-5
Accident prevention presentation	Vol. 2, Ch. 214
safety presentations	Vol. 2, Ch. 214
Accident Prevention Program (APP)	Vol. 2, Ch. 214
Accident Prevention Program Manager (APPM)	Vol. 2, Ch. 210-2, 214
Accreditation	Vol. 2, Ch. 187
Accumulated time in service	Vol. 3, Ch. 42-1
Action notices	Vol. 4, Ch. 2
Administrative action	Vol. 2, Ch. 213-1
Age-related structural inspections	Vol. 2, Ch. 2-4, 64-2; Vol. 3, Ch. 10-1
Aging aircraft	
records review	Vol. 3, Ch. 10-1, 10-2
maintenance	Vol. 3, Ch. 10-2, 10-5
reporting requirements	Vol. 3, Ch. 10-5
OpSpec D485	
Agricultural aircraft	Vol. 2, Ch. 146-1, 147

Index Page 1

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
accident	Vol. 2, Ch. 146-1, 211-3
agriculture/horticulture forest preservation	
base inspections	
chemicals	•
commercial	
operator	
dispensing equipment	
hopper (definition)	
spray boom (definition)	
spreader (definition)	·
economic poison	
forest fires	
operations	
operator certificate	
private	
operator	•
restricted category airplanes	•
alterations	
CAR/CAM 8	·
configuration changes	·
	Vol. 4, Ch. 9-2
<u> </u>	Vol. 4, Ch. 9-2
gross weight increases	
recordkeeping	
small airplanes	
system installation/removal	·
rotorcraft	•
external-load operators	
Air ambulance	
Air Agency Certificate	
Air Carrier	
ATOS reporting	
CAMP	•
in-process task inspection	•
non-ATOS reporting	
responsibilities	
outsource maintenance system (Part 121)	
Air Carrier Assessment Tool (ACAT)	VOI. 3, CII. 132-1
indicator	Vol. 2 Ch. 125 0
Air carrier certificate	
Air Carrier Management (Part 121)	
evaluation process financial condition assessment decision aid	
organizational assessment	
process map (oversight)	
process procedures	
rapid growth/downsizing assessment decision aid	
responsibilities	Vol. 3, Ch. 125-5

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
significant changes	Vol. 3, Ch. 125-1
sources and triggers	Vol. 3, Ch. 125-2
Air indicating	Vol. 2. Ch. 235
Air Operations Area Identification Card	Vol. 4, 5-1
Air Operator Vital Information Subsystem	Vol. 2, Ch. 84-11
Air traffic	Vol. 2, Ch. 212-2, 212-3, 212-4, 212-5,
	212-6, 212-7, 212-8, 213-6
functions	Vol. 2, Ch. 212-2
Air Transport Association of America (ATA)	Vol. 2, Ch. 88-2, 235; Vol. 3, Ch. 38-4; App. 5
chapter coding system	Vol. 2, Ch. 235
code	Vol. 3, Ch. 37-2
Air Transportation Oversight System (ATOS)	Vol. 1, Ch. 16-1
concepts and principles	Vol. 1, Ch. 16-1
Airborne aux power indicating	Vol. 2, Ch. 235
Airborne avionics equipment	Vol. 2, Ch. 236-1; Vol. 3, Ch. 144-1
Airborne Loran-C (see navigation system)	Vol. 2, Ch. 241-2
Airborne microwave landing systems (see navigation system)	Vol. 2, Ch. 238-1
Airborne omega radio (see navigation system)	Vol. 2, Ch. 241-2
Airborne radar approach systems	Vol. 2, Ch. 76-8
Aircraft Accident Report Package	Vol. 2, Ch. 211-4
Aircraft (operator's/fractional ownership program manager's)	Vol. 2, Ch. 36-1
Aircraft Certification Office (ACO)	Vol. 2, Ch. 1-5, 4-1, 77-2
Aircraft delays	Vol. 3, Ch. 37-3
Aircraft Evaluation Group (AEG)	Vol. 2, Ch. 4-1, 82-2, Vol. 3, Ch. 43-2
Aircraft Flight Manual (AFM)	
Aircraft flight recorder	
Aircraft listing	Vol. 2, Ch. 84-7
interchange agreement	Vol. 2, Ch. 84-8
Aircraft maintenance records	
Aircraft new to the operator	
Aircraft type and model	Vol. 2, Ch. 77-2
Aircraft, types of	
agricultural	
amateur-built	
civil	
damaged	
experimental	
foreign-registered	
military	
new to operator	
newly manufactured	
RVSM-compliant	
turbojet	
Aircraft inspection guidelines	
Aircraft Storage Programs	
airworthiness certificate	
definitions	· · · · · · · · · · · · · · · · · · ·
long-term maintenance	voi. 3, Ch. 44-4

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
movement (operation)	
procedures	
return to service	
	Vol. 2, Ch. 74-2, 110-2
•	Vol. 2, 75-1, 110
	Vol. 2, Ch. 74-6, 110-2
	Vol. 2, Ch. 74-3, 110-2
	Vol. 2, Ch. 89-2, 110-1
	Vol. 2, Ch. 74-2, 110-3
	Vol. 2, Ch. 22, 23-1, 26-1; Vol. 3, Ch. 17-1
<del>-</del>	
	Vol. 2, Ch. 22-4, 22-6
- ·	
e	Vol. 2, Ch. 61-9
$\boldsymbol{\mathcal{C}}$	Vol. 2, Ch. 215
	Vol. 2, Ch. 105; Vol. 3, Ch. 26-1, 60
	Vol. 4, Ch. 5-1
•	Vol. 2, Ch. 76-5
•	Vol. 2, Ch. 76-5
. ,	Vol. 4, Ch. 5-1
_	Vol. 3, Ch. 140-3
•	Vol. 2, Ch. 89-2
Airworthiness	7 Oi. 2, Cii. 0 / 2
Tolouses	41-3, 42-1, 42-3, 61
release signature	
<u>C</u>	Vol. 2, Ch. 26, 71-1, 71-2, 87-2, 88-1,
Thi worthiness Directives (TD)	92, 156-2; Vol. 3, Ch. 41, 42, 61
accomplishment	Vol. 2, Ch. 111
aternative method of comphance	2-5, 61-1, 61-2, 61-5
current status	Vol. 2, Ch. 111; Vol. 3, Ch. 27-1, 27-4, 61-1, 61-2, 61-5
	Vol. 2, Ch. 65-3, 92-4, 92-6, 111-4
•	
	Vol. 2, Ch. 111-5
	Vol. 2, Ch. 111-5
	Vol. 2, Ch. 111-1, 111-5; Vol. 3, Ch. 42-5, 61-5
	Vol. 2, Cli. 111-1, 111-3; Vol. 3, Cli. 42-3, 61-3
•	Vol. 1, Cli. 9-1
	Vol. 2, Ch. 1-4
un wonunicos	voi. 2, Cli. 1-4

Page 4 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
alteration approval	Vol. 2, Ch. 1-6
data	
approval	•
approved	•
definition	
flight test/operation check requirements	·
fuel tanks/systems	
incomplete/piecemeal installations	
major alteration (definition)	
minor alteration (definition)	·
restricted category agricultural airplane	
Alteration and repair list and/or reports	
Altimeter	, on 3, on 12 3
calibration	Vol. 2 Ch. 236-1, 239-2
remote setting source	
setting source	
approval	
Amateur-built	
Antenna	
array	
radome	
Applications involving foreign air transportation	
Approach status	
Approval	
altimeter setting source	
avionics equipment and instruments	•
<u>c</u>	•
data	
for return to service	
process	
verification	
Approved Aircraft Inspection Program (AAIP)	
ach a dulling "mindama"	84-12, 91-1; Vol. 3, Ch. 39-1
scheduling "windows"	
Approved curriculum	
Approved Flight Manual (AFM)	
Approved Maintenance Organization (AMO)	
Approved maintenance program	
foreign air carriers'	
Approved recordkeeping system	
Approved reliability program	
Approved time intervals	
Approving aircraft for return to service	
Arctic Ocean and Antarctica airspace	
Area Navigation System (RNAV) (see navigation systems)	
ATA (see Air Transport Association of America (ATA))	
Attaching means	
field approval	Vol. 2, Ch. 136-2

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
load attachment installation	
rotorcraft external-load	Vol. 2, Ch. 136
Attendance system	
Audit functions	
Automatic Test Equipment (ATE)	
printouts of test results	
Autopilot	Vol. 2, Ch. 235
evaluation	
inspection	Vol. 2, Ch. 235
Auxiliary Power Unit (APU)	
Aviation maintenance technician	
airframe and/or powerplant	
Aviation Maintenance Technician School (AMTS)	Vol. 2, Ch. 22-1, 22-2, 22-3, 22-4, 186,
	187, 188; Vol. 3, Ch. 105
advisory boards	
curriculum	
	Vol. 3, Ch. 105-1, 105-2, 105-3
equipment	Vol. 2, Ch. 185-1, 186, 187-2, 187-3, 188
facilities	
inspection	
	Vol. 3, Ch. 105-1, 105-3, 105-4
materials	
norms	
ratings	
	186-7, 187-4, 187-5, 188-1; Vol. 3, Ch. 105-3
termination	
tools	
Aviation Safety Action Program (ASAP)	
acceptance, extension, renewal and amendment procedures	
checklist (ASAP MOU)	·
concepts	·
Event Review Committee (ERC)	
development	
enforcement policy	
enhancement e-mail report example	
guidelines for acceptance and exclusion of reports	
key terms	
MOU	•
PTRS	·
resources	
Aviation Safety and Health Program (ASHP)	
Avionics	
analog equipment	
digital equipment	
equipment approval	
rental/exchange program	
test equipment	•
verification of approval	

Page 6

## **COMPREHENSIVE INDEX—Continued**

**SUBJECT** LOCATION

В

* * `	
	Vol. 3, Ch. 18-1
	Vol. 2, Ch. 167, 170, 171, 172; Vol. 3, Ch. 99, 133-2
*	Vol. 2, Ch. 170, 171-2; Vol. 3, Ch. 99-3, 5, 9
	Vol. 2, Ch. 3-5, 236-2, 236-3, 236-4
	Vol. 2, Ch. 236-3
	Vol. 2, Ch. 236-3
Buy-back procedures	Vol. 2, Ch. 64-5, 104-5
C	
C	
Cabin configuration	Vol. 2, Ch. 91-1
Cabin inspection	Vol. 3, Ch. 3-3
•	Vol. 3, Ch. 5-1
	Vol. 2, Ch. 236-1, 238-2; Vol. 3, Ch. 144
history	Vol. 2, Ch. 236-1
intervals	Vol. 2, Ch. 236-1
periodic	Vol. 2, Ch. 236-1
precision tools	Vol. 2, Ch. 186-5, 236-3
records	
standards	Vol. 2, Ch. 3-5, 162-9,
Capability List (CL)	Vol. 2, Ch. 161-3, 161-10, 164-4
Capabilities status	Vol. 2, Ch. 236-2
Cargo	Vol. 3, Ch. 3-3, 4-2
loading	Vol. 2, Ch. 74-3; Vol. 3, Ch. 9-1
handling (procedures/systems)	Vol. 2, Ch. 74-5, 74-6
procedures	Vol. 2, Ch. 74-5
provisions	Vol. 2, Ch. 74-3
schedules	Vol. 2, Ch. 74-3
	Vol. 2, Ch. 74-4
	Vol. 2, Ch. 68-1; Vol. 3, Ch. 39-1
Carry-on baggage	Vol. 2, Ch. 74-1, 77-10, 108-8, 108-12, 110-1
C.A.S.E.	Vol. 2, Ch. 84-9, 84-16, Ch. 95; Vol. 3, Ch. 45
air carrier section policy and procedures manual	Vol. 2, Ch. 95-1; Vol. 3, Ch. 45-2
audits	Vol. 2, Ch. 95-4
auditor training program/standards	Vol. 2, Ch. 95-3; Vol. 3, Ch. 45-1
authorization	Vol. 2, Ch. 84-9
data center	Vol. 2, Ch. 95-2
deviations and exemptions	Vol. 2, Ch. 95-2
membership	Vol. 2, Ch. 95-3
	Vol. 2, Ch. 95-1
	Vol. 2, Ch. 95-2
program	Vol. 2, Ch. 95-4

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
recordkeeping	
register	Vol. 2, Ch. 95; Vol. 3, Ch. 45-1
standards	
supplier evaluation	Vol. 2, Ch. 95
vendor	
CAT I	Vol. 2, Ch. 3-1, 238-1
authorizations	
operations	
	Vol. 2, Ch. 3-1 thru 3-8, 63-8, 238-1, 238-2
-	
**	Vol. 2, Ch. 3-1, 3-3
* *	
* * * * * * * * * * * * * * * * * * * *	
•	
•	
• •	
	)Vol. 2, Ch. 74-3, 89-2, 110-1
•	
	Vol. 1, Ch. 5-1, 9-1
1 1 0	
	Vol. 2, Ch. 22-4, 22-5, 22-7
	Vol. 2, Ch. 81-1, 168-5
mechanic	. Vol. 2, Ch. 22-1, 22-3, 22-4, 22-6, 22-7, 22-8, 22-10, 22-18
	23-1, 23-3, 25-1; Vol. 3, Ch. 17-2
•	Vol. 2, Ch. 24-1, 24-2, 25; Vol. 3, Ch. 17-2
rotorcraft external load	** 1 0 01 107 1 10
	Vol. 2, Ch. 135-1, 136
•	Vol. 3, Ch. 105-2
Certificate, replacement of	Vol. 2, Ch. 22-5, 22-6, 22-8

Page 8

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
amendment or transfer	Vol. 2, Ch. 162-3, 163-1, 163-4, 163-25
	Vol. 2, Ch. 163-1, 163-22
Certification	,
	n. 163-7, 186-1, 186-3, 187-2, 187-4, 187-5, 188-1, 188-3
	Vol. 2, Ch. 61-11, 68-3, 68-4, 102-1, 102-2,
	102-6, 102-10, 186-2, 186-4, 186-6, 187-5
phase Vol 2 Ch 61-4 68-2 102-1 10	02-9, 162-11, 163-15, 163-21, 166-1, 186-1, 186-3, 186-6
•	h. 9-2; Vol. 2, Ch. 68, 102-1, 102-2, 102-3, 102-4, 102-6,
•	66-1, 170-3, 186-2, 186-3, 186-6, 186-7; Vol. 3, Ch. 99-4
	1. 2, Ch. 61-1, 61-2, 61-4, 61-5, 61-7, 61-8, 61-12, 102-1,
project managervo	102-2, 102-6, 102-7, 186-1, 186-3, 186-4, 186-6, 188-1
toom Vol 2 Ch	1. 61-1, 61-2, 61-4, 61-5, 61-7, 61-9, 102-1, 102-6, 102-8,
team voi. 2, Ci	185-1, 186-1, 186-3, 186-4, 186-6, 187-4, 188-1, 188-3
Contification of Danforman or of Joh Tools (CC C EAE 2)	
Certification of Performance of Job Task (CG-G-EAE-2)	
Certified to zero time	
Change of address, name, gender, nationality, date of birt	
Changes to approved time intervals	Vol. 2, Ch. 83-1
Check	
	Vol. 2, Ch. 187-1
	Vol. 2, Ch. 126-2
	Vol. 2, Ch. 236-3
	Vol. 2, Ch. 236-3
Circuit operation	·
Civil Aviation Board (CAB)	Vol. 2, Ch. 84-1
Civil Reserve Air Fleet	Vol. 3, Ch. 9-4
Class I products	Vol. 3, Ch. 115-2
Class II products	Vol. 2, Ch. 203-2
Class III products	Vol. 2, Ch. 226-1
Class ratings	Vol. 2, Ch. 161-1
Classifications	
engine repair	Vol. 4, Ch, 7-1
	Vol. 4, Ch. 7-1
Cockpit en route inspection	
Cockpit Voice Recorder (CVR)	
_	Vol. 3, Ch. 143-1
*	Vol. 3, Ch. 143-1
	Vol. 3, Ch. 143-1
Common carriage	
Common hand tools (definition)	
Communication station	
	Vol. 3, Ch. 141-1
S	·
Commuter air carrier	
Commuter airline operator	
Company manual	
	Vol. 2, Ch. 63-1, 93
Company training curriculum	
Competency Examinations/Reexaminations	· · · · · · · · · · · · · · · · · · ·
Complaint	Vol. 2. Ch. 210-1, 210-2; Vol. 3. Ch. 125-3

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
hotline	
	Vol. 2, Ch. 210-3, 210-4
consumer hotline	Vol. 2, Ch. 210-3, 210-4
safety hotline	Vol. 2, Ch. 210-3, 210-4
· · · · · · · · · · · · · · · · · · ·	
Compliance statement	Vol. 2, Ch. 61-4, 61-5, 61-9, 61-10, 186-2
Component removal rates	Vol. 3, Ch. 38-4, 40-3
Computer	
hardware	
interface devices	
maintenance and tracking programs	
peripheral equipment	
recordkeeping/alert programs	
software	
Condition inspections	Vol. 2, Ch. 25-1, 25-2, 25-3
	Vol. 2, Ch. 65-1, 78-2
Condition notice	
Conduct proving test	
	Vol. 2, Ch. 157-2; Vol. 3, Ch. 97-4; 98-4
	Vol. 2, Ch. 7-1, 7-2, 7-27, 7-29, 61-11, 63-3
Confirmed failure rates	
Conformity inspection	Vol. 2, Ch. 1-4, 1-9, 72-2, 241-3; Vol. 3, Ch. 115-1
Consolidated positions	
Continuing Analysis Surveillance System (CASS)	
Continuing analysis and surveillance program/revision.	Vol. 2, Ch. 61-10, 65-1, 82-2;
	Vol. 3, Ch. 37-1, 37-5
Continuous Airworthiness Maintenance Program (CAM)	P)/revision Vol. 2, Ch. 59-5, 62-1, 64-1, 64-3, 69-1, 70-1,
84-1, 1	05-1, 125-1; Vol. 3, Ch. 2-2, 36-1, 36-2, 36-3, 36-4, 36-5,
	36-6, 37-1, 41-1, 41-2, 41-3, 60-1
airworthiness (definition)	
Fractional Ownership	Vol. 2, Ch. 64-1, 70-2
inspection (definition)	
inspection program	
maintenance program	
monitor	
accountability (definition)	
condition monitoring	
definition	
restoration	
scheduled maintenance (definition)	
scheduled (routine) maintenance (definition)	

Page 10 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
structural inspection (definition)	Vol. 2, Ch. 64-1
unscheduled (non-routine) maintenance (definition)	
Continuous airworthiness program for lower landing minimum	Vol. 2, Ch. 3-3
Continuous approach status	
Continuous critical monitor	· · · · · · · · · · · · · · · · · · ·
Contract	,
agencies	Vol. 3, Ch. 37-4
maintenance	
maintenance facility	
inspection of	·
organizations	•
Canadian approved	
reliability program	
Contractor	
Contractual maintenance agreements	
Contractual reliability program	
compatibility (definition)	
contractor (definition)	
operator (definition)	
substantiating data (definition)	
Controlled conditions	
Coordination Agencies for Supplier's Evaluation (see C.A.S.E.)	
Corrective action system	
Corrosion control procedures	
Counterpoise	
Crashworthiness	VOI. 2, Cfl. 1-18, 1-21, 1-23
Credit	W-1 2 Ct. 107 5 107 2 107 4.
experience	
	Vol. 3, Ch. 105-2
prior instruction	
Crewmember competency	
Critical load considerations	
Critical structural failures	
Current aircraft inspection status	
	Vol. 3, Ch. 27-2
Current inspection status	
Curriculum	
	Vol. 3, Ch. 105
approved	
change	
FAR Part 147	Vol. 2, Ch. 187-1, 187-2, 187-3, 187-4
make up provisions	Vol. 2, Ch. 187-2
requirements	Vol. 2, Ch. 186-2
revision	· · · · · · · · · · · · · · · · · · ·
student/teacher ratios	Vol. 2, Ch. 187-4
text	Vol. 2, Ch. 187-2

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Daily flight hours/cycles	
_	
acceptable	
*	Vol. 2, Ch. 1-1, 92-1
**	
· · · · · · · · · · · · · · · · · · ·	
•	
confirmed failure data	
system performance data	
	Vol. 2, Ch. 66-2; Vol. 3, Ch. 38-2, 38-4, 38-5, 40-2
	Vol. 1, Ch. 16
Day-to-day monitoring	Vol. 3, Ch. 37-1, 37-4, 37-5
	Vol. 3, Ch. 3-2, 37-1
	38-5, 40-3, 42-4, 61-3
Deferred minimum equipment list (see minimum equipment list)	ment list)Vol. 3, Ch. 37-2, 37-3; Vol. 3, Ch. 5-2
holdover timetables	
pretakeoff check	
pretakeoff contamination check	
Delegated investigation	
Demonstration activity	
Demonstration and inspection phase procedures Vol	. 2, Ch. 61-4, 61-6, 61-8, 61-10, 61-11, 102-1, 102-4, 68-2,
136-1, 147, 156, 162-9	, 163-12, 163-20, 167-9, 196-1,196-3, 196-4, 196-6, 186-3
Demonstration project coordinator	
Department of Transportation (DOT)	
Design alteration	
Designated Airworthiness Representative (DAR)	
airworthiness certificates	Vol. 3, Ch. 115
authority and responsibility	
certificate/renew	
conformity inspections	Vol. 3, Ch. 115
organizational DAR (ODAR)	
voluntary surrender/termination	
	Vol. 2, Ch. 1-3, 79-1, 92-1
Designated Mechanic Examiner (DME)	
applications	
authority	
eligibility	
limitations	
orientation and standardization	

Page 12 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
procedures	Vol. 2, Ch. 202-5
renewal	Vol. 2, Ch. 202-4
voluntary surrender or cancellation of designation	Vol. 2, Ch. 202-4, 202-6
Designated Parachute Rigger Examiner (DPRE) (see parach	
Designator element	
Deviations	
deviation authority	
military contract operations	Vol. 1, Ch. 8-3
perform an emergency operation	
request for deviation	Vol. 2, Ch. 61-8, 101-1
recording data	
Direct Inclusion	
Director of maintenance	·
Discrimination (Whistleblowers, WBPP)	
Display of Permit	
Ditching demonstration (see emergency evacuation/ditching	
procedures/demonstrations)	
Ditching equipment	
Diversion times	
Document compliance phase procedures Vol. 2, Ch. 61-4, 6	·
Domestic repair station	
Door warnings	
Doppler (see navigation system)	
E	
Economic authority	
Economic poison	
Effective dates	·
Electrostatic protection	
Element Performance Inspection (EPI)	Vol. 1, Ch. 16
Emergency	
aborted takeoff demonstration	
analysis and tests	
dark of night	
	Vol. 2, Ch. 77-1, 108-1
equipment	
evacuation/ditching procedures/demonstrations	
	108-1, 108-8, 212-3
extended over-water operations/flights	
	Vol. 2, Ch. 77-1
exits	
FAR Part 125	
flight attendants	
floor exits	
full-scale ditching demonstration	
initiation signal	
manufacturer conducted demonstrations	Vol. 2, Ch. 77-3, 108-2

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
maximum demonstrated seating capacities	
non-floor level exits	
partial demonstration	Vol. 2, Ch. 77-1, 77-4, 108-1
passengers	
replacement certificates	
response	Vol. 3, Ch. 37-1, 37-4, 37-5
critical structural failures	Vol. 3, Ch. 37-1, 37-4, 37-5
in-flight engine separations	Vol. 3, Ch. 37-1, 37-4, 37-5
in-flight propeller separations	Vol. 3, Ch. 37-1, 37-4, 37-5
	Vol. 3, Ch. 37-1, 37-4, 37-5
uncontained engine failures	Vol. 3, Ch. 37-1, 37-4, 37-5
safety personnel	
training program	
type certification only demonstration	Vol. 2, Ch. 108-1, 108-2
ventral (stairs) and tailcone exits	Vol. 2, Ch. 77-4, 108-6
Emergency Locator Transmitter (ELT)	
En route inspection	
Enforcement	Vol. 2, Ch. 166-2, 210-2
action	
investigation	
Enforcement Investigative Reports (EIR)	
•	213-13, 221-1; Vol. 3, Ch. 130-1
Enforcement Information Subsystem (EIS)	
······································	221-1; Vol. 3, Ch. 37-3
Engine	
analysis	
indicating	Vol. 2, Ch. 235
control	Vol. 2, Ch. 235
evaluation	Vol. 2, Ch. 235
fuel	Vol. 2, Ch. 235
inspection	Vol. 2, Ch. 235
maintenance program or revision	
removals	
requirements	
shutdown rates (see long-term monitoring)	Vol. 2, Ch. 78-2; Vol. 3, Ch. 37-2, 38-4, 40-3
Engine/APU oil consumption monitoring program	
Engine overhaul periods/intervals	
Engine repair classifications	
Engine Utilization Reports	Vol. 2, Ch. 78; Vol. 3, Ch. 37-3, 38-3, 40-3
Engineering (FAA)	Vol. 2, Ch. 2-1, 2-2, 79-1
assistance	Vol. 2, Ch. 1-1, 1-3, 1-4
authorization	
order/authorization	
Engineering change authorization/order (EA/EO)	
En route and non en route segments	
Enrollment records	
Equipment	Vol. 2, Ch. 185-1, 188-1, 188-2

Page 14 Index

# **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
agricultural dispensing	Vol. 2, Ch. 146, 147-2
approval/evaluation	Vol. 2, Ch. 91-4, 237-1
carry-on oxygen	Vol. 2, Ch. 91-4
data plate	Vol. 2, Ch. 237-2
external load	Vol. 2, Ch. 135, 136
failures/malfunctions	Vol. 2, Ch. 76-10
inoperable	Vol. 2, Ch. 104-5
test	Vol. 2, Ch. 236-1
Equivalency (definition)	Vol. 2, Ch. 85-1, 85-3
Ethics/Conduct (inspector)	
responsibilities	
ETOPS	
airframe/engine condition monitoring	•
authorization	
definition	· · · · · · · · · · · · · · · · · · ·
deviation	·
engine/APU oil consumption monitoring program	
oil consumption	
extended range	
maintenance requirements	·
operation	·
parts control	
in-flight shutdowns	
powerplant systems	·
reliability program	
type design reliability and performance	·
verification program	
European Aviation Safety Agreement (EASA)	
Evidence	
background	
conflicting	·
documentary	·
hearsay	
photographic	
physical	
proving and circumstantial	
sufficient versus insufficient	·
Exemptions, 298	
Part 11	
Experience requirements	
evaluation of	
foreign applicants	
Experimental aircraft	
repairman certificates	
Experimental Aircraft Association (EAA)	
Expiration date	
Export/import aeronautical products	
Export/import acronautical products  Export/import airworthiness approval	
port and mortaliness approval	, 01. 2, 01. 220 1

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
class III products	
export/import aeronautical products	
export/import certification project	
Expository manual	
Exterior inspection	
Extended overwater areas	
Extended overwater operations	
Extended-range operations with two-engine air	planes (see ETOPS) Vol. 2, Ch. 76-8, 82; Vol. 3, Ch. 43-1
External-load operations	Vol. 2, Ch. 135-1, 136-1, 136-2
certification process	
* *	Vol. 2, Ch. 135, 136, 137, 156-2; Vol. 3, Ch. 91
•	Vol. 2, Ch. 136-1, 136-2
personnel-lifting devices	
quick release devices	
demonstration	
operator certificate	Vol. 2, Ch. 136-1, 137-1
rotorcraft external-load	
rotorcraft maintenance and alteration records	S
F	
FAA Form 337	
FAA Form 8000-4, 8000-4-1, 8310-3	
FAA Form 8060-4	
FAA Form 8100-8, 8100-9	
FAA Form 8130-3	
FAA Form 8430-21	Vol. 1, Ch. 5
FAA Form 8610-2	
Facilities and equipment	Vol. 2, Ch. 156-2, 162-6, 162-7, 162-9, 165-5; Vol. 3, Ch. 105-2
•	
inspection	
layout	
location	
size	
	ration of Documents
	Vol. 2, Ch. 63-6, 76-3, 89
one engine inoperative authorization	
1 0 1	
•	
	eate (STC)) Vol. 2, Ch. 1-1, 1-2, 1-4, 1-6, 79-1, 136-2, 237-1
•	
decision flow chart process	

Page 16 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
definition	Vol. 2, Ch. 1-2
denial of proposed alteration/repair	Vol. 2, Ch. 1-9
major repairs/major alterations	
restricted category agricultural airplanes	
technical data by physical inspection	
Financial	
communications	Vol. 3, Ch. 125-2
regional	Vol. 3, Ch. 125-3
dispute	Vol. 3, Ch. 125
indicators	Vol. 3, Ch. 125-1
procedures	Vol. 3, Ch. 125-3
Fire protection/detection	Vol. 2, Ch. 104-2, 235
Fixed Base of Operation	Vol. 2, Ch. 202-3
Fixed locationVol. 2, Ch.	161-3, 161-4, 161-6; Vol. 3, Ch. 97-1, 98-1
additional locations	
Flight	
airman certificate	Vol. 2, Ch. 126-5
special purpose	Vol. 2, Ch. 126-5
attendant	
knowledge and experience	
manual	
characteristics	· · · · · · · · · · · · · · · · · · ·
control	
logic system	Vol. 2. Ch. 235
manually flown flight control guidance systems approved for land	
system	9 1
cycle length	•
data recorder	· · · · · · · · · · · · · · · · · · ·
fault condition alert	
monitor	
performance level	
ramp equipment	
self-monitoring	
system test program	
underwater locator beacon	
deck	•
discrepancies	· · · · · · · · · · · · · · · · · · ·
dispatch center	
maintenance logs	
manual	voi. 5, Cii. 42-5, 01
approved	Vol. 2 Ch. 80 6
approved aircraft	
equipment lists	
* *	
safety	
test	· · · · · · · · · · · · · · · · · · ·
Flight Operations Evaluation Board (FOEB)	
Fooil recorder	voi. 3, Cn. 142-1
Foreign	

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
accidents	
air carriers	Vol. 2, Ch. 88-1, 125; Vol. 3, Ch. 75
operations specifications	
surveillance	
applicants for mechanic certificates	Vol. 2, Ch. 22-1, 22-2, 23
aviation maintenance technical schools	Vol. 3, Ch. 98-1, 105-2, 140-1
facility (definition)	Vol. 2, Ch. 87
governments	Vol. 2, Ch. 125
navigational aids	
maintenance program	
operators	Vol. 2, Ch. 125, 126
surveillance	•
repair station	
certification	
process	
satellite	
inspection	· · · · · · · · · · · · · · · · · · ·
Foreign Civil Aviation Authority (FCAA)	
Forest fires	
Formal application meeting	
Formal application phaseVol. 2	
Four-course range	
Fractional OwnershipVol. 1, Ch. 9-1, 12-1; Vol. 2, C	
Fractional Program ManagerVol. 1, Ch. 12-1; Vol. 2,	Ch. 36-1, 59-1, 64-1, 70-1; Vol. 3, Ch. 2-1, 3-1
Fuel	** 1 2 61 101 2
contamination	
distribution limits	
gasoline (aviation)	
system	Vol. 2, Ch. 235
Fueling	V 1 2 Cl 104 5
activities	·
procedures	Vol. 2, Ch. /2-4, 104-2, 104-5
Full-scale ditching (see emergency evacuation/ditching	W-1 2 Cl. 77 1 100 2 100 0
procedures/demonstrations)	
Full scale emergency evacuation	Vol. 2, Cn. //-1, 108-2
Full seating capacity (see emergency evacuation/ditching	Wal 2 Ch 77 2 100 4
procedures/demonstrations)	Vol. 2, Cn. //-2, 108-4
Functional	V-1 2 Ch 2 C
flight check	· · · · · · · · · · · · · · · · · · ·
mode deteriorationsignal flow	·
	VOI. 2, CII. 230-2
G	
General aviation alerts	Vol. 2, Ch. 156-2
General functions	
General Maintenance Manual (GMM)	
Geographic Authorization	Vol. 2, Ch. 163-5, 163-13, 163-25

Page 18 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
(definition)	Vol. 2, Ch. 161-2
surveillance	
Glide slope	
Go/no-go alarms	
Grading criteria	*
Graduation	•
certificate	
standards	
Ground aircraft	
grounding notice (see condition notice)	
Ground communications station	
Ground-controller approach radar (see navigation system)	•
Ground handling personnel	
Ground navigational aid	VOI. 2, CII. 14-3
foreign governments	Vol. 3 Ch. 140-1
foreign-located non-federal	
Totelgh-tocated hon-federal	VOI. 3, CII. 140
Н	
Hands-on tasks	Vol. 2, Ch. 187-1
Hazardous chemicals	Vol. 2, Ch. 211-3
Hazardous/toxic materials	Vol. 2, Ch. 146-1, 147-2, 162-2, 163-2
accident investigation	Vol. 2, Ch. 146-1
agricultural chemicals	Vol. 2, Ch. 146-1, 211-4
control and handling	
toxic agricultural chemicals	Vol. 2, Ch. 146-1
transportation	Vol. 4, Ch. 12-1
Helicopter Hospital Emergency Medical Evacuation Services (HEMES)	
Hotline	
Administrator's hotline	
complaint	
consumer hotline	
hotline complaints	
safety hotline	
Hydrostatic	
pressure	
testing	
	¥ 01. 2, Cli. 71-4
I	
Identification signal	
Identifying personnel	
Ignition	
electrical power supply	
ILS	
Industry steering committee	Vol. 2, Ch. 220-3
Inertial Navigation System (INS)	Vol. 2, Ch. 241-1, 241-2
In-flight	

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
demonstration	
• •	
e e	
S .	
Informal surveillance	
Initiation signal	·
Inspect	
•	
e e e e e e e e e e e e e e e e e e e	Vol. 3, Ch. 144-1
1 1	Vol. 3, Ch. 141-1
facility	•
FAR Part 125 Operator's Maintenance Records	
•	Vol. 3, Ch. 105-2
	Vol. 3, Ch. 103-2
instructor requirements	
Inspection	voi. 3, cm. 105-3
	Vol. 2, Ch. 26-2, 27-1, 36-2, 36-4, 68-1
• .	
•	
-	Vol. 2, Ch. 157-5
•	Vol. 3, Ch. 8-1, 134-1
1 0	
* *	
e	
* * * * * * * * * * * * * * * * * * * *	Vol. 2, Ch. 157
• • • •	
1	Vol. 2, Ch. 104-2, 106-1
programs	
	Vol. 2, Ch. 36-1, 91-1; Vol. 3, Ch. 26-1, 26-7
* *	Vol. 2, Ch. 35-1, 68-1; Vol. 3, Ch. 26-3, 26-5
	Vol. 2, Ch. 35-1, 36-1, 91-1; Vol. 3, Ch. 26
	Vol. 2, Ch. 68-1, Ch. 36-2; Vol. 3, Ch. 26-1, -2, -5
1 0	Vol. 2, Ch. 36-2; Vol. 3, Ch. 26-2, -5, -7
	Vol. 2, Ch. 26-1, 27-1, 36-2
repair station	
required	Vol. 2, Ch. 63-3, 63-4, 63-5

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
requirements	Vol. 3, Ch. 36-3
status	
records	
team requirements	
training program/record	·
required inspection item	
Installations (incomplete/incremental)	
Installed passenger seats	•
Instruction	·
credit for previous	
hours of	
order of	· · · · · · · · · · · · · · · · · · ·
time	•
Instructional aids	
definition	
equipment	
Instructions for Continued Airworthiness (ICA)	
` '	•
checklist	•
Instructor	
non-certificated	
performance	
qualifications	
ratings	
requirements	
Instructor/student ratio	•
Instrument approach	•
Category II and III and landing systems	
Instrument Flight Rules (IFR)	
approval	
Instrument Landing System (ILS)	·
Instrument training	·
Interim authorization	
Interior inspection	Vol. 3, Ch. 3-6, 4-2, 4-4, 5-1
International Civil Aviation Organization (ICAO)	Vol. 2, Ch. 23-3, 81-1, 125-1
Annex 6	Vol. 2, Ch. 125-1
International Aviation Safety Assessments (FAA IASA)	Vol. 3, Ch. 99
Inventory	
hazardous agricultural chemicals	
Investigations	
equipment	
Investigator-in-charge	
FAA	
NTSB	
Isolettes	•
Items of proof	·

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Joint Aviation Authorities (JAA) (now EASA)	Vol. 2, Ch. 167, 168, 170, 171, 172; Vol. 3, Ch. 99
JAA Form 3, 6, 7(now EASA Form 3, 6, 7)	
K	
Key management personnel	
Knowledge Test	
L	
Labor	
ATOS air carriers and non-ATOS air carriers	
dispute	Vol. 3, Ch. 125-1, 125-3
procedures	
Landing	
gear	Vol. 2, Ch. 235
minimums	Vol. 2, Ch. 3-1, 237-1
systems	
evaluate	
microwave	Vol. 2, Ch. 238
Leading Outsource Maintenance Providers (LOMP)	
instructions	
Lease	
aircraft	Vol. 2, Ch. 72-1, 73, 126-5
equipment	
Lease/interchange agreement	
certificate holder (definition)	
interchange agreement (definition)	
lease (definition)	
dry lease (definition)	
wet lease (definition)	
operational control (definition)	
lessee (definition)	
lessor (definition)	
dry-leased aircraft	
wet-leased aircraft	
Leased maintenance program authorization: U.Sregistered a	aircraft
Letters	
of Authorization (LOA)	
foreign air carriers	Vol. 2, Ch. 126
of compliance	
Level of accuracy	
Levels	·
2	
3	
Life-limited	, , <del></del>
components	Vol. 2. Ch. 88-1

Page 22 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
items	Vol. 2, Ch. 83-1, 105-2, 105-3; Vol. 3, Ch. 36-3, 61
parts	Vol. 2, Ch. 87-2, 92-1, 156-1; Vol. 3, Ch. 61-1, 91-4
current status records	Vol. 3, Ch. 27-2, 27-4
definition	Vol. 2, Ch. 87-2
failure	Vol. 3, Ch. 37-1
requirements	Vol. 2, Ch. 156-2
records	Vol. 3, Ch. 41-3, 42-4, 61-1, 61-4
status of	Vol. 2, Ch. 92-1, 111-4
status records	Vol. 2, Ch. 111-2
Life limits	Vol. 2, Ch. 111-4; Vol. 3, Ch. 42-4
Liferafts	Vol. 2, Ch. 77-2, 108-1
launch	Vol. 2, Ch. 77-2, 108-1
Light-Sport	Vol. 2, Ch. 8-1; Vol. 3, Ch. 20-1
aircraft (inspection/maintenance)	Vol. 3, Ch. 20-1
Experimental Light-Sport Aircraft (ELSA)	Vol. 2, Ch. 8-1
Light-Sport Category Aircraft (SLSA)	Vol. 2, Ch. 8-1
	Vol. 2, Ch. 8-1
privileges and limitations	Vol. 2, Ch. 8-1
ratings (inspection/maintenance)	Vol. 2, Ch. 8-1, 8-2
	Vol. 2, Ch. 8-2, 8-3
repairman certificate	Vol. 2, Ch. 8-1
•	Vol. 2, Ch. 8-3
	Vol. 2, Ch. 8-1
1 2 1 1	Vol. 3, Ch. 20-1
1 .	Vol. 3, Ch. 20-1
	Vol. 2, Ch. 161-2
	Vol. 2, Ch. 161-2
•	Vol. 2, Ch. 236-1; Vol. 3, Ch. 146-1
*	Vol. 2, Ch. 93-4, 168-4
	Vol. 3, Ch. 7-2
•	Vol. 2, Ch. 135-1
	Vol. 2, Ch. 135-1, 136-1
	Vol. 2, Ch. 74-10
	Vol. 2, Ch. 75-4
•	Vol. 2, Ch. 75-1
	Vol. 3, Ch. 140-3
	Vol. 2, Ch. 188-1
<u>c</u>	
•	Vol. 2, Ch. 237-1
	Vol. 3, Ch. 37-1, 37-2, 37-4, 37-5
	Vol. 2, Ch. 78-2; Vol. 3, Ch. 37-2
· ·	
medianear meetraphon bannanios	

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
mechanical reliability reports	
· ·	
1 1	
•	
•	
	Vol. 2, Ch. 3-1
	Vol. 2, Ch. 3-4
M	
Magnetic unreliability, areas of	
Maintenance	,
	Vol. 2, Ch. 136-2, 156-2
	Vol. 3, Ch. 38-3, 38-5
	Vol. 2, Ch. 104-5; Vol. 3, Ch. 3-2, 4-2, 4-4, 4-6, 5-3, 130-1
	Vol. 2, Ch. 111-3
1 01	
•	
•	Vol. 2, Ch. 03-2
1	Vol. 2, Ch. 63-4, 63-5
•	
	Vol. 2, Ch. 36-1, 64-1, 64-2, 126-1; Vol. 3, Ch. 38-1
•	
•	Vol. 2, Ch. 126-6
* *	
• • •	
•	
_	
•	
records	
	Vol. 2, Ch. 36-1; Vol. 3, Ch. 27
	Vol. 2, Ch. 70, 71; Vol. 3, Ch. 42-3
·	Vol. 2, Ch. 91; Vol. 3, Ch. 39-1
reliability program	Vol. 2 Ch. 61-10

Page 24 Index

# **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
responsibility	Vol. 2, Ch. 35-1
	Vol. 2, Ch. 63-4
scheduled	Vol. 3, Ch. 36-1, 36-2, 36-3, 36-4, 36-7
standards	Vol. 2, Ch. 125-1
time limitations	
inspection frequency and overhaul requirem	nents
	Vol. 2, Ch. 36-2
training program	Vol. 2, Ch. 70-1, 70-2, 82-2
inspection training program	Vol. 2, Ch. 70-1
on-the-job training	Vol. 2, Ch. 70-1
training program development	Vol. 2, Ch. 70-1
unscheduled	Vol. 3, Ch. 36-1, 36-3, 36-4
requirements	Vol. 3, Ch. 36-6
Maintenance Airworthiness Standardization Tear	n (MAST)Vol. 2, Ch. 170-1, 171, 172; Vol. 3, Ch. 99
Maintenance function	Vol. 2, Ch. 161-5, 161-6
Maintenance Implementation Procedures (MIP).	
Maintenance International Standardization Team	(MIST)Vol. 2, Ch. 167-12, 167-17, 169-1, 169-3; Vol. 3, Ch. 99-9
FAA responsibilities	Vol. 2, Ch. 169-3; Vol. 3, Ch. 99-9
inspection	Vol. 2, Ch. 169-4
support procedures	Vol. 2, Ch. 169-4
	Vol. 2, Ch. 5-2
Maintenance Review Board (MRB)	
Major Alterations	Vol. 2, Ch. 1-1, 1-2, 26-1, 27-1, 63-7, 92-3, 101-1;
•	Vol. 3, Ch. 27-4, 41-2, 41-4, 42-2, 61-2
Job Aid (Fig. 1-3)	Vol. 2, Ch. 1-15
records	Vol. 2, Ch. 92-4, 111-3, 111-5; Vol. 3, Ch. 42-2, 61-2, 61-3, 61-5
Major alteration and repair list	Vol. 3, Ch. 61-5
Major design changes	Vol. 2, Ch. 1-2
Major repairs	
	Vol. 3, Ch. 27-4, 41-2, 41-4, 42-2, 61-2
minor repair	Vol. 2, Ch. 1-2
records	Vol. 2, Ch. 92-4, 111-3, 111-5; Vol. 3, Ch. 42-2, 61-2, 61-5
Malfunction or defect report	Vol. 3, Ch. 129-1
Malfunction verification	Vol. 2, Ch. 236-2
Manual revisions	
Manual system	
Management personnel	
authorizations	Vol. 2, Ch. 104-4
qualification evaluation	Vol. 2, Ch. 103-1
resources	
Management Specifications (MSpecs)	
amendment or cancellation	Vol. 2, Ch. 86-4
ASI responsibilities	Vol. 2, Ch. 86-1
Part MA—General	Vol. 2, Ch. 86-1
Part MB—En Route Authorizations, Limita	tions, and ProceduresVol. 2, Ch. 86-1
Part MC—Airplane Terminal Instrument Pr	ocedures and Airport
Authorization and Limitations	Vol. 2, Ch. 86-1

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Part MD—Aircraft Maintenance	. Vol. 2, Ch. 86-1
MD072—Aircraft Maintenance—Continuous Airworthiness Maintenance Program (CAI	
Authorizations	•
MD073—Aircraft Inspection Program (AIP)	. Vol. 2, Ch. 86-3
MD076—Short-Term Escalation Authorization	
MD084—Special Flight Permit with Continuous Authorization to Conduct Ferry Flights	
MD085—Aircraft Listing	
MD089—Maintenance Time Limitations Section	
MD092—Maintenance Program for Minimum (RVSM) Airspace	· · · · · · · · · · · · · · · · · · ·
MD095—Minimum Equipment List (MEL) Authorization	
MD101—Additional Maintenance Requirements—Aircraft Engine	
MD102—Additional Maintenance Requirements—Rotorcraft	
MD104—Additional Maintenance Requirements—Emergency Equipment	
Part ME—Weight and Balance	
Part MH—Helicopter Terminal Instrument Procedures and Airport Authorizations	. voi. 2, Cii. 60-1
and Limitations	Vol 2 Ch 86 2
demonstration and inspection phase	·
• •	
document compliance phase	
formal application phase	
issuance	
MSpecs issuance phase	
nonstandard paragraphs	
obtain	
preapplication phase	
Manufacturer-conducted demonstration	Vol. 2, Ch. 108-2
Manufacturer emergency evacuation	
demonstrations (see emergency evacuation/ditching procedures/demonstrations) Vol. 2	
Manufacturer escalations	*
time escalation	· · · · · · · · · · · · · · · · · · ·
Manufacturer's Maintenance Facility (MMF)	
Manufacturer's manual	Vol. 2, Ch. 236-1
technical	. Vol. 2, Ch. 63-1
Manufacturer's type certificate	Vol. 2, Ch. 101-1
Manufacturer recommendations	Vol. 2, Ch. 105-1
Manufacturing Inspection District Offices (MIDO)	Ch. 225-1, 226-1
Markers	Vol. 3, Ch. 140-3
seventy-five megahertz	
Master Minimum Equipment List (MMEL)Vol. 2, Ch. 4-1, 7-1,	
7-13, 7-17, 7-21, 7-25, 7	
Material Review Board Procedures	
Materially-altered aircraft	
Maximum demonstrated seating capacities Vol. 2	
Mechanic You	2, CH. 77 1, 100 1
certificate	22 23 25-1 26-4
foreign applicants	
payment of fees	
- ·	
experience	
W11tt01 t05t	v UI. Z. UII. 10J-1

Page 26 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Mechanical Interruption Summary Reports (MISR)	
	37-3, 38-3, 40-3, 130-1, 130-2
Mechanical performance analysis	Vol. 2, Ch. 65-1
Mechanical Reliability Reports (MRR)	Vol. 2, Ch. 65-1; Vol. 3, Ch. 37-2, 37-3, 38-3, 40-3, 130-1
Medical oxygen	Vol. 3, Ch. 7-2
	Vol. 2, Ch. 91-4
Memorandum of Understanding (MOU)	Vol. 1, Ch. 11-1; Vol. 4, Ch. 6-1, 6-2, 6-8
Meteorological limits	Vol. 2, Ch. 89-2
Method of compliance	Vol. 2, Ch. 186-2
Microwave landing systems	Vol. 2, Ch. 238-1
scanning	Vol. 2, Ch. 238-1
Tactical Landing Approach Radar (TALAR)	Vol. 2, Ch. 238-1
Time Reference Scanning Beam (TRSB)	Vol. 2, Ch. 238-1
wide angle	Vol. 2, Ch. 238-1
Military accident investigation	Vol. 2, Ch. 211-2, 211-3
Military aircraft (definition)	Vol. 2, Ch. 87-2
Military contracts (U.S.)	Vol. 2, Ch. 80-3
Military experience and training	
joint service forms	Vol. 2, Ch. 22-1, 22-7, 22-18, 22-19
Military Occupational Specialty (MOS) Codes	Vol. 2, Ch. 22-2, 22-3, 22-8, 22-(11-18)
Military technical schools	Vol. 2, Ch. 187-3; Vol. 3, Ch. 105-2
Minimum Equipment List (MEL)	Vol. 2, Ch. 3-1, 3-7, 4, 5-3, 7-1, 7-10, 7-15, 7-21,
7-29, 7-3	1, 7-33, 7-35, 7-37, 63-3, 63-6, 68-5, 125-2, 126-1, 126-3;
-	Vol. 2, Ch. 126-6
	Vol. 2, Ch. 84-9
	Vol. 2, Ch. 7-29
Minimum Equipment Lists (MEL) and Configuration D	eviation Lists (CDL) Vol. 2, Ch. 4-1, 61-11, 93-2,
	7-27; Vol. 3, Ch. 40-3
	Vol. 3, Ch. 9-2
•	S)Vol. 4, 10-1
-	Vol. 2, Ch. 1-1
Monitor	
	Vol. 3, Ch. 146-1
•	Vol. 3, Ch. 142-1
	Vol. 3, Ch. 142-1
	Vol. 2, Ch. 78-1
	App. 5
	App. 5
	App. 5
•	App. 5
	App. 5
	App. 5
	Vol. 2, Ch. 36-2, 36-4
	Vol. 2, Ch. 36-2, 36-4
Multiengined turbine powered airplanes	Vol. 2, Ch. 68-1

#### **COMPREHENSIVE INDEX—Continued**

SUBJECT N	LOCATION
National Aviation Authority (NAA)	Vol. 2, Ch. 170-1, 171-1, 172-1; Vol. 3, Ch. 99-1
non-recommendation	
recommendation Vol. 2, Ch. 170-4, 5, 8, 9, 12, 13; 17	71-1, 2, 3, 4, 5, 8, 9; 172-3, 5; Vol. 3, Ch. 99-3, 4, 5, 6
responsibilities	
FAA	
NAA	
National Institute of Standards and Technology	
National passing norms	
AC Form 8080-08	
AC Form 8080-10	
National Transportation Safety Board (NTSB)	Vol. 2, Ch. 211-1, 212-1, 212-6, 213-3, 213-6;
	Vol. 3, Ch. 4-1
investigation agreements	•
Navigation special equipment and procedures	
Navigation system	
Airborne Loran-C	Vol. 2, Ch. 76-7, 241-2
Airborne Omega Radio	
area navigation system (RNAV)	Vol. 2, Ch. 241-1
Doppler	
global positioning satellite navigational systems	
inertial navigation system	Vol. 2, Ch. 76-6, 241-1, 241-2
long-range	
Omega	
Omega/VLF	Vol. 2, Ch. 76-8, 241-2
self-contained	
VOR	Vol. 3, Ch. 140-2
alterations	
installation	
Navigational aid	
foreign-located non-federal ground	•
New aircraft	•
Newly manufactured aircraft	
aircraft new to operator	
Neonatal flight	
Non-authorization	
Non-dedicated aircraft	
Non-destructive Inspection (NDI)	
Non-school reports	
Nondirectional beacon	
Nonhomogeneous weather characteristics	
Nonpartitioned system	Vol. 3, Ch. 146-1
North Atlantic Minimum Navigation Performance Specification	
(NAT/MNPS) airspace	
North Pacific (NOPAC) airspace	Vol. 2, Ch. 76-7

Page 28 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
O	
Occupational Safety and Health Administration (OSHA)	Vol. 1, Ch. 11-3
Offenses Involving Alcohol or Drugs	Vol. 2, Ch. 22-5
Off-the-Job ethics and conduct	Vol. 1, Ch. 10-5
off-duty behavior	Vol. 1, Ch. 10-5
political activity	
striking	
Office with geographic responsibility	Vol. 3, Ch. 42-3, 42-5, 61-3
Oil indicating	Vol. 2, Ch. 235
Omega (see navigation system)	Vol. 2, Ch. 241-2
Omega/VLF (see navigation system)	Vol. 2, Ch. 241-2
Omnirange (VOR) (see navigation system)	Vol. 3, Ch. 140-2
On-condition items	Vol. 3, Ch. 36-3
On-condition program/trend analysis program	Vol. 2, Ch. 105-2
On-the-job Ethics and Conduct	
on-duty behavior	
rules of conduct	
On-site inspection	Vol. 3, Ch. 38-3
Operating certificate	Vol. 1, Ch. 5-1
Operation check	Vol. 2, Ch. 1-5
Operation in icing conditions	Vol. 2, Ch. 7-29, 7-35
Operations involving foreign air transportation	Vol. 2, Ch. 89-2
Operations manual	Vol. 2, Ch. 79-1
Operator's maintenance facility	Vol. 3, Ch. 131-1
Operations specifications	Vol. 2, Ch. 2-2, 61-12, 63-5, 68-1, 68-4, 78-2, 84,
	87, 104-1, 107, 125-1, 125-2, 135-1, 161;
	Vol. 3, Ch. 36-1, 36-6, 38-1, 39-2, 40-1, 40-2, 60-2
automated Parts 121/125/135	Vol. 2, Ch. 84-1, 84-2
additional text	Vol. 2, Ch. 84-4
amendment	Vol. 2, Ch. 84-11, 84-19
effective date	Vol. 2, Ch. 84-14, 84-19
	Vol. 2, Ch. 84-23, 84-36
approval	Vol. 2, Ch. 84-22, 84-35
	Vol. 2, Ch. 84-23, 84-36
checklist	Vol. 2, Ch. 84-6, 84-26
control	·
definition	
distribution	
drafts	
FAA-initiated operations specifications/amendments	Vol. 2, Ch. 107-4
features and symbology	
generation	Vol. 2, Ch. 84-2
issuance of paragraphs	
	Vol. 2, Ch. 84-4, 107-2
1 0 1	
maintenance time limitations	
abbreviations and definitions	Vol. 2, Ch. 84-19

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
authorization	Vol. 2, Ch. 84-18
checks and inspections page	Vol. 2, Ch. 84-19, 84-33
general information	
increases	
general	
physical inspection	
index	
inspection frequency and overhaul	
review	
operator-requested operations specifications/amendments	
mandatory and nonmandatory OpSpecs changes	
Part 125	
foreign air carriers	
Parts A-E	Vol. 2, Ch. 107-1, 110-3
airworthiness authorizations	
Part D	Vol. 2, Ch. 3-4, 107-1; Vol. 3, Ch. 60-2
aircraft maintenance	
Part A - General	
Part B - En Route Authorizations, Limitations, and Procedures	
Part C - Airplane Terminal Instrument Procedures and Airport Authoriza	tions and Limitations. Vol. 2, Ch. 84-2
OpSpecs (Maintenance)	·
Part D - Aircraft Maintenance	
D072 Aircraft Maintenance - Continuous Airworthiness Maintenance	
Authorization	
D073 Approved Aircraft Inspection Program (AAIP)	
D074 Reliability Program Authorization: Entire Aircraft	
D075 Reliability Program Authorization: Airframe, Powerplant, Syste	
or Selected Items	
D076 Short-Term Escalation Authorization	
D077 Maintenance Contractual Arrangement Authorization: For an Er	
D078 Maintenance Contractual Arrangement Authorization for Specif	
D079 Reliability Program Contractual Arrangement Authorization	
D080 Leased Aircraft Maintenance Program Authorizations: U.SReg	
D081 Parts Pool Agreement Authorization	
D082 Prorated Time Authorization	
D083 Short-Term Escalation for Borrowed Parts Subject to Overhaul	
D084 Special Flight Permit with Continuous Authorization to Conduc	
D085 Aircraft Listing	
D086 Maintenance Program Authorization for Two-Engine Airplanes	Used in Extended-Range
Operation	Vol. 2, Ch. 84-8, 84-15
D087 Maintenance Program Authorization for Leased Foreign-Registe	ered Aircraft
Operated by U.S. Air Carriers	
D088 Maintenance Time Limitations Authorization	Vol. 2, Ch. 84-8, 84-16
D089 Maintenance Time Limitations Section	
D090 Coordinating Agencies for Suppliers Evaluation (C.A.S.E.)	
D091 Authorization to Make Arrangements with Other Organizations	
Substantial Maintenance	
D092 Maintenance Program Authorization for Airplanes Used for Ope	erations in Designated

Page 30 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Reduced Vertical Separation Minimum (RVSM)	Vol. 2, Ch. 84-9, 84-17
D093 Helicopter Night Vision Goggle Operations (HNVGO)	
D095 Minimum Equipment List (MEL) Authorization	<u> </u>
D097 Repair Assessment Program for Pressurized Fuselages	
D101 Additional Maintenance Requirements - Aircraft Engine	
Control (Governor)	-
D102 Additional Maintenance Requirements - Rotorcraft	
D103 Additional Maintenance Requirements - Single Engine	
D104 Additional Maintenance Requirements - Emergency Eq	
D105 Air Carrier Emergency Evacuation Systems (EES) Main	
Requirements	
D106 Aircraft in Long-Term Maintenance or Storage	
Part E - Weight and Balance	
E096 Weight and Balance Control Procedures	· · · · · · · · · · · · · · · · · · ·
Part H - Helicopter Terminal Instrument Procedures and Airport	
summary listing	
table of contents	· · · · · · · · · · · · · · · · · · ·
worksheets	
voluntary surrender of	
Operator/applicant's test plan	*
Operator-initiated time changes	•
Operator's	voi. 2, Cii. 103-2
maintenance records	Vol. 2 Ch. 26 2: Vol. 2 Ch. 61
manual	
record system	
test plan	
Oral practical skill tests	
•	
administration	
prerequisites	
	· · · · · · · · · · · · · · · · · · ·
disqualifications arising out of financial interests	
Outsource maintenance	
facility located outside the United States	
maintenance contracts	
maintenance providers	
substantial maintenance	· · · · · · · · · · · · · · · · · · ·
responsibilities	
air carrier	
aviation safety inspector	
Over-alert conditions	Vol. 2, Ch. 66-4
Overhaul	V 1 2 Cl 105 1 V 1 2 Cl C0 1
intervals	
list	, ·
periods	
records	
requirements	
specifications	
time/cycle limits	Vol. 3, Ch. 42-4

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
time limit	Vol. 2, Ch. 87-2, 87-3
definition	
recordsVol. 2, Ch. 6	5-3; Vol. 3, Ch. 27-2, 41-2, 41-4, 42-2, 42-4, 61-1
Oxygen equipment	
n	
P	
Page control system	
Parachutes	·
auxiliary (reserve)	
maintenance/alterations	
data	
approval	Vol. 3, Ch. 136-2, 136-4
harness	
main parachute	Vol. 3, Ch. 136-2
packs/containers	Vol. 3, Ch. 136-1
TSO C-23	Vol. 3, Ch. 136-1, 136-4
Parachute rigger	
	Vol. 3, Ch. 17-1, 17-2
Designated Parachute Rigger Examiners (DPRE)	
master parachute rigger	
senior parachute rigger	
military competence	
Partial ditching (see emergency evacuation/ditching procedures/	
Partial emergency evacuation (see emergency evacuation/	,,,
ditching procedures/demonstrations)	Vol. 2. Ch. 77-1, 77-2, 77-6
Partitioned system (definition)	
Parts/parts pool/parts borrowing	·
authorization	
articles (definition)	
operator manufactured parts (definition)	
parts (definition)	
parts borrowing authorization	
Parts Manufacturer Approval (PMA)	
definition	
pool	
agreement authorizations	·
authorization facility	
inspection	
Supplemental Type Certificate (STC) (definition)	
Type Certificate (TC) (definition)	
Technical Standard Order (TSO) (definition)	
minimum standards	·
Part-Time Employment Activities	
Passenger seating configuration (see seating configuration)	
Passive fault indicator	
Pediatric flight	
Performance standards	

Page 32 Index

# **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Personnel identification recording	Vol. 3, Ch. 42-1, 61-1
Personnel training requirements	Vol. 2, Ch. 238-2
Petition for an exemption	
Pilot in command	Vol. 2, Ch. 104-4; Vol. 3, Ch. 4-4, 4-5, 5-1, 6-2
Pilot operating handbook	Vol. 2, Ch. 74-9, 74-14
Pilot reports (see long-term monitoring)	Vol. 3, Ch. 37-2, 37-3, 38-4, 38-5, 40-3
Pilot schools	Vol. 2, Ch. 155-1; Vol. 3, Ch. 91-1
evaluate pilot school certificate	Vol. 2, Ch. 156-1
Pilot static	Vol. 2, Ch. 235
Placards	Vol. 3, Ch. 7-2
Planned water landing	Vol. 2, Ch. 77-2, 108-8
Policies and procedures manual	Vol. 2, Ch. 74-9, 105-2, 110-1
Post-on-Site Investigation Activities	Vol. 2, Ch. 211-5
Post-Notification Activities	Vol. 2, Ch. 211-5
Powerplant	Vol. 2, Ch. 186-5
electrical harness	Vol. 2, Ch. 235
mechanic	Vol. 3, Ch. 17-1
ratingVol. 2, Cl	h. 22, 161-18, 161-19, 186-5, 187-3; Vol. 3, Ch. 105-2
Practical projects	
Practical tests	Vol. 2, Ch. 22-3, 22-4, 22-8, 22-10, 187-2
Pre-Inspection Activity	Vol. 2, Ch. 188-1
Preapplication meeting	
Preapplication phase	
Preapplication Statement of Intent (PASI)	
, ,	68-5, 186-1, 162-1, 163-2,
schedule of events	Vol. 2, Ch. 61-2, 61-3, 61-4, 61-5, 61-8, 61-9, 61-10
Precertification number	
Precipitous terrain	
Precision Approach Radar (PAR) (see navigation system)	
Precision tools and measuring devices	
Predemonstration meetings	
Premature removal rates (see long-term monitoring)	
Pressure cylinders	
life limits of	
Preventive maintenance	
Previous experience	
Primary Category Aircraft (PCA) preventative maintenance	
Primary exits	
Primary Maintenance Processes	
time limit	Vol. 2, Ch. 66-1
life limit	·
Principal base of operations	Vol. 2, Ch. 60-4
Privileges and Limitations	
Professionalism	
definition	
standards	
Progressive inspections	
inspection schedule	
-	·

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
intervals	Vol. 2, Ch. 91-1
program	
Propeller	
ratings	
Proposed Master Minimum Equipment List (PMMEL)	
Prorated time authorizations	
approved time limitations	
block/pattern system	
block/pattern time	
block/pattern time limitation	
direct inclusion	
foreign air carrier aircraft	
proration	
time limitations	•
Prorated time computation	
Proving flight plan	Vol. 2, Ch. 68-2,
Proving tests	
test plan	
test requirements	
Proving/validation test	
job aid	·
process	
proving flight (definition)	
proving tests (definition)	
provisionally-certificated aircraft	
(definition)	
requirements	•
validation flights (definition)	
validation tests (definition)	
Provisional airworthiness certificate	
Public emergencies	
Q	
Quality	
assurance	
control	Vol. 2, Ch. 65-1
of instruction	Vol. 2, Ch. 185-1
standards	Vol. 2, Ch. 187-1
Quantitative readouts	
Quarterly Utilization Report (QUR)	Vol. 2, Ch. 158
Quick release devices	Vol. 2, Ch. 136-1, 136-2
R	
Radar	
Airport Surveillance Radar (ASR) (see navigation system)	Vol. 3, Ch. 140-3
ground controller approach radar (see navigation system)	Vol. 3, Ch. 140-3

Page 34 Index

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Precision Approach Radar (PAR)	Vol. 3, Ch. 140-3
Radio navigation	
Radio Technical Commission of Aeronautics (RTCA)	Vol. 2, Ch. 3-5
Ramp inspection	Vol. 3, Ch. 3-1, 3-3, 3-6, 9-1, 75-1, 142-1
Ratings	Vol. 2, Ch. 28-1, 187-4
airframe	
combined airframe and powerplant	Vol. 2, Ch. 186-5
powerplant (see repairman)	
Ratios (student/teacher)	
Records of overhaul	
Record of significance	
Recordkeeping, Records	
requirements	
requirements and responsibilities	
system	
Reduced Vertical Separation Minimums (RVSM)	
approvals database	
compliance	
maintenance program	·
operator evaluation	
procedures	•
Redundant equipment items	
Reexamination	
Mechanic Certificate	·
Inspection Authorization	•
results	
Refueling procedures	·
AVGAS	
fueling facilities	·
geographic consideration	·
jet fuels	·
reviewing the manual	•
Release document (maintenance)	
Reliability Program	
approved	
authorization	
MSG-2	•
MSG-2 MSG-3	·
hard-time	
on-condition	
condition-monitoring	
consequence-of-failure	
functional failure	
time limitations	
Reliability program	
doormant	38-2, 38-3, 38-4, 38-5, 40-2, 40-3
document	•
Remaining time/cycles	voi. 2, Ch. 111-4

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Remedial training	Vol. 2, Ch. 215
accident prevention program manager	
eligibility	
enforcement investigation report	
letter of investigation	
program	
supporting facts/evidence	
Removal/installation records of overhauled components	
Rental/exchange program	•
approve	
Repairs	
data	
definition	•
flight test/operation check requirements	•
major repair (definition)	
minor repair (definition)	
Repair station	
1	165, 167-1, 236-1; Vol. 3, Ch. 97-1, 98-1, 98-2, 98-3
acceptable correspondence	
air agency certificate (definition)	
article (definition)	
authorization (for work away from a fixed location)	
capability list (definition)	
certificate requirements	
contract maintenance program	Vol. 3, Ch. 95
directly in charge	
document submission	
domestic repair station	Vol. 2, Ch. 162
•	
equipment	
facilities	Vol. 2, Ch. 162-6, 162-7, 162-9, 165; Vol. 3, Ch. 85
foreign repair station (definition)	
ratings	
accessories	
class rating (definition)	
limited ratings	Vol. 2, Ch. 161-2 (definition), 161-15
	Vol. 2, Ch. 161-2 (definition), 161-22
line maintenance authorization	
maintenance/alterations	Vol. 3, Ch. 96
maintenance process	Vol. 3, Ch. 93
manual system	Vol. 3, Ch. 84
parts and materials	Vol. 3, Ch. 8
personnel	Vol. 3, Ch. 90
quality control system	Vol. 3, Ch. 88
radio and instrument	Vol. 2, Ch. 161-120, 161-21
record system	Vol. 3, Ch. 83
	Vol. 3, Ch. 87
tools and equipment	Vol. 3, Ch. 86

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
training	Vol. 3, Ch. 92
	Vol. 2, Ch. 167-1, 168-3
acceptance	Vol. 2, Ch. 167-9
Forms	
	Vol. 2, Ch. 167-9
participation (FAA)	,
* *	Vol. 2, Ch. 168-4
amendment	Vol. 2, Ch. 168-4
	Vol. 2, Ch. 168-8
•	Vol. 2, Ch. 168-5, 168-12
	Vol. 2, Ch. 168-5
	Vol. 2, Ch. 168-9
	Vol. 2, Ch. 168-6
•	Vol. 2, Ch. 168-9
	Vol. 2, Ch. 168-2
	Vol. 2, Ch. 168-4
11	Vol. 2, Ch. 168-8
•	
	Vol. 2, Ch. 167-11
	Vol. 2, Ch. 167-10
1 0 1	Vol. 2, Ch. 167-3, 168-1, 168-4
	Vol. 2, Ch. 167 Vol. 2, Ch. 167
	Vol. 2, Ch. 167-1
	Vol. 2, Ch. 167-10, 167-15
	Vol. 2, Ch. 167-10, 167-15, 168-3
	Vol. 2, Ch. 167 12, 167 16, 167 15, 166 3
11 1	Vol. 2, Ch. 168-4
	Vol. 2, Ch. 167-4, 167-13
	Vol. 2, Ch. 167-4, 167-13
	Vol. 2, Ch. 167-9, 168-3
	Vol. 2, Ch. 167-9
	Vol. 2, Ch. 167-8
•	Vol. 2, Ch. 167-8
	Vol. 2, Ch. 167-9, 167-13
	Vol. 2, Ch. 167-9, 107-13
	Vol. 2, Ch. 167-13, 168-3
	Vol. 2, Ch. 107-13, 106-3
** *	
	Vol. 2, Ch. 167-9
	Vol. 2, Ch. 167-9
	Vol. 2, Ch. 167-13
	Vol. 2, Ch. 167-3, 167-7 
	Vol. 2, Ch. 167-8
	Vol. 2, Ch. 167-7
1 1 1	Vol. 2, Ch. 167-3
supplement	Vol. 2, Ch. 167-6

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
procedures	
surveillance planning	
validity	
limited ratings	
limited specialized service ratings	Vol. 2, Ch. 161-22, 161-23
· · · · · · · · · · · · · · · · · · ·	
line station	
maintenance functions	Vol. 2, Ch. 161-11
manual revisions	Vol. 2, Ch. 161-10
operations specifications	Vol. 2, Ch. 161, 161-3, 162-12, 163-16, 163-22, 16-25
quality monitoring system	
records	Vol. 3, Ch. 41-2, 42-2, 61
special circumstances	
satellite repair station	
•	
•	
definitions	
	Vol. 2, Ch. 160-13
	Vol. 2, Ch. 160-13
• 1	
inspector responsibilities	
1 1	
* *	
program elements	
	Vol. 2, Ch. 160-19
checklist	
content analysis	
· · · · · · · · · · · · · · · · · · ·	
- ·	
repair station	
specialized training	
remedial training	
	Vol. 2, Ch. 25-1; Vol. 3, Ch. 17-1, 17-2
-	
Repair Station Analytical Model (RSAM)	
•	Vol. 3, Ch. 42-4, 61-3
•	Vol. 2, Ch. 1-4, 87-1, 87-2
Reporting requirements	

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Representative airport	Vol. 2, Ch. 76-5
Required Air Carrier Aircraft Maintenance Records	Vol. 2, Ch. 71-1
Required Inspection Items (RII)	Ch. 64-1, 64-4, 104-4, 106-1, 221-4; Vol. 3, Ch. 2-1,
	2-2, 36-3, 42-4, 61
required inspection item training program	Vol. 2, Ch. 70-2, 106-1
requirements	
Requirements	
recurring non-routine	Vol. 2, Ch. 63-1
unscheduled maintenance	Vol. 3, Ch. 36-1
Research and Special Programs Administration	
Residual fluids	Vol. 2, Ch. 74-10
Retaining Airworthiness Releases	
Return to service	
tag	Vol. 3, Ch. 27-2
Revision control	Vol. 2, Ch. 126-2
Revision system	Vol. 2, Ch. 104-2
Revocation	•
Rotorcraft	Vol. 2, Ch. 147-1
accident	•
external-load operators	Vol. 2, Ch. 146-1, 221-1
certificate	Vol. 2, Ch. 136-1
lease agreement	Vol. 2, Ch. 137-1
evaluate	Vol. 2, Ch. 137-1
ownership	•
Rotors indicating	Vol. 2, Ch. 235
S	
	W 1 1 60 16
Safety Attribute Inspection (SAI)	
Safety Performance Analysis System (SPAS)	
Satellite repair stations	
SAWRS stations	•
Scale tare weights	
Scene flight	
Scheduled inspections	
Scheduled maintenance requirements (see maintenance)	
Search lights (air ambulance, HEMES)	
Seating capacity	
increase by analyses and tests	
maximum exit capacity	
test data	
Seating configuration (see passenger seating configuration)	
Self-contained navigation system	•
Self-test features	
Service bulletin compliance	
maintenance	
Service Difficulty Report (SDR)	
Servicing facilities	

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Seventy-five megahertz markers	
Sexual Harassment (policy)	Vol. 1, Ch. 10-4
SFAR 36	
authorization	Vol. 2, Ch. 2-1, 79-1
eligibility	
procedures manual	
SFAR 36.1(d) and 36.7	
SFAR 38	
Shop environment	Vol. 2, Ch. 188-1, 188-2, 236-2
Short-term escalation	Vol. 2, Ch. 80-1; Vol. 3, Ch. 37-3, 38-5
authorization	
buying back (time)	
extension	
procedures	Vol. 2, Ch. 80-1, 80-5
prohibitions	
intervals	
Short term lease	
Significant change	
Simulated scenarios	Vol. 2, Ch. 76-6, 76-10, 76-12
Slide raft	Vol. 2, Ch. 77, 108
launch	Vol. 2, Ch. 77-12, 108-1, 108-13
Software	
avionics	
changes	
approve	Vol. 3, Ch. 146
monitor	
operator designed	
post-certification	
pre-approved	
safety-related	
verification and validation program	
Special Considerations	
Special equipment and test apparatus	
Special flight permit	
Special purpose equipment	
Special navigation equipment	
Special tools (definition)	
Spot inspection	
operator/fractional program manager's aircraft	
performing	
structural	
work package (definition)	
Statistical performance standards system	
Strike	Vol. 3, Ch. 125
Structural inspection	
procedures	
Structural inspection/airframe overhaul	
"B" or "C" check	Vol. 3, Ch. 36-3, 36-5

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
"D" check	Vol. 3, Ch. 36-3
Student enrollment statement	
Substance Abuse	Vol. 1, Ch. 10-4
Substantial damage	·
Substantial Maintenance Provider (SMP)	•
Supplemental lighting	•
Supplemental maintenance program	
Supplemental Structural Inspection Document (SSID)	
requirements	
Supplemental Type Certificate (STC)	
	101-1, 136-2, 237-1; Vol. 3, Ch. 39
Surveillance	· , · · · , · · · · , · · · · · · · · ·
CHDO monthly surveillance report checklist	Vol. 3, Ch. 125-7
continuing	
criteria	·
facility	•
program	•
	Vol. 2, Ch. 170-4; Vol. 3, Ch. 99-3
Surveillance and Evaluation Assessment Tool (SEAT)	
Suspension	·
Suspected Unapproved Parts (SUP)	
Systems analysis processes	
Systems status	
T	
Team Event	Vol. 3, Ch. 134-1
composition	Vol. 3, Ch. 134-1
inspector responsibilities	Vol. 3, Ch. 134-1
organization and coordination	Vol. 3, Ch. 134-5
Team Focused In-Depth Inspection	
composition	
inspection plan	Vol. 2, Ch. 157-1
Tear-down reports	Vol. 3, Ch. 37-2
Teardown reports	
Tactical Landing Approach Radar (TALAR)	
microwave landing system	
Teaching levels (see levels)	
Technical data library	
Technical Standard Order (TSO)	
Test	, , , , , , , , , , , , , , , , , , ,
calibration	Vol. 2. Ch. 236-1: Vol. 3. Ch. 144-1
calibration history	
calibration intervals	
calibration records	
equipment	
equivalency, equivalent	
flight	

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
manufacturer	
minimum	
overhaul	
performance	
primary test unit	
process	
repair	
report numbers	
shop	
updating	
Test applicant listing	
AC Form 8080-13	
Time Between Overhauls (TBO)	
Time changes	Vol. 2, Ch. 83-1
Time in service	Vol. 3, Ch. 61-1
Time limitations	
inspection frequency and overhaul pages	Vol. 3, Ch. 36-6
revision to inspection/overhaul time limitations	
Time Reference Scanning Beam (TRSB)	
Time since last overhaul records	Vol. 2, Ch. 111-2, 111-4
Title 49 of the United States Code (49 U.S.C.)	
Section 42121	Vol. 1, Ch. 11-1, 11-7, 11-11
Section 46301	Vol. 1, Ch. 11-1, 11-7, 11-11
Tolerance limits	
Tools and equipment	
Total operating hours	
Total time in service	Vol. 2, Ch. 92-1; Vol. 3, Ch. 27-4, 42-1, 61-1, 61-4
records	
	41-1, 41-4, 42-4, 61-4
Total time/cycles in-service records	
Total time since last overhaul	
Training	
aircraft	Vol. 2, Ch. 155-1, 156-1; Vol. 3, Ch. 91-1
flights	
instrument flight	
program	
records	
remedial (airman)	Vol. 2, Ch. 215
•	
Transcripts	
•	Vol. 3, Ch. 43-1, 43-2
Turbine engine part classifications	
· ·	Vol. 2, Ch. 36-2, 36-4, 76-5
• •	Vol. 2, Ch. 87-1, 87-2, 237-1
data sheets	Vol. 2, Ch. 75-3, 78-2

Page 42

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Type certification demonstrations	Vol. 2, Ch. 77-1, 108-1
Type design	Vol. 2, Ch. 136-2
Type element	Vol. 1, Ch. 9-1
	Vol. 2, Ch. 211-2
U	
Ultra accident investigation	Vol. 2, Ch. 211-3
Ultra High Frequency (UHF)	Vol. 2, Ch. 238-1
Ultralight vehicle accidents	Vol. 2, Ch. 211-3
Uncontained engine failures	Vol. 3, Ch. 37-1
Unicom frequency	Vol. 2, Ch. 239-2
Unsatisfactory item	Vol. 2, Ch. 186-3
Unscheduled maintenance	Vol. 3, Ch. 36-1
U.Sregistered aircraft	Vol. 2, Ch. 126
	Vol. 2, Ch. 125-1; Vol. 3, Ch. 75-1
	Vol. 2, Ch. 67-1
projected annual utilization	Vol. 2, Ch. 67-1
report	Vol. 2, Ch. 78-1
$\mathbf{v}$	
Vacuum/air systems	Vol. 3, Ch. 7-2
Validation tests	Vol. 2, Ch. 76-1, 76-4
definition	Vol. 2, Ch. 76-1
	Vol. 2, Ch. 76-6
Venting	Vol. 2, Ch. 239-2; Vol. 3, Ch. 145-1
Verification program	Vol. 2, Ch. 82-1
Very High Frequency (VHF)	Vol. 2, Ch. 238-1
Very High Frequency Omnirange (VOR)	Vol. 3, Ch. 140-2
facility	Vol. 3, Ch. 140-2, 140-3
station	Vol. 3, Ch. 140-2
administrative action	Vol. 2, Ch. 213-1, 213-2, 213-5
definition	Vol. 2, Ch. 213-1
enforcement action	Vol. 2, Ch. 213-3, 213-5
legal action	Vol. 2, Ch. 213-1, 213-5
definition	Vol. 2, Ch. 213-1
legal proceedings	Vol. 2, Ch. 213-1
definition	Vol. 2, Ch. 213-1
Visual Flight Rules (VFR)	
w	
	Vol. 2, Ch. 77-3, 108-9
	Vol. 2, Ch. 77-3, 108-9
ditching exit	Vol. 2, Ch. 77-3, 108-9

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Weather characteristics (nonhomogeneous)	
Weather diversions	
Weights	
actual	
•	
	Vol. 2, Ch. 74-3, 110-1
	Vol. 2, Ch. 74-1, 110-1, 110-2
	Vol. 2, Ch. 74-14, 110-2
<b>5</b> 1	
e	
<b>A</b>	
•	
Ç ,	Vol. 2, Ch. 74-2, 74-4, 110-1
<u> </u>	Vol. 2, Ch. 74
	for the 21st Century (AIR 21)Vol. 1, Ch. 11-1
	Vol. 1, Ch. 11
1 0	
•	
complaint processing	
•	
· · · · · · · · · · · · · · · · · · ·	
•	
•	
responsibilities	
	Vol. 1, Ch. 11-2, 11-4
	Vol. 1, Ch. 11-2, 11-4
	Vol. 1, Ch. 11-2, 11-4
•	
	Vol. 2, Ch. 211-5, 212-5, 213-7
Work program	Vol. 3, Ch. 2-1, 2-2, 3-2, 4-1, 4-3, 5-1, 5-3, 98-1

 $\mathbf{X}$ 

 $\mathbf{Y}$ 

## **COMPREHENSIVE INDEX—Continued**

SUBJECT	LOCATION
Z	
Zero time since overhaul certification	Vol. 3, Ch. 41-1, 42-1